

Environmental Product Declaration

In accordance with ISO 14025 and EN 15804:2012+A2:2019 for:

HPL boards with natural wood finish

NATURCLAD - W and NATURHARDPANEL - W

From

Parklex Prodema Int. S.L.U.

PARKLEX PRODEMA

| | |
|--------------------------|---|
| Programme: | The International EPD [®] System, www.environdec.com |
| Programme operator: | EPD International AB |
| EPD registration number: | S-P-00975 |
| Publication date: | 2016-10-26 |
| Revision date: | 2023-10-11 |
| Valid until: | 2026-05-31 |

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com



General information

Programme information

| | |
|-------------------|---|
| Programme: | The International EPD® System |
| Address: | EPD International AB Box 210 60 SE-100 31 Stockholm Sweden |
| Website: | www.environdec.com |
| E-mail: | info@environdec.com |

ISO standard ISO 21930 and CEN standard EN 15804 serves as the core Product Category Rules (PCR)

Product category rules (PCR):
PCR 2019:14 Construction products, version 1.11

PCR review was conducted by:
The Technical Committee of the International EPD® System. See www.environdec.com/TC for a list of members. Review chair: Claudia A. Peña, University of Concepción, Chile. The review panel may be contacted via the Secretariat www.environdec.com/contact.

Independent third-party verification of the declaration and data, according to ISO 14025:2006:

External Internal

Covering

EPD process certification EPD verification

Third party verifier:

Tecnalia R&I Certificacion, SL
Auditor: Maria Feced
info@tecnaliacertificacion.com
Accredited by: ENAC n°125/C-PR283 accreditation.

Procedure for follow-up of data during EPD validity involves third party verifier:

Yes No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.

Company information

Owner of the EPD: Parklex Prodema Int. S.L.U.

Description of the organisation:

Parklex Prodema Int, SLU is a company dedicated to the manufacture of HPL boards with natural wood finish for external (NATURCLAD - W) and internal (NATURHARDPANEL - W) cladding.

Our first determination is to provide the world of architecture with exclusive materials that will enable architects to design warm, beautiful and comfortable spaces that improve the quality of life of their users. Efficient buildings dressed in the elegance of natural wood.

| | |
|---|----------------------------------|
| Environmental Management System Certificate | UNE-EN ISO 14001 GA-2002/070 |
| Ecodesign Management Systems Certification | UNE-EN ISO 14006 ED-0009/2010 |
| Forest product custody chain Management Systems Certificate | PEFC/14-35-00025-AEN |

The company has acquired a commitment to nature by promoting a respectful and sustainable management with the environment, and particularly with the sustainable exploitation of forests.

Name and location of production site:

Maderas Mejoradas Industrial s.a.
20.250 Legorreta
Spain

Contact:

Fernando Encio
Quality & Environment System Manager
Email: fernando.encio@parklexprodema.com
More information: <https://www.parklexprodema.com>

Product information

Product name: HPL boards with natural wood finish NATURCLAD - W and NATURHARDPANEL - W

Product description:

The panels are formed of a high density bakelite core, coated with a natural wood treated with synthetic resin.

In the case of NATURCLAD - W an additional film improves the durability of the panels, conferring anti-adherent properties protecting against of solar radiation, atmospheric agents, dirt and chemical attacks.



Both product families are produced in two different ranges in relation to their fire behaviour, standard (S) and fireproof (F) for the improved reaction to fire class

Technical data

| Characteristics | Standard | Units | Results |
|-------------------------------------|------------------|----------------------|--|
| Dimensional tolerances | | | |
| Thickness | EN 438 | mm | Nominal ± 0,5 |
| Flatness | EN 438 | mm/m | ≤ 5 |
| Length and width | EN 438 | mm | + 10/0 |
| Edge straightness | EN 438 | mm/m | ≤ 1,5 |
| Edge squareness | EN 438 | mm/m | ≤ 1,5 |
| Physical properties | | | |
| Dimensional stability | EN 438 | %max | 0,3/0,6 |
| Resistance to impact | EN 438 | Height (mm) | ≥ 1.800 |
| Tensile strength | EN ISO 527 | MPa | ≥ 60 |
| Graffiti resistance | ASTM D 6578:2000 | Cleanability level | Permanent level 4 Spray level 4 Wax level 1 Ink level 2 |
| Weather resistance | | | |
| Resistance to UV light | EN 438 | Grey scale Aspect | ≥ 3 ≥ 4 |
| Resistance to artificial weathering | EN 438 | Grey scale Aspect | ≥ 3 ≥ 4 |

Product dimension features

- ✓ Length and width:
2440 mm x 1220 mm:
- ✓ Thickness
6, 8, 10, 12, 14, 16, 18, 20, 22 mm
- ✓ Weight by surface area unit

| Kg/m ² | 8 mm Standard | 10 mm Standard | 8 mm Retardant to Fire | 10 mm Retardant to Fire |
|-------------------|---------------|----------------|------------------------|-------------------------|
|-------------------|---------------|----------------|------------------------|-------------------------|

| | | | | |
|--------------------|-------|-------|-------|-------|
| NATURCLAD - W | 11,09 | 14,14 | 11,42 | 14,24 |
| NATURHARDPANEL - W | 10,97 | 14,02 | 11,30 | 14,12 |

UN CPC code: 314 Boards and panels

LCA information

Declared unit: The declared unit is the baseline reference for which all information is collected. In this study, the declared business unit “1m² of board” of the following typologies:

| EXTERNAL USE BOARDS | INTERNAL USE BOARDS |
|----------------------|---------------------------|
| NATURCLAD - W S 8mm | NATURHARDPANEL - W S 8mm |
| NATURCLAD - W S 10mm | NATURHARDPANEL - W S 10mm |
| NATURCLAD - W F 8mm | NATURHARDPANEL - W F 8mm |
| NATURCLAD - W F 10mm | NATURHARDPANEL - W F 10mm |

Reference service life: Not relevant for this EPD.


Geographical scope: The geographical scope of this EPD is international.

Time representativeness: The data collection from factory (primary data) is from 2020/01/01 to 2020/12/31. The electricity mix is from 2019 year. In this study, no datasets older than 10 years were used.

Database(s) and LCA software used: All the data used to model the process and obtain the Life Cycle Inventory are specific data and they are representative of the different processes implemented during the manufacturing process. The data has been measured directly at the company’s own premises. In addition, the most complete and highest quality European life cycle inventory database, Ecoinvent 3.6, has been used, as this database contains the most extensive and updated information and its scope coincides with the geographical, technological and temporal area of the project. The LCA was modelled with Simapro 9.1.1.1.

Description of system boundaries: According to the standard UNE-EN 15804_2012+A2_2020 (MARCH 2020) and PCR 2019:14 CONSTRUCTION PRODUCTS (version 1.11) the system boundary is cradle to gate with modules C1–C4 and module D (A1–A3 + C + D). The life cycle stages A4–A5, B1–B7 were excluded from the LCA study.

System diagram:



System boundaries

Manufacturing process:

The manufacturing process takes place over 5 steps:

1. Raw material reception and selection. In some cases, shearing is necessary to achieve appropriate dimensions.
2. Preparing packages, joining different layers of film and paper to be pressed later on.
3. Pressing.
4. Machining the boards, adjusting them to client requirements with an automatic saw.
5. Packaging the end product with the different protective layers required and final product is stored until dispatch.

Author of the Life Cycle Assessment:

IK ingenieria
 Av. Cervantes 51, Edif. 10, planta 5, dpto.
 48970 Basauri, Bizkaia (Spain)

Data quality

The environmental impact of the HPL boards has been calculated. It is based on the international standards established for the development of environmental product declarations, such as ISO 14025 for the preparation of the environmental product declaration, ISO 14040 and ISO 14044 for the preparation of the life cycle analysis, UNE-EN 15804:2012+A2:2020 (MARCH 2020) and the Product Category Rules PCR - "2019:14 Construction products " (Version 1.11) of the CPC 314.

Data for raw material supply, transport to fabrication plant and production (A1-A3) is based on specific consumption data for the factory at Legorreta. Generic background datasets were used for the downstream

processes. SimaPro v9.1.1.1. software was used to prepare the life cycle analysis together with the Ecoinvent 3.6 database. Characterization factors from EN15804: 2012 + A2:2019.

The geographical coverage is international. Technological coverage is typical or average.

Assumptions

The modularity principle, as well as the polluter-payer principle have been followed. The following assumptions have been made in this EPD:

- ✓ It does not include the manufacturing processes of the capital goods or spare parts and/or maintenance with a life of more than three years.
- ✓ The environmental impact of infrastructure for general management, office, and headquarters operations is not included.
- ✓ The impact caused by people (common activities, travel for work...) will not be considered.
- ✓ The processes associated with fuel production are intrinsically included in the indicators in ECOINVENT's database used in carrying out the LCA.
- ✓ The environmental impact of external transport has been calculated using lorries from the ECOINVENT 3.6 database, EURO 6. These lorries have been selected to reflect the most realistic scenario possible.

Cut-off rules

The standard ISO 14025 and the PCR -"2019:14 CONSTRUCTION PRODUCTS" indicate that the life cycle inventory data should include a minimum of 95% of the total inputs (materials and energy) for each stage. This cut-off rule does not apply for hazardous materials and substances. No such cut-off criteria have been taken into account in this study.

Allocation

Where necessary, such as auxiliary materials, water, waste generation, emissions and energy consumption, an allocation based in mass has been used.

Greenhouse gas emission from the use of electricity in the manufacturing phase

The mix of renewable energy used to produce certain raw materials and the in-factory production process is based in the year 2019. Specific renewable electricity mix with Guarantee of Origin, high voltage (direct emissions and losses in grid) electricity is considered for the manufacturing process.

| Electricity mix | Amount | Units |
|-----------------------------------|--------|-----------------------------|
| Specific electricity mix with GoO | 0,01 | Kg CO ₂ -eqv/kWh |

LCA Scenarios and additional technical information

Dismantling/demolition (module C1):

Since they are not products with a structural use, the energy consumption of this phase is considered not relevant.

Transport (module C2):

With a collection rate of 100%, the transports are carried out by lorry (EURO 6) over 50 km.

Waste processing (modules C3 and C4):

A recycling ratio of 43,53 %, energy recovery ratio of 41,79 %, incineration ratio of 13,78 % and a landfilled ratio of 0,9% is considered in accordance with the publication of the H2020 project "Absorbing the Potential of Wood Waste in EU Regions and Industrial Bio-based Ecosystems — BioReg" document "D1.1 EUROPEAN WOOD WASTE STATISTICS REPORT FOR RECIPIENT AND MODEL REGIONS" for Europe

(<https://ec.europa.eu/research/participants/documents/downloadPublic?documentIds=080166e5bf1792ce&appId=PPGMS>). These percentages are representative of the areas where the product is marketed.

In module C3 the boards waste treatment (chipping) is considered. In module C4 the impact of incineration process and the landfilling.

Recyclability potentials (module D):

Module D contains credits from the recycling and energy recovery of the boards in module C3. For the recycling process is considered that the board is collected and recycled for use in substitution of virgin wood chips. For energy recovery, use in substitution electricity and natural gas to produce heat.

Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation:

| | Product stage | | | Construction process stage | | Use stage | | | | | | | End of life stage | | | | Resource recovery stage |
|----------------------|---------------------|-----------|---------------|----------------------------|---------------------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|----------------------------|-----------|------------------|----------|------------------------------------|
| | Raw material supply | Transport | Manufacturing | Transport | Construction installation | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy use | Operational water use | De-construction demolition | Transport | Waste processing | Disposal | Reuse-Recovery-Recycling-potential |
| Module | A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | B6 | B7 | C1 | C2 | C3 | C4 | D |
| Modules declared | X | X | X | ND | ND | ND | ND | ND | ND | ND | ND | ND | X | X | X | X | X |
| Geography | EU | EU | EU | ND | ND | ND | ND | ND | ND | ND | ND | ND | GLO | GLO | GLO | GLO | GLO |
| Specific data used | >90% | | | | | - | - | - | - | - | - | - | - | - | - | - | - |
| Variation – products | No applicable | | | | | - | - | - | - | - | - | - | - | - | - | - | - |
| Variation – sites | No applicable | | | | | - | - | - | - | - | - | - | - | - | - | - | - |

Content information

| Product components | NATURCLAD - W S 8 mm | | | NATURCLAD - W S 10 mm | | | NATURCLAD - W F 8 mm | | | NATURCLAD - W F 10 mm | | |
|---------------------|----------------------|----------------------------------|------------------------------|-----------------------|----------------------------------|------------------------------|----------------------|----------------------------------|------------------------------|-----------------------|----------------------------------|------------------------------|
| | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% |
| Plastics | 0,12 | 0,00% | 0,00% | 0,12 | 0,00% | 0,00% | 0,12 | 0,00% | 0,00% | 0,12 | 0,00% | 0,00% |
| Synthetic resins | 4,19 | 0,00% | 0,00% | 5,39 | 0,00% | 0,00% | 4,69 | 0,00% | 0,00% | 5,82 | 0,00% | 0,00% |
| Wood veneer | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% |
| Paper | 6,24 | 25,00% | 100,00% | 8,09 | 25,00% | 100,00% | 6,07 | 25,00% | 100,00% | 7,76 | 25,00% | 100,00% |
| TOTAL | 11,09 | 14,06% | 61,11% | 14,14 | 14,30% | 61,01% | 11,42 | 13,29% | 57,86% | 14,24 | 13,62% | 58,27% |
| Packaging materials | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | |
| Cardboard | 0,02 | 0,15% | | 0,02 | 0,14% | | 0,02 | 0,15% | | 0,02 | 0,13% | |
| Plastic | 0,06 | 0,51% | | 0,06 | 0,41% | | 0,06 | 0,49% | | 0,06 | 0,41% | |
| Wood | 0,23 | 2,11% | | 0,27 | 1,89% | | 0,23 | 2,05% | | 0,27 | 1,88% | |
| TOTAL | 0,31 | 2,77% | | 0,34 | 2,44% | | 0,31 | 2,69% | | 0,34 | 2,42% | |

| Product components | NATURHARDPANEL - W S 8 mm | | | NATURHARDPANEL - W S 10 mm | | | NATURHARDPANEL - W F 8 mm | | | NATURHARDPANEL - W F 10 mm | | |
|---------------------|---------------------------|----------------------------------|------------------------------|----------------------------|----------------------------------|------------------------------|---------------------------|----------------------------------|------------------------------|----------------------------|----------------------------------|------------------------------|
| | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% | Weight, kg | Post-consumer material, weight-% | Renewable material, weight-% |
| Plastics | 0,00 | 0,00% | 0,00% | 0,00 | 0,00% | 0,00% | 0,00 | 0,00% | 0,00% | 0,00 | 0,00% | 0,00% |
| Synthetic resins | 4,19 | 0,00% | 0,00% | 5,39 | 0,00% | 0,00% | 4,69 | 0,00% | 0,00% | 5,82 | 0,00% | 0,00% |
| Wood veneer | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% | 0,54 | 0,00% | 100,00% |
| Paper | 6,24 | 25,00% | 100,00% | 8,09 | 25,00% | 100,00% | 6,07 | 25,00% | 100,00% | 7,76 | 25,00% | 100,00% |
| TOTAL | 10,97 | 14,22% | 61,78% | 14,02 | 14,42% | 61,53% | 11,30 | 13,43% | 58,48% | 14,12 | 13,74% | 58,77% |
| Packaging materials | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | | Weight, kg | Weight-% (versus the product) | |
| Cardboard | 0,02 | 0,15% | | 0,02 | 0,14% | | 0,02 | 0,15% | | 0,02 | 0,14% | |
| Plastic | 0,01 | 0,11% | | 0,01 | 0,10% | | 0,01 | 0,11% | | 0,01 | 0,10% | |
| Wood | 0,23 | 2,14% | | 0,27 | 1,91% | | 0,23 | 2,07% | | 0,27 | 1,90% | |
| TOTAL | 0,26 | 2,40% | | 0,30 | 2,15% | | 0,26 | 2,33% | | 0,30 | 2,13% | |

Packaging: Product packaging includes different layers of plastic films, a sacrifice board, wooden wedges and a polyester hoop. Panels that do not meet quality standards are reused as sacrifice boards for packaging.

No substances included in the Candidate List of Substances of Very High Concern for authorization under REACH Regulations are present in this boards manufactured by Maderas Mejoradas Industrial s.a., either above the threshold for registration with the European Chemicals Agency or above 0,1% (wt/wt).

Environmental Information

Potential environmental impact – mandatory indicators according to EN 15804

| Results per declared unit | | | | | | | |
|------------------------------|-------------------------------------|-----------|----------|----------|----------|----------|-----------|
| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURCLAD - W S 8 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 2,55E+01 | 0,00E+00 | 8,98E-02 | 9,62E-02 | 1,43E-02 | -6,87E+00 |
| GWP-biogenic | kg CO ₂ eq. | -1,11E+01 | 0,00E+00 | 3,72E-05 | 9,57E+00 | 1,66E+00 | -2,41E-02 |
| GWP-luluc | kg CO ₂ eq. | 8,12E-02 | 0,00E+00 | 3,20E-05 | 2,16E-04 | 3,83E-06 | -7,39E-03 |
| GWP-total | kg CO ₂ eq. | 1,45E+01 | 0,00E+00 | 8,99E-02 | 9,67E+00 | 1,67E+00 | -6,90E+00 |
| ODP | kg CFC 11 eq. | 2,27E-06 | 0,00E+00 | 2,04E-08 | 8,05E-09 | 2,03E-09 | -8,28E-07 |
| AP | mol H ⁺ eq. | 1,25E-01 | 0,00E+00 | 2,58E-04 | 5,31E-04 | 4,85E-04 | -1,98E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 4,43E-03 | 0,00E+00 | 2,20E-06 | 3,04E-05 | 8,80E-07 | -9,14E-04 |
| EP-freshwater | kg P eq. | 1,44E-03 | 0,00E+00 | 7,18E-07 | 9,91E-06 | 2,87E-07 | -2,98E-04 |
| EP-marine | kg N eq. | 2,95E-02 | 0,00E+00 | 5,11E-05 | 7,11E-05 | 2,28E-04 | -2,69E-03 |
| EP-terrestrial | mol N eq. | 2,81E-01 | 0,00E+00 | 5,71E-04 | 8,71E-04 | 2,58E-03 | -3,42E-02 |
| POCP | kg NMVOC eq. | 1,22E-01 | 0,00E+00 | 2,19E-04 | 2,27E-04 | 6,78E-04 | -1,05E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,20E-04 | 0,00E+00 | 2,48E-06 | 3,71E-07 | 8,91E-08 | -2,87E-05 |
| ADP-fossil* | MJ | 5,43E+02 | 0,00E+00 | 1,36E+00 | 1,95E+00 | 1,62E-01 | -1,24E+02 |
| WDP | m ³ eq | 2,50E+01 | 0,00E+00 | 3,84E-03 | 2,19E-02 | 5,00E-03 | -1,08E+00 |
| NATURCLAD - W S 10 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 3,24E+01 | 0,00E+00 | 1,16E-01 | 1,23E-01 | 1,82E-02 | -8,76E+00 |
| GWP-biogenic | kg CO ₂ eq. | -1,42E+01 | 0,00E+00 | 4,80E-05 | 1,22E+01 | 2,12E+00 | -3,06E-02 |
| GWP-luluc | kg CO ₂ eq. | 1,05E-01 | 0,00E+00 | 4,13E-05 | 2,75E-04 | 4,89E-06 | -9,40E-03 |
| GWP-total | kg CO ₂ eq. | 1,82E+01 | 0,00E+00 | 1,16E-01 | 1,24E+01 | 2,13E+00 | -8,80E+00 |
| ODP | kg CFC 11 eq. | 2,85E-06 | 0,00E+00 | 2,64E-08 | 1,03E-08 | 2,60E-09 | -1,05E-06 |
| AP | mol H ⁺ eq. | 1,57E-01 | 0,00E+00 | 3,33E-04 | 6,77E-04 | 6,18E-04 | -2,52E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 5,74E-03 | 0,00E+00 | 2,84E-06 | 3,88E-05 | 1,12E-06 | -1,16E-03 |
| EP-freshwater | kg P eq. | 1,87E-03 | 0,00E+00 | 9,26E-07 | 1,26E-05 | 3,66E-07 | -3,79E-04 |
| EP-marine | kg N eq. | 3,74E-02 | 0,00E+00 | 6,59E-05 | 9,06E-05 | 2,91E-04 | -3,42E-03 |
| EP-terrestrial | mol N eq. | 3,50E-01 | 0,00E+00 | 7,38E-04 | 1,11E-03 | 3,29E-03 | -4,36E-02 |
| POCP | kg NMVOC eq. | 1,56E-01 | 0,00E+00 | 2,83E-04 | 2,89E-04 | 8,64E-04 | -1,33E-02 |
| ADP-minerals&metals* | kg Sb eq. | 4,04E-04 | 0,00E+00 | 3,20E-06 | 4,73E-07 | 1,14E-07 | -3,64E-05 |
| ADP-fossil* | MJ | 6,95E+02 | 0,00E+00 | 1,75E+00 | 2,49E+00 | 2,06E-01 | -1,58E+02 |
| WDP | m ³ eq | 3,14E+01 | 0,00E+00 | 4,96E-03 | 2,79E-02 | 6,38E-03 | -1,37E+00 |
| NATURCLAD - W F 8 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 2,67E+01 | 0,00E+00 | 9,31E-02 | 9,89E-02 | 1,46E-02 | -7,09E+00 |
| GWP-biogenic | kg CO ₂ eq. | -1,08E+01 | 0,00E+00 | 3,85E-05 | 9,33E+00 | 1,61E+00 | -2,50E-02 |
| GWP-luluc | kg CO ₂ eq. | 1,09E-01 | 0,00E+00 | 3,31E-05 | 2,22E-04 | 3,93E-06 | -7,64E-03 |
| GWP-total | kg CO ₂ eq. | 1,59E+01 | 0,00E+00 | 9,32E-02 | 9,43E+00 | 1,63E+00 | -7,12E+00 |
| ODP | kg CFC 11 eq. | 2,56E-06 | 0,00E+00 | 2,12E-08 | 8,28E-09 | 2,08E-09 | -8,54E-07 |
| AP | mol H ⁺ eq. | 1,33E-01 | 0,00E+00 | 2,67E-04 | 5,46E-04 | 4,97E-04 | -2,04E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 5,00E-03 | 0,00E+00 | 2,28E-06 | 3,13E-05 | 9,02E-07 | -9,42E-04 |
| EP-freshwater | kg P eq. | 1,63E-03 | 0,00E+00 | 7,44E-07 | 1,02E-05 | 2,94E-07 | -3,07E-04 |
| EP-marine | kg N eq. | 3,17E-02 | 0,00E+00 | 5,29E-05 | 7,31E-05 | 2,34E-04 | -2,79E-03 |
| EP-terrestrial | mol N eq. | 3,01E-01 | 0,00E+00 | 5,92E-04 | 8,96E-04 | 2,65E-03 | -3,55E-02 |
| POCP | kg NMVOC eq. | 1,24E-01 | 0,00E+00 | 2,27E-04 | 2,33E-04 | 6,95E-04 | -1,09E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,30E-04 | 0,00E+00 | 2,57E-06 | 3,81E-07 | 9,13E-08 | -2,98E-05 |
| ADP-fossil* | MJ | 5,50E+02 | 0,00E+00 | 1,41E+00 | 2,00E+00 | 1,65E-01 | -1,28E+02 |
| WDP | m ³ eq | 2,45E+01 | 0,00E+00 | 3,98E-03 | 2,25E-02 | 5,13E-03 | -1,12E+00 |
| NATURCLAD - W F 10 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 3,29E+01 | 0,00E+00 | 1,16E-01 | 1,23E-01 | 1,83E-02 | -8,83E+00 |
| GWP-biogenic | kg CO ₂ eq. | -4,68E-01 | 0,00E+00 | 4,80E-05 | 8,57E-04 | 1,22E-02 | -3,11E-02 |
| GWP-luluc | kg CO ₂ eq. | 1,36E-01 | 0,00E+00 | 4,13E-05 | 2,77E-04 | 4,91E-06 | -9,51E-03 |
| GWP-total | kg CO ₂ eq. | 3,26E+01 | 0,00E+00 | 1,16E-01 | 1,25E-01 | 3,05E-02 | -8,87E+00 |
| ODP | kg CFC 11 eq. | 3,13E-06 | 0,00E+00 | 2,64E-08 | 1,03E-08 | 2,61E-09 | -1,06E-06 |
| AP | mol H ⁺ eq. | 1,63E-01 | 0,00E+00 | 3,33E-04 | 6,82E-04 | 6,21E-04 | -2,54E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 6,29E-03 | 0,00E+00 | 2,84E-06 | 3,90E-05 | 1,13E-06 | -1,17E-03 |
| EP-freshwater | kg P eq. | 2,05E-03 | 0,00E+00 | 9,26E-07 | 1,27E-05 | 3,68E-07 | -3,82E-04 |
| EP-marine | kg N eq. | 3,91E-02 | 0,00E+00 | 6,59E-05 | 9,12E-05 | 2,92E-04 | -3,46E-03 |
| EP-terrestrial | mol N eq. | 3,67E-01 | 0,00E+00 | 7,38E-04 | 1,12E-03 | 3,31E-03 | -4,41E-02 |
| POCP | kg NMVOC eq. | 1,55E-01 | 0,00E+00 | 2,83E-04 | 2,91E-04 | 8,68E-04 | -1,35E-02 |

| | | | | | | | |
|----------------------|-------------------|----------|----------|----------|----------|----------|-----------|
| ADP-minerals&metals* | kg Sb eq. | 4,04E-04 | 0,00E+00 | 3,20E-06 | 4,76E-07 | 1,14E-07 | -3,69E-05 |
| ADP-fossil* | MJ | 6,84E+02 | 0,00E+00 | 1,75E+00 | 2,50E+00 | 2,07E-01 | -1,59E+02 |
| WDP | m ³ eq | 3,02E+01 | 0,00E+00 | 4,96E-03 | 2,81E-02 | 6,41E-03 | -1,39E+00 |

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

Results per declared unit

| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
|-----------------------------------|-------------------------------------|-----------|----------|----------|----------|----------|-----------|
| NATURHARDPANEL - W S 8 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 2,40E+01 | 0,00E+00 | 8,98E-02 | 9,52E-02 | 1,41E-02 | -6,80E+00 |
| GWP-biogenic | kg CO ₂ eq. | -5,93E+00 | 0,00E+00 | 4,83E-05 | 2,86E-03 | 2,22E+00 | 7,38E+00 |
| GWP-luluc | kg CO ₂ eq. | 8,06E-02 | 0,00E+00 | 3,20E-05 | 2,14E-04 | 3,78E-06 | -7,31E-03 |
| GWP-total | kg CO ₂ eq. | 1,81E+01 | 0,00E+00 | 8,99E-02 | 9,82E-02 | 2,23E+00 | 5,77E-01 |
| ODP | kg CFC 11 eq. | 2,22E-06 | 0,00E+00 | 2,04E-08 | 7,96E-09 | 2,01E-09 | -8,19E-07 |
| AP | mol H ⁺ eq. | 1,17E-01 | 0,00E+00 | 2,58E-04 | 5,26E-04 | 4,79E-04 | -1,95E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 4,31E-03 | 0,00E+00 | 2,20E-06 | 3,01E-05 | 8,69E-07 | -9,04E-04 |
| EP-freshwater | kg P eq. | 1,40E-03 | 0,00E+00 | 7,18E-07 | 9,80E-06 | 2,83E-07 | -2,94E-04 |
| EP-marine | kg N eq. | 2,82E-02 | 0,00E+00 | 5,11E-05 | 7,03E-05 | 2,25E-04 | -2,66E-03 |
| EP-terrestrial | mol N eq. | 2,69E-01 | 0,00E+00 | 5,71E-04 | 8,62E-04 | 2,55E-03 | -3,38E-02 |
| POCP | kg NMVOC eq. | 1,17E-01 | 0,00E+00 | 2,19E-04 | 2,24E-04 | 6,69E-04 | -1,04E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,07E-04 | 0,00E+00 | 2,48E-06 | 3,67E-07 | 8,81E-08 | -2,83E-05 |
| ADP-fossil* | MJ | 5,20E+02 | 0,00E+00 | 1,36E+00 | 1,93E+00 | 1,60E-01 | -1,23E+02 |
| WDP | m ³ eq | 2,45E+01 | 0,00E+00 | 3,84E-03 | 2,17E-02 | 4,94E-03 | -1,06E+00 |
| NATURHARDPANEL - W S 10 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 3,08E+01 | 0,00E+00 | 1,14E-01 | 1,22E-01 | 1,80E-02 | -8,68E+00 |
| GWP-biogenic | kg CO ₂ eq. | -7,11E+00 | 0,00E+00 | 6,15E-05 | 3,65E-03 | 2,83E+00 | 9,41E+00 |
| GWP-luluc | kg CO ₂ eq. | 1,04E-01 | 0,00E+00 | 4,07E-05 | 2,73E-04 | 4,84E-06 | -9,31E-03 |
| GWP-total | kg CO ₂ eq. | 2,38E+01 | 0,00E+00 | 1,14E-01 | 1,25E-01 | 2,85E+00 | 7,25E-01 |
| ODP | kg CFC 11 eq. | 2,80E-06 | 0,00E+00 | 2,60E-08 | 1,02E-08 | 2,57E-09 | -1,05E-06 |
| AP | mol H ⁺ eq. | 1,49E-01 | 0,00E+00 | 3,28E-04 | 6,71E-04 | 6,12E-04 | -2,49E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 5,61E-03 | 0,00E+00 | 2,80E-06 | 3,84E-05 | 1,11E-06 | -1,15E-03 |
| EP-freshwater | kg P eq. | 1,83E-03 | 0,00E+00 | 9,13E-07 | 1,25E-05 | 3,62E-07 | -3,76E-04 |
| EP-marine | kg N eq. | 3,61E-02 | 0,00E+00 | 6,50E-05 | 8,98E-05 | 2,88E-04 | -3,39E-03 |
| EP-terrestrial | mol N eq. | 3,38E-01 | 0,00E+00 | 7,27E-04 | 1,10E-03 | 3,26E-03 | -4,31E-02 |
| POCP | kg NMVOC eq. | 1,51E-01 | 0,00E+00 | 2,79E-04 | 2,87E-04 | 8,55E-04 | -1,32E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,91E-04 | 0,00E+00 | 3,16E-06 | 4,68E-07 | 1,13E-07 | -3,60E-05 |
| ADP-fossil* | MJ | 6,72E+02 | 0,00E+00 | 1,73E+00 | 2,46E+00 | 2,05E-01 | -1,56E+02 |
| WDP | m ³ eq | 3,10E+01 | 0,00E+00 | 4,89E-03 | 2,77E-02 | 6,32E-03 | -1,35E+00 |
| NATURHARDPANEL - W F 8 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 2,51E+01 | 0,00E+00 | 9,31E-02 | 9,80E-02 | 1,45E-02 | -7,01E+00 |
| GWP-biogenic | kg CO ₂ eq. | -5,85E+00 | 0,00E+00 | 5,01E-05 | 2,94E-03 | 2,29E+00 | 7,61E+00 |
| GWP-luluc | kg CO ₂ eq. | 1,08E-01 | 0,00E+00 | 3,31E-05 | 2,20E-04 | 3,90E-06 | -7,55E-03 |
| GWP-total | kg CO ₂ eq. | 1,94E+01 | 0,00E+00 | 9,32E-02 | 1,01E-01 | 2,30E+00 | 5,93E-01 |
| ODP | kg CFC 11 eq. | 2,51E-06 | 0,00E+00 | 2,12E-08 | 8,20E-09 | 2,06E-09 | -8,44E-07 |
| AP | mol H ⁺ eq. | 1,25E-01 | 0,00E+00 | 2,67E-04 | 5,41E-04 | 4,94E-04 | -2,02E-02 |
| EP-freshwater | ³⁻ eq. kgPO ₄ | 4,88E-03 | 0,00E+00 | 2,28E-06 | 3,10E-05 | 8,97E-07 | -9,32E-04 |
| EP-freshwater | kg P eq. | 1,59E-03 | 0,00E+00 | 7,44E-07 | 1,01E-05 | 2,92E-07 | -3,04E-04 |
| EP-marine | kg N eq. | 3,03E-02 | 0,00E+00 | 5,29E-05 | 7,24E-05 | 2,32E-04 | -2,75E-03 |
| EP-terrestrial | mol N eq. | 2,89E-01 | 0,00E+00 | 5,92E-04 | 8,87E-04 | 2,63E-03 | -3,51E-02 |
| POCP | kg NMVOC eq. | 1,19E-01 | 0,00E+00 | 2,27E-04 | 2,31E-04 | 6,91E-04 | -1,07E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,17E-04 | 0,00E+00 | 2,57E-06 | 3,78E-07 | 9,07E-08 | -2,94E-05 |
| ADP-fossil* | MJ | 5,27E+02 | 0,00E+00 | 1,41E+00 | 1,99E+00 | 1,64E-01 | -1,26E+02 |
| WDP | m ³ eq | 2,40E+01 | 0,00E+00 | 3,98E-03 | 2,23E-02 | 5,10E-03 | -1,11E+00 |
| NATURHARDPANEL - W F 10 mm | | | | | | | |
| GWP-fossil | kg CO ₂ eq. | 3,14E+01 | 0,00E+00 | 1,16E-01 | 1,22E-01 | 1,82E-02 | -8,75E+00 |
| GWP-biogenic | kg CO ₂ eq. | -6,94E+00 | 0,00E+00 | 6,24E-05 | 3,68E-03 | 2,86E+00 | 9,50E+00 |
| GWP-luluc | kg CO ₂ eq. | 1,36E-01 | 0,00E+00 | 4,13E-05 | 2,75E-04 | 4,89E-06 | -9,42E-03 |
| GWP-total | kg CO ₂ eq. | 2,45E+01 | 0,00E+00 | 1,16E-01 | 1,26E-01 | 2,88E+00 | 7,38E-01 |
| ODP | kg CFC 11 eq. | 3,08E-06 | 0,00E+00 | 2,64E-08 | 1,02E-08 | 2,60E-09 | -1,05E-06 |
| AP | mol H ⁺ eq. | 1,55E-01 | 0,00E+00 | 3,33E-04 | 6,76E-04 | 6,18E-04 | -2,52E-02 |

| | | | | | | | |
|----------------------|-------------------------------------|----------|----------|----------|----------|----------|-----------|
| EP-freshwater | ³⁻ eq. kgPC ₄ | 6,17E-03 | 0,00E+00 | 2,84E-06 | 3,87E-05 | 1,12E-06 | -1,16E-03 |
| EP-freshwater | kg P eq. | 2,01E-03 | 0,00E+00 | 9,26E-07 | 1,26E-05 | 3,66E-07 | -3,79E-04 |
| EP-marine | kg N eq. | 3,78E-02 | 0,00E+00 | 6,59E-05 | 9,05E-05 | 2,91E-04 | -3,43E-03 |
| EP-terrestrial | mol N eq. | 3,55E-01 | 0,00E+00 | 7,38E-04 | 1,11E-03 | 3,29E-03 | -4,37E-02 |
| POCP | kg NMVOC eq. | 1,50E-01 | 0,00E+00 | 2,83E-04 | 2,89E-04 | 8,64E-04 | -1,34E-02 |
| ADP-minerals&metals* | kg Sb eq. | 3,91E-04 | 0,00E+00 | 3,20E-06 | 4,72E-07 | 1,14E-07 | -3,66E-05 |
| ADP-fossil* | MJ | 6,61E+02 | 0,00E+00 | 1,75E+00 | 2,48E+00 | 2,06E-01 | -1,58E+02 |
| WDP | m ³ eq | 2,97E+01 | 0,00E+00 | 4,96E-03 | 2,79E-02 | 6,38E-03 | -1,38E+00 |

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

Acronyms

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

Potential environmental impact – additional mandatory and voluntary indicators

| Results per declared unit | | | | | | |
|-----------------------------------|----------|----------|----------|----------|----------|-----------|
| Indicator | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURCLAD - W S 8 mm | | | | | | |
| GWP-GHG ¹ | 2,49E+01 | 0,00E+00 | 8,91E-02 | 9,56E-02 | 2,05E-02 | -6,81E+00 |
| NATURCLAD - W S 10 mm | | | | | | |
| GWP-GHG ¹ | 3,15E+01 | 0,00E+00 | 1,15E-01 | 1,22E-01 | 2,63E-02 | -8,67E+00 |
| NATURCLAD - W F 8 mm | | | | | | |
| GWP-GHG ¹ | 2,59E+01 | 0,00E+00 | 9,24E-02 | 9,83E-02 | 2,09E-02 | -7,02E+00 |
| NATURCLAD - W F 10 mm | | | | | | |
| GWP-GHG ¹ | 3,20E+01 | 0,00E+00 | 1,15E-01 | 1,23E-01 | 2,64E-02 | -8,74E+00 |
| Results per declared unit | | | | | | |
| Indicator | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURHARDPANEL - W S 8 mm | | | | | | |
| GWP-GHG ¹ | 2,34E+01 | 0,00E+00 | 8,91E-02 | 9,45E-02 | 2,03E-02 | -6,73E+00 |
| NATURHARDPANEL - W S 10 mm | | | | | | |
| GWP-GHG ¹ | 3,01E+01 | 0,00E+00 | 1,13E-01 | 1,21E-01 | 2,62E-02 | -8,60E+00 |
| NATURHARDPANEL - W F 8 mm | | | | | | |
| GWP-GHG ¹ | 2,45E+01 | 0,00E+00 | 9,24E-02 | 9,73E-02 | 2,08E-02 | -6,94E+00 |
| NATURHARDPANEL - W 10 mm | | | | | | |
| GWP-GHG ¹ | 3,05E+01 | 0,00E+00 | 1,15E-01 | 1,22E-01 | 2,63E-02 | -8,67E+00 |

¹ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

Use of resources

Results per declared unit

| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
|------------------------------|----------------|----------|----------|----------|----------|----------|-----------|
| NATURCLAD - W S 8 mm | | | | | | | |
| PERE | MJ | 4,10E+01 | 0,00E+00 | 1,94E-02 | 3,27E-01 | 7,07E-03 | -2,45E+01 |
| PERM | MJ | 2,11E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 2,52E+02 | 0,00E+00 | 1,94E-02 | 3,27E-01 | 7,07E-03 | -2,45E+01 |
| PENRE | MJ | 5,23E+02 | 0,00E+00 | 1,36E+00 | 1,95E+00 | 1,62E-01 | -1,24E+02 |
| PENRM | MJ. | 2,02E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 5,43E+02 | 0,00E+00 | 1,36E+00 | 1,95E+00 | 1,62E-01 | -1,24E+02 |
| SM | kg | 6,03E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 6,46E-01 | 0,00E+00 | 1,45E-04 | 1,63E-03 | 7,71E-04 | -5,67E-02 |
| NATURCLAD - W S 10 mm | | | | | | | |
| PERE | MJ | 4,49E+01 | 0,00E+00 | 2,51E-02 | 4,17E-01 | 9,04E-03 | -3,10E+01 |
| PERM | MJ | 2,75E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 3,20E+02 | 0,00E+00 | 2,51E-02 | 4,17E-01 | 9,04E-03 | -3,10E+01 |
| PENRE | MJ | 6,75E+02 | 0,00E+00 | 1,75E+00 | 2,48E+00 | 2,06E-01 | -1,58E+02 |
| PENRM | MJ. | 2,03E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 6,95E+02 | 0,00E+00 | 1,75E+00 | 2,48E+00 | 2,06E-01 | -1,58E+02 |
| SM | kg | 7,88E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 8,15E-01 | 0,00E+00 | 1,88E-04 | 2,08E-03 | 9,84E-04 | -7,21E-02 |
| NATURCLAD - W F 8 mm | | | | | | | |
| PERE | MJ | 3,10E+01 | 0,00E+00 | 2,02E-02 | 3,36E-01 | 7,23E-03 | -2,56E+01 |
| PERM | MJ | 2,22E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 2,52E+02 | 0,00E+00 | 2,02E-02 | 3,36E-01 | 7,23E-03 | -2,56E+01 |
| PENRE | MJ | 5,30E+02 | 0,00E+00 | 1,41E+00 | 2,00E+00 | 1,65E-01 | -1,28E+02 |
| PENRM | MJ. | 2,02E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 5,50E+02 | 0,00E+00 | 1,41E+00 | 2,00E+00 | 1,65E-01 | -1,28E+02 |
| SM | kg | 5,86E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 6,29E-01 | 0,00E+00 | 1,51E-04 | 1,67E-03 | 7,91E-04 | -5,87E-02 |
| NATURCLAD - W F 10 mm | | | | | | | |
| PERE | MJ | 3,47E+01 | 0,00E+00 | 2,51E-02 | 4,20E-01 | 9,08E-03 | -3,16E+01 |
| PERM | MJ | 2,81E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 3,15E+02 | 0,00E+00 | 2,51E-02 | 4,20E-01 | 9,08E-03 | -3,16E+01 |
| PENRE | MJ | 6,64E+02 | 0,00E+00 | 1,75E+00 | 2,50E+00 | 2,07E-01 | -1,59E+02 |
| PENRM | MJ. | 2,03E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 6,85E+02 | 0,00E+00 | 1,75E+00 | 2,50E+00 | 2,07E-01 | -1,59E+02 |
| SM | kg | 7,55E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 7,79E-01 | 0,00E+00 | 1,88E-04 | 2,09E-03 | 9,88E-04 | -7,29E-02 |

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water

| Results per declared unit | | | | | | | |
|-----------------------------------|----------------|----------|----------|----------|----------|----------|-----------|
| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURHARDPANEL - W S 8 mm | | | | | | | |
| PERE | MJ | 4,02E+01 | 0,00E+00 | 1,94E-02 | 3,24E-01 | 6,99E-03 | -2,41E+01 |
| PERM | MJ | 2,11E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 2,52E+02 | 0,00E+00 | 1,94E-02 | 3,24E-01 | 6,99E-03 | -2,41E+01 |
| PENRE | MJ | 5,05E+02 | 0,00E+00 | 1,36E+00 | 1,93E+00 | 1,60E-01 | -1,22E+02 |
| PENRM | MJ | 1,52E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 5,20E+02 | 0,00E+00 | 1,36E+00 | 1,93E+00 | 1,60E-01 | -1,22E+02 |
| SM | kg | 6,03E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 6,34E-01 | 0,00E+00 | 1,45E-04 | 1,61E-03 | 7,61E-04 | -5,60E-02 |
| NATURHARDPANEL - W S 10 mm | | | | | | | |
| PERE | MJ | 4,41E+01 | 0,00E+00 | 2,47E-02 | 4,13E-01 | 8,96E-03 | -3,06E+01 |
| PERM | MJ | 2,75E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 3,19E+02 | 0,00E+00 | 2,47E-02 | 4,13E-01 | 8,96E-03 | -3,06E+01 |
| PENRE | MJ | 6,57E+02 | 0,00E+00 | 1,73E+00 | 2,46E+00 | 2,05E-01 | -1,56E+02 |
| PENRM | MJ | 1,53E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 6,72E+02 | 0,00E+00 | 1,73E+00 | 2,46E+00 | 2,05E-01 | -1,56E+02 |
| SM | kg | 7,88E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 8,04E-01 | 0,00E+00 | 1,85E-04 | 2,06E-03 | 9,74E-04 | -7,14E-02 |
| NATURHARDPANEL - W F 8 mm | | | | | | | |
| PERE | MJ | 3,02E+01 | 0,00E+00 | 2,02E-02 | 3,33E-01 | 7,19E-03 | -2,52E+01 |
| PERM | MJ | 2,22E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 2,52E+02 | 0,00E+00 | 2,02E-02 | 3,33E-01 | 7,19E-03 | -2,52E+01 |
| PENRE | MJ | 5,12E+02 | 0,00E+00 | 1,41E+00 | 1,98E+00 | 1,64E-01 | -1,26E+02 |
| PENRM | MJ | 1,52E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 5,27E+02 | 0,00E+00 | 1,41E+00 | 1,98E+00 | 1,64E-01 | -1,26E+02 |
| SM | kg | 5,86E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 6,17E-01 | 0,00E+00 | 1,51E-04 | 1,66E-03 | 7,86E-04 | -5,80E-02 |
| NATURHARDPANEL - W F 10 mm | | | | | | | |
| PERE | MJ | 3,40E+01 | 0,00E+00 | 2,51E-02 | 4,16E-01 | 9,04E-03 | -3,13E+01 |
| PERM | MJ | 2,81E+02 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PERT | MJ | 3,15E+02 | 0,00E+00 | 2,51E-02 | 4,16E-01 | 9,04E-03 | -3,13E+01 |
| PENRE | MJ | 6,46E+02 | 0,00E+00 | 1,75E+00 | 2,48E+00 | 2,06E-01 | -1,58E+02 |
| PENRM | MJ | 1,53E+01 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| PENRT | MJ | 6,61E+02 | 0,00E+00 | 1,75E+00 | 2,48E+00 | 2,06E-01 | -1,58E+02 |
| SM | kg | 7,55E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| RSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| NRSF | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| FW | m ³ | 7,67E-01 | 0,00E+00 | 1,88E-04 | 2,07E-03 | 9,84E-04 | -7,23E-02 |

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water

Waste production and output flows

Waste production

| Indicator | Unit | Results per declared unit | | | | | |
|------------------------------|------|---------------------------|----------|----------|----------|----------|-----------|
| | | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURCLAD - W S 8 mm | | | | | | | |
| Hazardous waste disposed | kg | 3,46E-04 | 0,00E+00 | 3,56E-06 | 8,69E-07 | 4,20E-07 | -1,23E-04 |
| Non-hazardous waste disposed | kg | 2,37E+00 | 0,00E+00 | 6,61E-02 | 1,09E-02 | 1,17E-01 | -2,21E-01 |
| Radioactive waste disposed | kg | 1,08E-03 | 0,00E+00 | 9,25E-06 | 1,37E-05 | 5,68E-07 | -4,43E-04 |
| NATURCLAD - W S 10 mm | | | | | | | |
| Hazardous waste disposed | kg | 4,37E-04 | 0,00E+00 | 4,59E-06 | 1,11E-06 | 5,36E-07 | -1,57E-04 |
| Non-hazardous waste disposed | kg | 3,02E+00 | 0,00E+00 | 8,54E-02 | 1,38E-02 | 1,51E-01 | -2,81E-01 |
| Radioactive waste disposed | kg | 1,39E-03 | 0,00E+00 | 1,19E-05 | 1,75E-05 | 7,28E-07 | -5,65E-04 |
| NATURCLAD - W F 8 mm | | | | | | | |
| Hazardous waste disposed | kg | 3,88E-04 | 0,00E+00 | 3,69E-06 | 8,94E-07 | 4,30E-07 | -1,27E-04 |
| Non-hazardous waste disposed | kg | 2,50E+00 | 0,00E+00 | 6,85E-02 | 1,12E-02 | 1,17E-01 | -2,29E-01 |
| Radioactive waste disposed | kg | 1,15E-03 | 0,00E+00 | 9,59E-06 | 1,41E-05 | 5,79E-07 | -4,57E-04 |
| NATURCLAD - W F 10 mm | | | | | | | |
| Hazardous waste disposed | kg | 4,77E-04 | 0,00E+00 | 4,59E-06 | 1,11E-06 | 5,38E-07 | -1,58E-04 |
| Non-hazardous waste disposed | kg | 3,09E+00 | 0,00E+00 | 8,54E-02 | 1,39E-02 | 1,51E-01 | -2,85E-01 |
| Radioactive waste disposed | kg | 1,43E-03 | 0,00E+00 | 1,19E-05 | 1,76E-05 | 7,31E-07 | -5,70E-04 |

| Indicator | Unit | Results per declared unit | | | | | |
|-----------------------------------|------|---------------------------|----------|----------|----------|----------|-----------|
| | | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURHARDPANEL - W S 8 mm | | | | | | | |
| Hazardous waste disposed | kg | 3,39E-04 | 0,00E+00 | 3,56E-06 | 8,60E-07 | 4,15E-07 | -1,22E-04 |
| Non-hazardous waste disposed | kg | 2,28E+00 | 0,00E+00 | 6,61E-02 | 1,07E-02 | 1,16E-01 | -2,19E-01 |
| Radioactive waste disposed | kg | 1,06E-03 | 0,00E+00 | 9,25E-06 | 1,36E-05 | 5,63E-07 | -4,39E-04 |
| NATURHARDPANEL - W S 10 mm | | | | | | | |
| Hazardous waste disposed | kg | 4,29E-04 | 0,00E+00 | 4,53E-06 | 1,10E-06 | 5,31E-07 | -1,56E-04 |
| Non-hazardous waste disposed | kg | 2,93E+00 | 0,00E+00 | 8,42E-02 | 1,37E-02 | 1,51E-01 | -2,78E-01 |
| Radioactive waste disposed | kg | 1,37E-03 | 0,00E+00 | 1,18E-05 | 1,73E-05 | 7,23E-07 | -5,60E-04 |
| NATURHARDPANEL - W F 8 mm | | | | | | | |
| Hazardous waste disposed | kg | 3,80E-04 | 0,00E+00 | 3,69E-06 | 8,85E-07 | 4,27E-07 | -1,26E-04 |
| Non-hazardous waste disposed | kg | 2,41E+00 | 0,00E+00 | 6,85E-02 | 1,10E-02 | 1,17E-01 | -2,27E-01 |
| Radioactive waste disposed | kg | 1,13E-03 | 0,00E+00 | 9,59E-06 | 1,40E-05 | 5,77E-07 | -4,52E-04 |
| NATURHARDPANEL - W F 10 mm | | | | | | | |
| Hazardous waste disposed | kg | 4,69E-04 | 0,00E+00 | 4,59E-06 | 1,11E-06 | 5,36E-07 | -1,57E-04 |
| Non-hazardous waste disposed | kg | 3,00E+00 | 0,00E+00 | 8,54E-02 | 1,38E-02 | 1,51E-01 | -2,82E-01 |
| Radioactive waste disposed | kg | 1,41E-03 | 0,00E+00 | 1,19E-05 | 1,75E-05 | 7,28E-07 | -5,65E-04 |

Output flows

Results declared unit

| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
|-----------------------------------|------|----------|----------|----------|----------|----------|----------|
| NATURCLAD - W S 8 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 9,79E-01 | 0,00E+00 | 0,00E+00 | 4,83E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 4,64E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,17E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,59E+01 |
| NATURCLAD - W S 10 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 1,25E+00 | 0,00E+00 | 0,00E+00 | 6,16E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,91E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,77E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 7,13E+01 |
| NATURCLAD - W F 8 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 1,01E+00 | 0,00E+00 | 0,00E+00 | 4,97E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 4,77E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,24E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,76E+01 |
| NATURCLAD - W F 10 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 1,26E+00 | 0,00E+00 | 0,00E+00 | 6,20E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,95E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,79E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 7,18E+01 |
| Results declared unit | | | | | | | |
| Indicator | Unit | A1-A3 | C1 | C2 | C3 | C4 | D |
| NATURHARDPANEL - W S 8 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 9,68E-01 | 0,00E+00 | 0,00E+00 | 4,78E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 4,59E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,15E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,53E+01 |
| NATURHARDPANEL - W S 10 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 1,24E+00 | 0,00E+00 | 0,00E+00 | 6,10E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,86E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,75E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 7,07E+01 |
| NATURHARDPANEL - W F 8 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |
| Material for recycling | kg | 9,97E-01 | 0,00E+00 | 0,00E+00 | 4,92E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 4,72E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,21E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,70E+01 |
| NATURHARDPANEL - W F 10 mm | | | | | | | |
| Components for re-use | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 |

| | | | | | | | |
|-------------------------------|----|----------|----------|----------|----------|----------|----------|
| Material for recycling | kg | 1,25E+00 | 0,00E+00 | 0,00E+00 | 6,15E+00 | 0,00E+00 | 0,00E+00 |
| Materials for energy recovery | kg | 0,00E+00 | 0,00E+00 | 0,00E+00 | 5,90E+00 | 0,00E+00 | 0,00E+00 |
| Exported energy, electricity | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 2,77E+01 |
| Exported energy, thermal | MJ | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00 | 7,12E+01 |

Information on biogenic carbon content

Results per declared unit

| BIOGENIC CARBON CONTENT | Unit | QUANTITY | | | |
|--------------------------------------|------|-------------------------|--------------------------|-------------------------|--------------------------|
| | | NATURCLAD - W S 8 mm | NATURCLAD - W S 10 mm | NATURCLAD - W F 8 mm | NATURCLAD - W F 10 mm |
| Biogenic carbon content in product | kg C | 3,31E+00 | 4,23E+00 | 3,22E+00 | 4,07E+00 |
| Biogenic carbon content in packaging | kg C | 1,40E-01 | 1,60E-01 | 1,40E-01 | 1,60E-01 |

Results per declared unit

| BIOGENIC CARBON CONTENT | Unit | QUANTITY | | | |
|--------------------------------------|------|------------------------------|-------------------------------|------------------------------|-------------------------------|
| | | NATURHARDPANEL - W S 8 mm | NATURHARDPANEL - W S 10 mm | NATURHARDPANEL - W F 8 mm | NATURHARDPANEL - W F 10 mm |
| Biogenic carbon content in product | kg C | 3,31E+00 | 4,23E+00 | 3,22E+00 | 4,07E+00 |
| Biogenic carbon content in packaging | kg C | 1,40E-01 | 1,60E-01 | 1,40E-01 | 1,60E-01 |

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.

Additional information

The technical datasheet and the safety datasheet can be found in the following webpage:

<https://parklexprodema.com/technical-area/>

Information related to Sector EPD

This is an individual EPD[®]

Differences versus previous versions

- Update to General Programme Instruction of the International EPD[®]System. Version 3.01 and to PCR 2019:14 Construction products, version 1.11
- The allocation of loads has been made per kg of product instead of per m².
- The amount of packaging is adjusted according to the number of boards that are delivery in the pack (depending on the thickness)
- Emissions are included
- The product and company name has changed, but the characteristics of the product, its manufacturing process, etc. remain the same.
- 2023-10-11: Correction in the uptake and emission of biogenic CO₂ balance.

References

- General Program Instruction of the International EPD®System. Version 3.01.
- ISO 14020:2000 Environmental labels and declarations-General principles.
- ISO 14025:2010 Environmental labels and declarations-Type III Environmental Declarations-Principles and procedures.
- ISO 14040:2006 Environmental Management-Life Cycle Assessment-Principles and framework.
- ISO 14044:2006 Environmental Management-Life Cycle Assessment-Requirements and guidelines.
- PCR 2019:14 Construction products (EN 15804: A2) version 1.11
- EN 15804:2012+A2:2019 Sustainability of construction works-Environmental Product Declarations-Core rules for the product category of construction products.

VERIFICATION STATEMENT CERTIFICATE CERTIFICADO DE DECLARACIÓN DE VERIFICACIÓN

Certificate No. / Certificado nº: EPD00901

TECNALIA R&I CERTIFICACION S.L., confirms that independent third-party verification has been conducted of the Environmental Product Declaration (EPD) on behalf of:

TECNALIA R&I CERTIFICACION S.L., confirma que se ha realizado verificación de tercera parte independiente de la Declaración Ambiental de Producto (DAP) en nombre de:

PARKLEX PRODEMA INT. S.L.U.
Bº San Miguel 9
20250 LEGORRETA (Gipuzkoa) SPAIN

for the following product(s):
para el siguiente(s) producto(s):

HPL BOARDS WITH NATURAL WOOD FINISH:
NATURCLAD-W S, NATURCLAD-W F, NATURHARDPANEL - W S and NATURHARDPANEL - W F.
TABLEROS DE HPL CON ACABADO DE MADERA NATURAL:
NATURCLAD-W S, NATURCLAD-W F, NATURHARDPANEL - W S y NATURHARDPANEL - W F.

with registration number **S-P-00975** in the International EPD® System (www.environdec.com)
*con número de registro **S-P-00975** en el Sistema Internacional EPD® (www.environdec.com)*

it's in conformity with:
es conforme con:

- **ISO 14025:2010 Environmental labels and declarations. Type III environmental declarations.**
- **General Programme Instructions for the International EPD® System v.3.01.**
- **PCR 2019:14 Construction products (EN 15804:A2) version 1.11.**
- **UN CPC 314 Boards and panels.**



Carlos Nazabal Alsua
Manager

| | |
|---------------------------------------|--------------|
| Issued date / Fecha de emisión: | 26/10/2016 |
| Update date / Fecha de actualización: | 10/10/2023 |
| Valid until / Válido hasta: | 31/05/2026 |
| Serial Nº / Nº Serie: | EPD0090104-E |

*This certificate is not valid without its related EPD.
Este certificado no es válido sin su correspondiente EPD.*

*El presente certificado está sujeto a modificaciones, suspensiones temporales y retiradas por TECNALIA R&I CERTIFICACION.
This certificate is subject to modifications, temporary suspensions and withdrawals by TECNALIA R&I CERTIFICACION.*

*El estado de vigencia del certificado puede confirmarse mediante consulta en www.tecnaliacertificacion.com.
The validity of this certificate can be checked through consultation in www.tecnaliacertificacion.com.*

