

# Environmental Product Declaration

for **Ecosmart Stretch Jeans** trousers in accordance with ISO 14025

## Programme:

The International EPD® System, www.environdec.com EPD Turkey, www.epdturkey.org

## **Programme Operator:**

EPD International AB & EPD Turkey

Date Of Publication (issue): 2020-03-20

Date of Validty: 2025-02-16

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com

EPD Registration Number: S-P-01791



THE INTERNATIONAL EPD® SYSTEM



ENVIRONMENTAL PRODUCT DECLARATIONS



PD for 35-55% cotton & 10-159 polyester & 35-55% viscose jeans



## **Programme Operator**

EPD International AB. Box 210 60. SE-100 31 Stockholm. Sweden E-mail: info@environdec.com

Regional Office: EPD Turkey, Nef 09 B Blok 7/15 Kağıthane/ Istanbul, Turkey www.epdturkey.org

## **Product Category Rules (PCR)**

Trousers, shorts and slacks and similar garments 2019:06, version 1.01 UN CPC 282


### **PCR Review Was Conducted By**

The Technical Committee of the International EPD® System. A full list of members available on www.environdec.com.

Chair of the PCR review: Hüdai Kara Contact via: info@environdec.com

#### Verification

Independent verification of the declaration and data, according to ISO 14025:2006:



## **Third Party Verifier**

Nikolay Minkov, Eng. MSc. LCA and Sustainability Specialist, Independent EPD Verifier Schwartzkopffstrasse 3, 10115, Berlin, Germany E-mail: niks.minkov@amail.com Accredited or approved by: The International EPD® System

## **Data Follow Up**

Procedure for follow-up of data during EPD validity involves third party verifier:



## LCA Study & EPD Design Conducted By

Semtrio Sustainability Consultina AND Plaza No:10-12 Kozyatagi Istanbul/Turkey www.semtrio.com

UN CPC Class: 2823

Owner of the Declaration: Martelli

Manufacturer: Sanko Tekstil Isletmeleri San. ve Tic. A.S. Martelli Şubesi

Organize Sanayi Bölgesi 3. Cadde No:13, İnegöl/Bursa, Turkey

Martelli has the sole ownership, liability and responsibility of this EPD. For further information about this EPD or its content, please contact Mr. Burak Can at bcan@martelli.com.tr

EPDs within the same product category but from different programmes may not be comparable.



# **DISCOVER MARTELLI**

Martelli is an exclusive denim production, washing and finishing facility. Creating limited-edition sample runs for ISKO and exclusive collections for deluxe labels.

With a facility over 25 000 square meters and a team of over 300 research and development specialists, Martelli Turkey is capable to cover 30 000 pieces of denim in their laundry per month.



## HISTORY

As a denim laundry with more than 50 years of experience, Martelli is known for its creativity and innovation in denim finishing and garment dyeing. In 2004 Martelli Turkey was established by a joint-venture between Martelli Group and ISKO. Over the years Martelli Turkey and Martelli Italy have worked closed and shared their knowledge to renovate and challenge itself to add value to the products and denim and the fashion world. Martelli Turkey is now operating as an exclusive denim laboratory for ISKO.






# PRODUCT INFORMATION

**Ecosmart Stretch Jeans** is a sustainable version of Smart Jeans processes where water consumption and electricity consumption can be reduced up to 40%. With this product group the chemical bleaching methods have been elminated. Low-temperature enzymes are used to get stone wash look.

| Product Characteristics*   | Test Method    | Units                          |  |
|--|----------------|--------------------------------|--|
| For woven materials:<br>Abrasion Strength                          | EN ISO 12947-2 | Over 20000 rubs                |  |
| For woven materials:<br>Tear Strength                              | ASTM D1424     | Warp: 5152 kg<br>Weft: 5980 kg |  |
| For woven materials:<br>Tensile Strength                           | ASTM D5034     | Warp: 80.0 kg<br>Weft: 36.8 kg |  |
| Voluntary: For woven materials:<br>Seam Slippage                   | ASTM D1683     | 7 kg (min)                     |  |
| pH of water extract  | ISO 3071       | 7.0                            |  |
| Colour fastness to artificial light:<br>Xenon arc fading lamp test | EN ISO 105 B02 | 6                              |  |
| Acid and Alkaline Perspiration                                     | EN ISO 105 E04 | 4.5                            |  |
| Dry and Wet Rubbing  | AATCC 8        | Dry: 5.0<br>Wet: 4.5           |  |


| Materials in the<br>Product | % in the product | Material<br>Composition                             | Compliance with REACH |
|-----------------------------|------------------|---|-----------------------|
| Fabric                      | 98%              | 35-55% Cotton<br>10-15% Polyester<br>35-55% Viscose | <b>✓</b>              |
| Paper Labels                | 0.21%            | 100% Paper  | <b>✓</b>              |
| Metal<br>Accessories        | 1.78%            | 100% Metal  | <b>✓</b>              |



Chemicals used in Martelli manufacturing comply with the Regulation (EC) No 1907/2006 of the European parliament and of the council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**Packaging:** PE packaging film is used to cover the end products. Classfied as Distribution Packaging: designed for the purposes of transport, handling and/or distribution.

\*The functional unit does not take into account all technical, functional and aesthetic properties of the product. For comparability of products based on the same PCR, these aspects shall also be considered. Weave, Mass per unit area, Width are not disclosed due to being trade secrets.



## LIFE CYCLE ASSESSMENT

The International EPD® System has adopted an LCA calculations procedure, which is separated into three different life cycle stages:

- **Upstream module (from cradle-to-gate):** Harvesting of cotton, extraction of man-made fibres, production of yarns and production of fabric, extraction and production of the chemicals.
- Core module, manufacturing processes (from gate-to-gate): Transportation of raw materials to the core, manufacturing processes, impacts generated by fuel burned, impacts due to the electricity production and transport with in the production plant.
- Downstream Processes (from gate-to-grave): Transportation from preparation to an average retailer. Use phase and end of life phase are excluded from the system boundary due to the aim of the EPD is to be used as B2B communication. The impacts of the downstream processes are negligible as being lower than 1% in the entire system boundary and not declared separately in the EPD.

## Geographical scope of the EPD

Worldwide

### **Declared Unit**

The declared unit is defined as 1 pair of trousers.

## EPD Type (System Boundry)

Cradle-to-customer

#### **Data Collection**

Specific data (primary data) was used for the Core Module and gathered from the Martelli Manufacturing Plant. The only main material in the end product is fabric and LCA information has been provided by the fabric manufacturer and inserted into Simapro. Data represents the period from 1st January 2019 to 31th August 2019. For secondary data Ecoinvent v3.5 datasets were used. LCA was modelled in SimaPro v9.0.0.31.

## Allocation


No allocation conducted for input materials and energy consumption was collected specifically per declared unit.

#### **Cut-Off Rules**

Waste and wastewater generated from core presses have been excluded due to the cut-off rule. Impacts caused by treatment operations have been calculated lower than 1% environmental relevance. Transportation to core processes was found negligible <1% for all categories.

#### **Calculation Methods**

All resource use values are calculated from Cumulative Energy Demand VI.11 in SimaPro outputs; net use of fresh water from SimaPro Inventory results. Potential environmental impacts are calculated with the CML-IA baseline V 3.05, Acidification potential from CML non-baseline V 3.04, Formation potential of tropospheric ozone (POCP) from LOTOS-EUROS as applied in ReCiPe Midpoint (H) v 1.13 2008, methods in SimaPro software.





| Resource Use                                    |                          |                               |          |       |       |
|---|--------------------------|-------------------------------|----------|-------|-------|
| Parameter                                       |                          | Unit                          | Upstream | Core  | Total |
| Primary energy<br>resources –<br>Renewable      | Use as energy<br>carrier | MJ, net calorific value 28.63 |          | 4.37  | 33.00 |
|   | Used as raw<br>materials | MJ, net calorific value 0.00  |          | 0.00  | 0.00  |
|   | TOTAL                    | MJ, net calorific value       | 28.63    | 4.37  | 33.00 |
| Primary energy<br>resources – Non-<br>renewable | Use as energy<br>carrier | MJ, net<br>calorific value    | 99.3     | 49.8  | 149.1 |
|   | Used as raw<br>materials | MJ, net<br>calorific value    | 0        | 0     | 0     |
|   | TOTAL                    | MJ, net calorific value 99.32 |          | 49.8  | 149.1 |
| Secondary material                              |                          | kg                            | 0        | 0     | 0     |
| Renewable secondary fuels                       |                          | MJ, net<br>calorific value    | 0        | 0     | 0     |
| Non-renewable secondary fuels                   |                          | MJ, net<br>calorific value    | 0        | 0     | 0     |
| Net use of fresh water                          |                          | m³                            | 0.590    | 0.060 | 0.649 |

| Environmental Impacts              |  |                         |          |          |          |  |
|------------------------------------|--|-------------------------|----------|----------|----------|--|
| Parameter Unit Upstream Core Total |  |                         |          |          |          |  |
| Global warming Potential (GWP100a) | Fossil                                 | kg CO <sub>2</sub> eq   | 6.58     | 3.67     | 10.25    |  |
|                                    | Biogenic                               | kg CO <sub>2</sub> eq   | 0.743    | 0.069    | 0.812    |  |
|                                    | Land use<br>and land<br>transformation | kg CO <sub>2</sub> eq   | 0.021    | 0.015    | 0.035    |  |
|                                    | Total                                  | kg CO <sub>2</sub> eq   | 7.35     | 3.75     | 11.1     |  |
| Abiotic depletion                  | (elements)                             | kg Sb eq                | 1.40E-05 | 7.21E-07 | 1.48E-05 |  |
| Abiotic depletion                  | (fossil fuels)                         | MJ                      | 85.8     | 44.1     | 130      |  |
| Photochemical o                    | xidation                               | kg NMVOC eq             | 0.019    | 0.008    | 0.027    |  |
| Acidification                      |  | kg SO <sub>2</sub> eq   | 0.040    | 0.016    | 0.056    |  |
| Eutrophication                     |  | kg PO <sub>4</sub> ³-eq | 0.006    | 0.002    | 0.007    |  |
| Water scarcity                     | 4                                      | m³ eq                   | 18.8     | 1.273    | 20.1     |  |

| Output Flows                  |      |          |       |       |  |
|-------------------------------|------|----------|-------|-------|--|
| Parameter                     | Unit | Upstream | Core  | Total |  |
| Components for reuse          | kg   | _        | 0     | -     |  |
| Material for recycling        | kg   | -        | 0.082 | 0.082 |  |
| Materials for energy recovery | kg   | -        | 0     | -     |  |
| Exported energy, electricity  | MJ   | - /      | 0     | _     |  |
| Exported energy, thermal      | MJ   | _        | 0     | _     |  |

| Waste Production    |      |          |       |       |  |
|---------------------|------|----------|-------|-------|--|
| Parameter           | Unit | Upstream | Core  | Total |  |
| Hazardous waste     | kg   | _        | 0.006 | 0.006 |  |
| Non-hazardous waste | kg   | _        | 0.008 | 0.008 |  |
| Radioactive waste   | kg   | _        | 0.00  | 0.00  |  |

- ISO 14040: 2006 Environmental management | Life cycle assessment |
  Principles and framework
- ISO 14044: 2006 Environmental management | Life cycle assessment |
  Requirements and guidelines
- ISO 14025: 2006 Environmental labels and declarations | Type III environmental declarations | Principles and procedures
- The International EPD® System | www.environdec.com
- The International EPD® System | The General Programme Instructions v3.01
- The International EPD® System | Trousers, shorts and slacks and similar garments. 2019:06, version 1.01
- Ecoinvent 3.5 | http://www.ecoinvent.org
- SimaPro LCA Software | https://simapro.com
- Martelli Denim | www.martellidenim.com
- LCA Report for Martelli Denim

#### **Third Party Verifier**

Nikolay Minkov, Eng. MSc.

LCA and Sustainability Specialist, Independent EPD Verifier

Schwartzkopffstrasse 3, 10115, Berlin, Germany

E-mail: niks.minkov@gmail.com

Accredited or approved by: The International EPD® System



## Owner of the Declaration

Sanko Tekstil Isletmeleri San. ve Tic. A.S. Martelli Şubesi Havaalanı Cd. No:13, 16400 Süleymaniye Osb/İnegöl/Bursa, Turkey www.martellidenim.com



## LCA Author & EPD Design

Semtrio Sustainability Consulting AND Plaza No:10-12 Kozyatagi Istanbul | Turkey

www.semtrio.com

