



GRAPHENSTONE[®] ECOSPHERE PREMIUM DE IEDISA

PINTURA NATUR







Version 3

Valid until: 2027/06/28

Revision date: 2022/06/29

UN CPC Code: 3511 Paints and Varnishes and related products

EPD® Registration Number: S-P-01050

Publication date: 2017/06/21

EPD® Scope: Internacional

EPD® based on PCR 2019:14 Construction products and construction services v 1.1

www.graphenstone.com





Table of Contents

General information	3
Programme information	3
Company information	4
Product information	4
LCA information	9
A1-A3 Production Stage	10
A4-A5 Construction Stage	12
B1-B7 USE STAGE	13
C1-C4 End of Life Stage	14
Additional information	15
Content information	
Environmental Information	
Group A – WITH CO2 ABSORTION ABILITY	19
Group A – WITH CO2 ABSORTION ABILITY Group A1	19 19
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2	19 19 22
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3	19 19 22 25
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2	19 19 22 25
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3	19
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3 Group A4 Group B – WITHOUT CO2 ABSORTION ABILITY Group B1	
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3 Group A4 Group B – WITHOUT CO2 ABSORTION ABILITY Group B1 Group B2.	
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3 Group A4 Group B – WITHOUT CO2 ABSORTION ABILITY Group B1 Group B1 Group B2 Group B3	
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3 Group A4 Group B – WITHOUT CO2 ABSORTION ABILITY Group B1 Group B2.	
Group A – WITH CO2 ABSORTION ABILITY Group A1 Group A2 Group A3 Group A4 Group B – WITHOUT CO2 ABSORTION ABILITY Group B1 Group B1 Group B2 Group B3	

















General information

Programme information

Programme:	The International EPD [®] System					
Address:	EPD International AB					
	Box 210 60					
Address:	SE-100 31 Stockholm					
	Sweden					
Website:	www.environdec.com					
E-mail:	info@environdec.com					

CEN standard UNE-EN 15804 serves as the Core Product Category Rules (PCR)

Product category rules (PCR): PCR 2019:14 Construction Products, version 1.1

PCR review was conducted by: El Comité Técnico del Sistema Internacional EPD®. President: Claudia A. Peña. Contact via info@environdec.com

Independent third-party verification of the declaration and data, according to ISO 14025:2006:

 \Box EPD process certification \boxtimes EPD verification

Third party verifier: *Marcel Gomez - Marcel Gómez Consultoría Ambiental* Tlf 0034 630 64 35 93 - info@marcelgomez.com

In case of recognised individual verifiers: Approved by: *The International EPD®* System

Procedure for follow-up of data during EPD validity involves third party verifier:

 \boxtimes Yes \Box No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with UNE-EN 15804. For further information about comparability, see UNE-EN 15804 and ISO 14025.

















Company information

<u>Owner of the EPD:</u> INDUSTRIA ESPAÑOLA PARA EL DESARROLLO E INVESTIGACIÓN 2100, S.A. (IEdiSA)

<u>Contact:</u> Laura García +34 955 292 068 quality@graphenstone.com www.graphenstone.com

<u>Description of the organization</u>: IEdiSA is a company located in El Viso del Alcor (Seville, Spain), the first worldwide manufacturer of ecological construction products, such as paints, coatings, mortars, adhesives and insulations with graphene technology under the brand **Graphenstone®**. The formulations exponentially improve its properties, mainly in reducing the consumption of materials since it works at nanometric scales, providing hardness, resistance and elasticity superior to any common coating.

IEdiSA is a manufacturer of ecological coatings, healthy and natural building materials based on artisanal lime and graphene technology. The project is totally focused on sustainable construction, maintaining at all time the principles of circular economy. The products meet the highest sustainability standards, presenting excellent benefits for the environment and health.

<u>Product-related or management system-related certifications:</u> As per constant concern about the continuous environmental improvement of its products, IEdiSA features:

- Certification ISO 9001 Quality Management since 2013 (registration number: ES-0610/2013),
- Certification ISO 14001 Environmental Management (registration number ES-2013/0248),
- Certification Cradle to Cradle GOLD granted in 2016 (certification number: 2788)
- Certification GreenTag y Sensitive Choice
- Certification Ecolabel
- Certification EUROFINS Indoor Air Comfort GOLD.

Name and location of production site(s): Poliviso industrial polygons. C/ Carpinteros, 25 (41520) El Viso del Alcor, Seville – España.

Product information

<u>Products' name:</u> Ecosphere Premium, Ecosphere Premium Color, Biosphere Premium, Biosphere Premium Color, Filler Premium Interior, Filler Premium Exterior, AmbientPro+ Premium Blanco and Color, Stuki Premium, Kratzputz Premium, Füllmasse Premium, GrafClean Premium, GrafClean Premium, GrafClean Premium, GrafClean Ag+ Premium, GCS Premium Interior and GCS Premium Exterior

<u>Products identification:</u> This EPD® represents the **Premium** serie of *Graphenstone*® products, comprising of all the paints indicated above.

<u>Products description:</u> Graphenstone® **Premium** serie comprises of natural mineral paints with integrated graphene technology, characterized with high level of resistance, flexibility and volatile

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com





ČRGI











organic compounds (VOCs) emission-free. They create healthier environments, guaranteeing the breathability and healthiness of the building, thus increasing the value of the property.







Figure 1. Presentation of the studied references

The studied references are described below:

- **Ecosphere Premium (White and Color)** is a natural mineral paint for interiors with matt finish. In White & Colou. Ideal for construction, restoration and repainting. Thanks to its formula based on artisanal lime with graphene technology, it is breathable, avoids condensation, is washable, does not yellow and absorbs CO2.
- **Biosphere Premium (White and Colour)** is a natural mineral paint for outdoor with matt finish. In White & Colour. Ideal for construction, restoration and repainting. Thanks to its formula based on artisanal lime with graphene technology, it is breathable, avoids condensation, is washable, does not yellow nor absorbs CO2.



• **AmbientPro+ Premium (White and Color)** is a natural photocatalytic paint with graphene technology. It decomposes organic compounds and inorganic gases. This is a result of the impact of light (natural and artificial) on the nanoparticles in titanium oxide, a photocatalyst. Highly effective decontaminant of pollutants in towns and cities. Reduces and eliminates all odours.

• **Filler Premium (Interior and Exterior)** is a mineral paint primer with graphene technology. Ideal for surfaces with irregular textures, surface fissures (up to 1 mm) and/or peeling areas. For indoor and outdoor use. Its formulation is breathable, prevents condensation and does not crack.

• **Stuki Premium** is a natural coating with graphene technology which, as the name suggests, produces a stucco finish. It is both simple to apply and highly versatile achieving a high-quality finish. Ideal for works with a criterion of bio-habitability, rehabilitation or sustainable restoration of buildings.

• **Kratzputz Premium** is a natural coating containing graphene technology which has a textured finish (with a granulometry up to 2 mm). Resistant to extreme weather conditions. Also used for textured interiors.

• **Füllmasse** is a natural lime putty for repairing and filling small superficial defects such as cracks, small holes and surface fissures (1-3 mm). Also, for sealing joints between building plates or boards.

• **GrafClean Premium** is an ecological paint with graphene technology and matt finish. Application in construction and repainting. Ideal for decorating facades and interiors. Free of VOC emissions and certified¹ for moisture control in concrete surface protection systems (EN 1504-2). The pigmented product is free of VOC emissions.

• **GrafClean Premium Eggshell** is a low sheen, ecological paint for interior and exterior use. It is free of all toxic substances and also highly breathable. The product contains lime which acts as a natural preservative thus eliminating the use of harmful chemicals and/or carcinogenic materials.

• **GrafClean Premium Midshine** is an ecological paint with a semi-gloss finish for interior and exterior use. It is free from all toxic substances and is also very breathable. The product contains lime that acts as a natural preservative, thus eliminating the use of harmful chemicals and/or carcinogenic materials.

• **GrafClean Front Premium** is a paint with graphene technology specially indicated for use on façades with a matt finish. Recommended for facades with a high incidence of UV rays. Intended for professional use.

• **GrafClean Ag+ Premium** is an ecological paint with silver ion (Ag+) formula, which gives it antimicrobial properties preventing the development of bacteria, fungus, viruses and protozoa.

• **GCS Interior Premium (Pastel, Medium and Transparent)** is an interior colour paint with graphene technology with matte finish. From application in construction, restoration and repainting. It guarantees the breathability of the building.

• **GCS Exterior Premium (Pastel, Medium and Transparent)** is an exterior ecological colour paint with graphene technology with matte finish. For application in construction, restoration and repainting. It guarantees the breathability of the building.

¹ Paint without pigment











THE ORIGINAL AND AUTHENTIC

Technical properties	Ecosphere Premium	Ecosphere Premium Color	Biosphere Premium	Bioosphere Premium Color	AmbientPro+ Premium	Filler Premium Interior	Filler Premium Exterior	Stuki Premium	Kratputz Premium	Füllmasse Premium
Performance for 2 layers (m2/l)			6-9			5-7		4-5	3-4	4-5
Specific weight (g/cm3)	$1,\!47\pm0,\!05$	$1,50\pm0,05$	1,47 ± 0,05	$1,\!48\pm0,\!05$	$1,\!50\pm0,\!05$	$0 \pm 0,05$ 1,55 $\pm 0,05$		1,40 ± 0,05	$\textbf{1,75}\pm0,05$	$1{,}50\pm0{,}05$
pН		13	± 1		13 ± 1	11,5	5 ± 1		12,5 ± 1	$\textbf{12,5} \pm \textbf{1}$
Viscosity (U.K.)	[80-120]						[90-120]		>140	-
Solid content (%)	58 ± 5	60 ± 5	57 ± 5	60 ± 5	72 ± 5	68 ± 5		70 ± 5	75 ± 5	72 ± 5
Washability (EN 13300)			Class 1			- Class 1			Class 1	-
Fire performance			A1			-	-	A1		
Nature			Aerated lim	e		Min	eral	Aerated lime		
Appearance	Dense liquid							Dense paste	Dense liquid with aggregates <2 mm	Dense paste
Finish				Matte				Matte	Textured matte	-
VOC content (g/l)		< 1						< 1		-
VOC emission	Class A+	-	Class A+	-	-			Class A+		-

Table 1. Technical characteristic of Graphenstone Premium paints (1)

PAINTS FOR THE

ION

#PaintDifferent



THE ORIGINAL AND AUTHENTIC

Table 2. Technical characteristic of Graphenstone Premium paints (2)									
Technical properties	GrafClean Premium	GrafClean Premium Midshine	GrafClean Premium Eggshell	GrafClean Front Premium	GrafClean Ag+ Premium	GCS Inteior	GCS Exterior		
Performance for 2 layers (m2/l)	5-8	6-8	6-8	5-8	5-8	6-9	5-8		
Specific weight (g/cm3)	$1,\!57\pm0,\!05$	$\textbf{1,}\textbf{27}\pm\textbf{0,}\textbf{05}$	$\textbf{1,24} \pm \textbf{0,05}$	$\textbf{1,}\textbf{46} \pm \textbf{0,}\textbf{05}$	$1{,}60\pm0{,}05$	$1,\!60\pm0,\!05$	$1,\!40\pm0,\!05$		
pН	$9{,}5\pm1$	$\textbf{9,5} \pm \textbf{1}$	$10,5\pm1$	9,5 ± 1		11 ± 1	11,5 ±1		
Viscosity (U.K.)	[80-120]	[80-120]	[100-120]	[80-	-120]	[90-120]	[80-120]		
Solid content (%)	65 ± 5	57 ± 5	45 ± 5	65 ± 5	69 ± 5	68 ± 5	52 ± 5		
Washability (UNE EN ISO 11998)		Class 1							
Nature	-	-	-	Acrylic		-	Silicate		
Appearance		Dense	e liquid		Dense liquid	Fluid liquid	Dense liquid		
Finish	Ma	itte	Eggshell		Ma	tte			
VOC content (g/l)				<1					

PAINTS OR THE

ION

#PaintDifferent

UN CPC code: 3511 Paints and Varnishes and related products.





LCA information

<u>Functional unit</u>: Extraction of raw materials, transport, manufacturing, transport to customer, installation, use, transport to the waste treatment plant and end-of-life treatment of the amount of product necessary to cover 1 m^2 of surface with two layers (two coats) for a useful life of 10 years.

The consumptions of Graphenstone Premium paints corresponding to this functional unit vary according to each product reference. This information is gathered in the table below:

REFERENCE NAME	Performance/ consumption (kg paint per m2 applied)
Ecosphere Premium	0,175
Ecosphere Premium Color	0,196
Biosphere Premium	0,184
Bioosphere Premium Color	0,185
AmbientPro+ Premium	0,188
Filler Premium Interior	0,258
Filler Premium Exterior	0,258
Stuki Premium	0,188
Kratputz Premium	0,311
Füllmasse Premium	0,500
GCS Premium Inteior	0,216
GCS Premium Exterior	0,213
GrafClean Premium	0,230
GrafClean Premium Midshine	0,190
GrafClean Premium Eggshell	0,195
GrafClean Front Premium	0,230
GrafClean Ag+ Premium	0,253

Table 3. Performance of the studied references (kg/m2)

<u>Reference service life:</u> The reference useful life is 10 years.

<u>Time and geographic representativeness</u>: Primary data including the consumption of raw materials and energy, the transport distances and the generation of waste come from the factory located in Seville, Spain in the year 2019, being representative for the products studied and the production process.

This document is used for B2B communication, with a global approach.

<u>Databases:</u> Specific data of quantities of materials and energy used during the life cycle of the product was used. These data have been provided by IEdiSA, referring to the year 2019, coming from direct factory data. The results presented in this document are valid for EPD® until there are no substantial









modifications that affect the impact produced. Substantial modifications are considered to be an increase above 10% in the environmental impact per functional unit.

Generic data on the impact per unit of materials or energy was used. This data has been obtained from Ecoinvent Life Cycle Analysis database, version 3.8. This database has been selected as a reference database because it coincides with the input flows of matter and energy on the following aspects:

- Technological equivalence: data derived from the same physical and chemical processes, or at least the same technological coverage.
- Nature limits: data contains all the quantitative information necessary for the EPD®.
- Technical systems limits: the life cycle stages considered are equivalent.

<u>Data quality:</u> the estimation of data quality is based on three aspects temporal, technological and geographical. The overall value is *good* (see <u>Annex</u>).

<u>Databases and LCA software used:</u> Simapro 9.3 software and Ecoinvent 3.8 database. The impact models are indicated in UNE-EN 15804:2012 + A2:2019.

<u>Description of system boundaries:</u> This EPD[®] is structures as per Life Cycle stages, established according to the reference PCR: Construction products and construction services, basing on UNE-EN 15804. It is Cradle to Gate with module D (A+B+C+D).

A1-A3 Production Stage

The product stage is made up of the raw material supply (A1), raw material transport (A2) and manufacturing (A3) stages. As allowed by the UNE-EN 15804 standard, the results of stages A1-A3 have been grouped into a single product stage (A).

• A1-Supply of raw materials

This module takes into account the extraction and processing of raw materials and energy that occurs prior to the manufacturing process under study.

It should be noted that certain Graphenstone products contains calcium hydroxide and thus, have the ability to fixate carbon dioxide present in air. As can be seen in figure 2, the production of calcium hydroxide generates CO2 in its passage from CaCO3 to lime. The same amount of CO2 emitted into the atmosphere by decarbonation is then fixed in the passage from lime to calcium hydroxide during the product use stage. This ability can be found in Ecosphere Premium, Ecosphere Premium Color, Biosphere Premium, Biosphere Premium Color, Filler Premium Interior, Filler Premium Exterior, AmbientPro+ Premium Blanco and Color, Stuki Premium, Kratzputz Premium, Füllmasse Premium.
















Figure 2. Calcium carbonate-calcium oxide-calcium hydroxide cycle.

• A2-Transportation of raw materials

This module includes the transport of the different raw materials from the providers to the factory in Seville, Spain. The distance and specific truck type have been entered for each raw material.

o A3-Manufacturing

This module includes the consumption of energy and packaging materials used during the manufacturing process. At the same time, factory emissions not originated from the combustion of fossil fuels (non-existent) as well as the transport and management of factory-originated waste are analysed.

The production is in "batch" process (discontinuous). It consists of a tank where the mixture takes place, a pump and two mechanical filters, these parts are common for all the mentioned products. In addition, it consists of a dosing machine where the pigments for colour paints are added. Finally, the products are transferred to the packaging area. The container used for packaging are certified 100% post-consumer recycled. All the described parts of the production process are illustrated in Figure 1.

The electricity mix is 100% certified coming from renewable sources.














Figure 3. Manufacturing process

A4-A5 Construction Stage

The Construction Process stage is made up of modules A4 Transportation and A5 Construction-Installation Process.

o A4-Transport

The A4 Transport module includes the transport of the finished product from the factory gate to the distributor. The main parameters that affect the result of this stage are described below.

Parameter	Value/ Description per Functional Unit (average)
Fuel type and consumption, type of vehicles used for transportation	 Lorry > 32 tn. – Diesel consumption 0,0192 kg/ tkm Container ship – Heavy fuel oil consumption 0,0025 kg/ tkm
Distance	252,53 km by lorry 2268,53 km by container ship
Capacity utilization (including empty returns)	% from Ecoinvent 3.8
Packaging	12,8 g (polypropylene + steel)
Product density	$1,47 \pm 0,05 \text{ (g/ cm3)}$

Table 4. Transportation specification A4	Table 4.	Transportation	specification	A4
--	----------	----------------	---------------	----

o A5-Construction-installation process

ČRGI

Module A5 Construction and Installation Process includes all materials and energy used for the installation. At the same time, the transport and management of the waste produced is taken into account. The most common application for the products is manual by brush and/or roller, therefore it does not require any energy.











Table 5. Parameters	description,	and values A5
---------------------	--------------	---------------

Parameter	Value/ Description per Functional Unit (average)
Auxiliary materials for installation	Brush or roller
Water	20 ml
Use of other resources	None
Quantitative description of the type of energy (regional mix) and consumption during the installation process	None
Direct emissions to air, water and soil	None
Waste of materials at the construction site, prior to processing of waste, generated during the installation of the product (specified by type)	Product losses: 2%
Outflow of materials (specified by type) resulting from waste processing at the construction site, for example, during collection for recycling, energy recovery (recovery) or landfill (specifying the route)	The packaging waste is collected and transformed into recovered material 100%.

B1-B7 USE STAGE

o B1-Use

It includes the environmental aspects and impacts in the normal use of the product, not including the consumption of water and energy. The impact of the product in this stage is negative on global warming since no material is consumed nor is there any emission to the environment during its useful life. On the other hand, as mentioned in section A1, certain references among these products fixes the ambient CO2 due to the lime cycle itself. The addition of solvents or curing of the product is not required for its use.

o B2-Maintenance

No maintenance of any kind is required during the 10-year useful life of the product.

o B3-Repair

No repair of any kind is required during the 10-year useful life of the product.

o B4-Substitution

No replacement is required during the 10-year useful life of the product.

o B5-Rehabilitation

No rehabilitation is required during the 10-year useful life of the product.

• B6-Energy use in service

No power consumption is required during the 10-year useful life of the product.

• B7-Use of water in service

No water consumption is required during the 10-year useful life of the product.













C1-C4 End of Life Stage

C1-Deconstruction / demolition

The deconstruction and / or dismantling of paint is considered to be part of the demolition of the entire building. As a consequence, the proportional environmental impact is very small and is considered negligible.

C2-Transport 0

Transport of waste generated at the end of life from the construction site to waste management. In this case, the same data as previously declared is maintained.

C3-Waste treatment 0

Recycling and / or reuse of materials at the end of life, if any. In this case, it is considered that there is no recycling or reuse during the end of life of the product, because in the demolition of buildings a selective separation of materials is not carried out in the vast majority of cases.

0 C4-Waste disposal

The elimination of waste generated during the end of the product's life. It should be noted that the quality of the information and existing models in the Ecoinvent database used regarding the end of life of individual materials is lower than desired, as cited by several scientific articles. Therefore, it is recommended to be cautious in making decisions based on the results obtained by the study at this stage.

Value/ Description per Functional Unit (average)
100% kg (mixed with construction waste)
No reuse, recycling or energy recovery
100% kg in controlled landfill
Truck with trailer with an average load of 16-32 tons and a
diesel consumption of 0,0192 kg/ tkm
50 km of average distance to the landfill

Table 1. Specification for end-of-life stage.

MODULE D POTENTIAL FOR REUSE, RECOVERY AND RECYCLING

Module D calculates the potential benefits of recycling and/ or reusing materials. This product does not claim environmental benefits due to recycling and/ or reuse.












* #PaintDifferent

System diagram:



More information: Can be found in https://www.graphenstone.com/

Additional information

- Technical support for the implementation of the EPD: Graphenstone.
- The electricity mix used in the manufacturing plant is 100% certified renewable.
- The principle of modularity has been followed, as well as the polluter pays principle
- Cut-off rules: includes a minimum of 95% of the consumption of raw materials and energy per module and a minimum of 99% for the entire life cycle.
- Allocation procedure: if necessary, an allocation based on physical criteria was used.
- Basing on the system limits indicated in the reference regulation PCR Construction products and construction services, the following processes have not been taken into account:
 - The manufacture of capital goods with an expected useful life of over three years, buildings, and other capital goods.
 - Maintenance activities of the production plant.
 - o Transportation carried out by workers on the home-factory-home journey.
 - Long-term emissions.
 - The paper and ink used in the packaging label.
 - o The consumption of matter and energy produced during the demolition of the building.















Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation:

	Pro	oduct sta	ge	Constr proces	ruction s stage	Use stage			End of life stage				Resource recovery stage				
	Raw material supply	Transport	Manufacturing	Transport	Construction installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential
Module	A1	A2	A3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules declared	х	Х	Х	х	х	х	х	х	х	х	х	х	х	х	х	х	х
Geography	Global	Spain and Germ any	Spain	Global	Global	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Loca I	Local
Specific data used	> 90% GWP			-	-	-	-	-	-	-	-	-	-	-	-		
Variation – products	Less than 10% for each product group			-	-	-	-	-	-	-	-	-	-	-	-		
Variation – sites	Ма	anufactur	ed in one	e single s	ite	-	-	-	-	-	-	-	-	-	-	-	-

















Content information

The presented Graphenstone paints have variable composition. Due to confidentiality issues, these tables present the information on the average content of the product references studied. Each table corresponds to a group of references - WITH (Group A) and WITHOUT (Group B) the ability to fixate carbon dioxide:

Group A: Ecosphere Premium, Ecosphere Premium Color, Biosphere Premium, Biosphere Premium Color, Filler Premium Interior, Filler Premium Exterior, AmbientPro+ Premium Blanco and Color, Stuki Premium, Kratzputz Premium, Füllmasse Premium

Product components	Percentage	Post-consumer material, weight-%	Renewable material, weight-%
Calcium hydroxide	40%	-	-
Water	12%	-	-
Calcium carbonate	39%	-	-
Additives	8%	-	-
TOTAL	100%	-	-
Packaging materials	Weight, kg	Weight-% (versus the product)	Post-consumer material, weight-%
Polypropylene	0,014	5%	100%
Steel	0,001	0,3%	-
TOTAL	0,015		

















Group B: GrafClean Premium, GrafClean Premium Midshine, GrafClean Premium Eggshell, GrafClean Ag+ Premium, GrafClean Front Premium, GCS Premium Interior, GCS Premium Exterior

Product components	Percentage	Post-consumer material, weight-%	Renewable material, weight-%
Water	21%	-	-
Calcium carbonate	49%	-	-
Additives	30%	-	-
TOTAL	100%	-	-
Packaging materials	Weight, kg	Weight-% (versus the product)	Post-consumer material, weight-%
Polypropylene	0,011	5%	100%
Steel	0,0006	0,3%	-
TOTAL	0,0116		

The products do not include during its life cycle any dangerous substances included in the "Very High Impact Candidate List for Authorization (SVHC)" in a percentage greater than 0.1% of the weight of each product.

Environmental Information

Below are the results of the potential environmental impacts of the products under review divided by the ability to fixate carbon dioxide and grouped in groups with a variation of less than 10%, of ascending magnitude. These values shown are the average per group.









THE ORIGINAL AND AUTHENTIC

Group A – WITH CO2 ABSORTION ABILITY

Group A1

These results are valid for the following products: Ecosphere Premium, Biosphere Premium, AmbientPro+ Blanco and Color Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Re	sults per fu	nction	al unit	1								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B4	B5	B 6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	1,72E-01	2,80E-02	4,10E-03	-4,83E-02	0	0	0	0	0	0	0	6,85E-04	0	4,70E-04	0
GWP-biogenic	kg CO ₂ eq.	5,48E-03	8,03E-06	1,10E-04	0	0	0	0	0	0	0	0	1,88E-07	0	2,70E-07	0
GWP- luluc	kg CO ₂ eq.	6,17E-04	3,45E-07	1,24E-05	0	0	0	0	0	0	0	0	8,80E-09	0	1,60E-08	0
GWP- total	kg CO ₂ eq.	1,78E-01	2,81E-02	4,23E-03	-4,83E-02	0	0	0	0	0	0	0	6,85E-04	0	4,70E-04	0
ODP	kg CFC 11 eq.	1,42E-08	6,18E-09	4,28E-10	0	0	0	0	0	0	0	0	1,55E-10	0	9,75E-11	0
AP	mol H⁺ eq.	7,51E-04	5,51E-04	2,65E-05	0	0	0	0	0	0	0	0	2,35E-06	0	4,84E-06	0
EP-freshwater	kg PO₄³- eq.	9,68E-06	4,61E-08	1,97E-07	0	0	0	0	0	0	0	0	4,89E-09	0	5,12E-09	0
EP-freshwater	kg P eq	3,15E-06	1,50E-08	6,42E-08	0	0	0	0	0	0	0	0	1,59E-09	0	1,67E-09	0
EP- marine	kg N eq.	1,02E-04	1,39E-04	4,96E-06	0	0	0	0	0	0	0	0	7,30E-07	0	2,10E-06	0
EP-terrestrial	mol N eq.	1,16E-03	1,54E-03	5,56E-05	0	0	0	0	0	0	0	0	8,04E-06	0	2,31E-05	0
POCP	kg NMVOC eq.	3,81E-04	3,95E-04	1,59E-05	0	0	0	0	0	0	0	0	2,19E-06	0	6,42E-06	0
ADP- minerals&metals*	kg Sb eq.	8,58E-07	7,32E-10	1,72E-08	0	0	0	0	0	0	0	0	5,61E-11	0	2,26E-11	0
ADP-fossil*	MJ	1,78E+00	3,76E-01	4,45E-02	0	0	0	0	0	0	0	0	9,47E-03	0	6,26E-03	0
WDP	m ³	8,37E-02	-6,54E-05	2,30E-03	0 Dia Clabal M	0	0	0	0	0	0	0	3,72E-06	0	2,53E-06	0

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.







Potential environmental impact – additional mandatory and voluntary indicators

				Resu	ilts per fur	nctio	nal ι	ınit								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	В3	В4	В5	B6	B7	C1	C2	C3	C4	D
GWP-GHG ²	kg CO ₂ eq.	1,72E-01	2,79E-02	4,09E-03	-4,83E-02	0	0	0	0	0	0	0	6,80E-04	0	4,61E-04	0

Use of resources

					Resu	ults pe	r funct	ional (unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
PERE	MJ	4,47E-01	5,38E-04	8,96E-03	0	0	0	0	0	0	0	0	1,23E-05	0	2,62E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	9,43E-01	5,37E-04	1,89E-02	0	0	0	0	0	0	0	0	1,23E-05	0	2,62E-05	0
PENRE	MJ	1,91E+00	3,99E-01	4,76E-02	0	0	0	0	0	0	0	0	1,01E-02	0	6,64E-03	0
PENRM	MJ.	3,84E-01	0	7,68E-03	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	2,29E+00	3,99E-01	5,53E-02	0	0	0	0	0	0	0	0	1,01E-02	0	6,64E-03	0
SM	kg	8,94E-03	0	1,79E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m³	1,91E-03	1,25E-06	5,32E-05	0	0	0	0	0	0	0	0	1,92E-07	0	1,37E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources	; PENRI ary ener	E = Use gy resou	of non-re	enewable ed as rav	e primary v materia	y energy exclud als; PENRT = T	ding non- otal use	-renewable prir of non-renewa	nary ble

net fresh water

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com



² The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.





Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B 1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	2,45E-06	6,03E-07	6,44E-08	0	0	0	0	0	0	0	0	2,51E-08	0	1,58E-08	0
Non-hazardous waste disposed	kg	2,00E-02	1,66E-05	4,12E-03	0	0	0	0	0	0	0	0	2,58E-06	0	1,86E-01	0
Radioactive waste disposed	kg	6,53E-06	2,70E-06	1,94E-07	0	0	0	0	0	0	0	0	6,62E-08	0	4,32E-08	0

Output flows

			Res	sults per fu	nctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	9,49E-03	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group A2

These results are valid for the following products: Füllmasse Premium, Filler Premium Interior, Filler Premium Exterior and Stuki Premium Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

		-		Re	sults per fu	nction	al unit			-				-		
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	2,10E-01	4,29E-02	5,21E-03	-4,31E-02	0	0	0	0	0	0	0	1,05E-03	0	7,19E-04	0
GWP-biogenic	kg CO ₂ eq.	7,69E-03	1,23E-05	1,54E-04	0	0	0	0	0	0	0	0	2,88E-07	0	4,13E-07	0
GWP- luluc	kg CO ₂ eq.	9,33E-04	5,27E-07	1,87E-05	0	0	0	0	0	0	0	0	1,35E-08	0	2,45E-08	0
GWP- total	kg CO ₂ eq.	2,19E-01	4,29E-02	5,39E-03	-4,31E-02	0	0	0	0	0	0	0	1,05E-03	0	7,19E-04	0
ODP	kg CFC 11 eq.	1,77E-08	9,45E-09	5,75E-10	0	0	0	0	0	0	0	0	2,38E-10	0	1,49E-10	0
AP	mol H⁺ eq.	7,55E-04	8,42E-04	3,26E-05	0	0	0	0	0	0	0	0	3,60E-06	0	7,40E-06	0
EP-freshwater	kg PO4 ³⁻ eq.	1,24E-05	7,05E-08	2,54E-07	0	0	0	0	0	0	0	0	7,48E-09	0	7,83E-09	0
EP-freshwater	kg P eq	4,05E-06	2,29E-08	8,29E-08	0	0	0	0	0	0	0	0	2,44E-09	0	2,55E-09	0
EP- marine	kg N eq.	1,27E-04	2,12E-04	7,00E-06	0	0	0	0	0	0	0	0	1,12E-06	0	3,22E-06	0
EP-terrestrial	mol N eq.	1,48E-03	2,36E-03	7,91E-05	0	0	0	0	0	0	0	0	1,23E-05	0	3,53E-05	0
POCP	kg NMVOC eq.	4,65E-04	6,04E-04	2,20E-05	0	0	0	0	0	0	0	0	3,36E-06	0	9,82E-06	0
ADP- minerals&metals*	kg Sb eq.	1,23E-06	1,12E-09	2,48E-08	0	0	0	0	0	0	0	0	8,57E-11	0	3,46E-11	0
ADP-fossil*	MJ	2,29E+00	5,75E-01	5,95E-02	0	0	0	0	0	0	0	0	1,45E-02	0	9,57E-03	0
WDP	m ³	1,02E-01	-1,00E-04	3,24E-03	0	0	0	0	0	0	0	0	5,69E-06	0	3,87E-06	0

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





Potential environmental impact – additional mandatory and voluntary indicators

				Resu	ilts per fur	nctio	nal u	ınit								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	В3	В4	В5	B6	B7	C1	C2	C3	C4	D
GWP-GHG ³	kg CO ₂ eq.	2,10E-01	4,26E-02	5,20E-03	-4,31E-02	0	0	0	0	0	0	0	1,04E-03	0	7,05E-04	0

Use of resources

					Resu	ilts pe	r funct	ional u	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	6,50E-01	8,22E-04	1,30E-02	0	0	0	0	0	0	0	0	1,87E-05	0	4,01E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	6,50E-01	8,22E-04	1,30E-02	0	0	0	0	0	0	0	0	1,87E-05	0	4,01E-05	0
PENRE	MJ	2,45E+00	6,10E-01	6,36E-02	0	0	0	0	0	0	0	0	1,54E-02	0	1,02E-02	0
PENRM	MJ.	5,88E-01	0	1,18E-02	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	3,04E+00	6,10E-01	7,54E-02	0	0	0	0	0	0	0	0	1,54E-02	0	1,02E-02	0
SM	kg	1,37E-02	0	2,73E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m³	2,29E-03	1,91E-06	7,44E-05	0	0	0	0	0	0	0	0	2,93E-07	0	2,05E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources	; PENRI ary ener	E = Use gy resou	of non-re	enewable ed as rav	e primar v materia	y energy exclud als; PENRT = T	ding non- otal use	renewable prir of non-renewa	nary Ible

net fresh water

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com



³ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	funct	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	3,30E-06	9,22E-07	8,97E-08	0	0	0	0	0	0	0	0	3,84E-08	0	2,41E-08	0
Non-hazardous waste disposed	kg	1,82E-02	2,54E-05	6,05E-03	0	0	0	0	0	0	0	0	3,94E-06	0	2,84E-01	0
Radioactive waste disposed	kg	8,38E-06	4,13E-06	2,64E-07	0	0	0	0	0	0	0	0	1,01E-07	0	6,60E-08	0

Output flows

			Res	ults per fu	nctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	1,45E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group A3

These results are valid for the following products: Ecosphere Premium Color and Biosphere Premium Color Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Re	sults per fu	nction	al unit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B4	B5	B 6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	2,69E-01	2,78E-02	6,04E-03	-4,21E-02	0	0	0	0	0	0	0	6,78E-04	0	4,65E-04	0
GWP-biogenic	kg CO ₂ eq.	6,76E-03	7,95E-06	1,35E-04	0	0	0	0	0	0	0	0	1,87E-07	0	2,68E-07	0
GWP- luluc	kg CO ₂ eq.	6,72E-04	3,42E-07	1,35E-05	0	0	0	0	0	0	0	0	8,71E-09	0	1,58E-08	0
GWP- total	kg CO ₂ eq.	2,77E-01	2,78E-02	6,19E-03	-4,21E-02	0	0	0	0	0	0	0	6,78E-04	0	4,66E-04	0
ODP	kg CFC 11 eq.	2,60E-08	6,12E-09	6,64E-10	0	0	0	0	0	0	0	0	1,54E-10	0	9,66E-11	0
AP	mol H⁺ eq.	3,53E-03	5,45E-04	8,19E-05	0	0	0	0	0	0	0	0	2,33E-06	0	4,79E-06	0
EP-freshwater	kg PO₄³- eq.	2,57E-05	4,56E-08	5,18E-07	0	0	0	0	0	0	0	0	4,84E-09	0	5,07E-09	0
EP-freshwater	kg P eq	8,38E-06	1,49E-08	1,69E-07	0	0	0	0	0	0	0	0	1,58E-09	0	1,65E-09	0
EP- marine	kg N eq.	2,24E-04	1,37E-04	7,37E-06	0	0	0	0	0	0	0	0	7,23E-07	0	2,08E-06	0
EP-terrestrial	mol N eq.	2,23E-03	1,53E-03	7,66E-05	0	0	0	0	0	0	0	0	7,96E-06	0	2,28E-05	0
POCP	kg NMVOC eq.	8,48E-04	3,91E-04	2,52E-05	0	0	0	0	0	0	0	0	2,17E-06	0	6,36E-06	0
ADP- minerals&metals*	kg Sb eq.	8,64E-07	7,25E-10	1,73E-08	0	0	0	0	0	0	0	0	5,55E-11	0	2,24E-11	0
ADP-fossil*	MJ	3,10E+00	3,72E-01	7,08E-02	0	0	0	0	0	0	0	0	9,38E-03	0	6,20E-03	0
WDP	m ³	2,56E-01	-6,47E-05	5,76E-03	0	0	0	0	0	0	0	0	3,69E-06	0	2,50E-06	0

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





Potential environmental impact – additional mandatory and voluntary indicators

				Resu	ilts per fur	nctio	nal u	init								
Indicator																
GWP-GHG ⁴	kg CO ₂ eq.	2,66E-01	2,76E-02	5,97E-03	-4,21E-02	0	0	0	0	0	0	0	6,73E-04	0	4,57E-04	0

Use of resources

					Resu	ilts pe	r funct	ional u	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	5,74E-01	5,33E-04	1,15E-02	0	0	0	0	0	0	0	0	1,21E-05	0	2,59E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	5,74E-01	5,33E-04	1,15E-02	0	0	0	0	0	0	0	0	1,21E-05	0	2,59E-05	0
PENRE	MJ	3,31E+00	3,95E-01	7,56E-02	0	0	0	0	0	0	0	0	9,96E-03	0	6,58E-03	0
PENRM	MJ.	3,81E-01	0	1,18E-02	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	3,69E+00	3,95E-01	8,74E-02	0	0	0	0	0	0	0	0	9,96E-03	0	6,58E-03	0
SM	kg	8,85E-03	0	1,77E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m³	6,11E-03	1,23E-06	1,38E-04	0	0	0	0	0	0	0	0	1,90E-07	0	1,33E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources	; PENRI ary ener	E = Use gy resou	of non-re	enewable ed as rav	e primar v materia	y energy exclud als; PENRT = T	ding non- otal use	renewable prir of non-renewa	nary Ible

net fresh water

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com



⁴ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.





Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B 1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	3,98E-06	5,97E-07	9,50E-08	0	0	0	0	0	0	0	0	2,49E-08	0	1,56E-08	0
Non-hazardous waste disposed	kg	1,25E-01	1,65E-05	6,19E-03	0	0	0	0	0	0	0	0	2,55E-06	0	1,84E-01	0
Radioactive waste disposed	kg	1,21E-05	2,67E-06	3,05E-07	0	0	0	0	0	0	0	0	6,56E-08	0	4,28E-08	0

Output flows

			Res	ults per fu	inctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	9,40E-03	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group A4

These results are valid for the following product: Kratputz Premium

Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Res	sults per fu	nction	al unit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B4	B5	B 6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	3,23E-01	8,22E-03	7,53E-02	-4,38E-02	0	0	0	0	0	0	0	1,84E-03	0	1,26E-03	0
GWP-biogenic	kg CO ₂ eq.	1,24E-02	2,48E-04	2,16E-05	0	0	0	0	0	0	0	0	5,06E-07	0	7,26E-07	0
GWP- luluc	kg CO ₂ eq.	1,59E-03	3,19E-05	9,26E-07	0	0	0	0	0	0	0	0	2,36E-08	0	4,30E-08	0
GWP- total	kg CO ₂ eq.	3,37E-01	8,50E-03	7,53E-02	-4,38E-02	0	0	0	0	0	0	0	1,84E-03	0	1,26E-03	0
ODP	kg CFC 11 eq.	3,15E-08	1,02E-09	1,66E-08	0	0	0	0	0	0	0	0	4,18E-10	0	2,62E-10	0
AP	mol H⁺ eq.	1,25E-03	5,56E-05	1,48E-03	0	0	0	0	0	0	0	0	6,32E-06	0	1,30E-05	0
EP-freshwater	kg PO4 ³⁻ eq.	1,99E-05	4,03E-07	1,24E-07	0	0	0	0	0	0	0	0	1,31E-08	0	1,38E-08	0
EP-freshwater	kg P eq	6,47E-06	1,31E-07	4,03E-08	0	0	0	0	0	0	0	0	4,28E-09	0	4,48E-09	0
EP- marine	kg N eq.	2,25E-04	1,23E-05	3,72E-04	0	0	0	0	0	0	0	0	1,96E-06	0	5,65E-06	0
EP-terrestrial	mol N eq.	2,57E-03	1,38E-04	4,14E-03	0	0	0	0	0	0	0	0	2,16E-05	0	6,19E-05	0
POCP	kg NMVOC eq.	8,40E-04	3,91E-05	1,06E-03	0	0	0	0	0	0	0	0	5,89E-06	0	1,73E-05	0
ADP- minerals&metals*	kg Sb eq.	1,48E-06	2,96E-08	1,97E-09	0	0	0	0	0	0	0	0	1,51E-10	0	6,08E-11	0
ADP-fossil*	MJ	4,05E+00	1,05E-01	1,01E+00	0	0	0	0	0	0	0	0	2,54E-02	0	1,68E-02	0
WDP	m ³	1,68E-01	3,94E-03	-1,76E-04	0	0	0	0	0	0	0	0	1,00E-05	0	6,79E-06	0

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





Potential environmental impact – additional mandatory and voluntary indicators

AENOR

				Resu	ilts per fur	nctio	nal u	ınit								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	В3	В4	В5	B6	B7	C1	C2	C3	C4	D
GWP-GHG⁵	kg CO ₂ eq.	3,21E-01	8,16E-03	7,48E-02	-4,38E-02	0	0	0	0	0	0	0	1,83E-03	0	1,23E-03	0

Use of resources

					Resul	ts per	functi	onal u	nit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	1,10E+00	2,21E-02	1,44E-03	0	0	0	0	0	0	0	0	3,29E-05	0	7,04E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	1,10E+00	2,21E-02	1,44E-03	0	0	0	0	0	0	0	0	3,29E-05	0	7,04E-05	0
PENRE	MJ	4,37E+00	1,13E-01	1,07E+00	0	0	0	0	0	0	0	0	2,70E-02	0	1,78E-02	0
PENRM	MJ.	1,03E+00	0	2,06E-02	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	5,40E+00	1,13E-01	1,09E+00	0	0	0	0	0	0	0	0	2,70E-02	0	1,78E-02	0
SM	kg	2,40E-02	0	4,80E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m ³	3,80E-03	9,05E-05	3,35E-06	0	0	0	0	0	0	0	0	5,15E-07	0	3,59E-07	0
Acronyms	used as energy	Use of renewable raw materials; Pf resources used a energy re-sources	ERT = Total use as raw materials	e of renewable pr s; PENRM = Use	imary er of non-r	nergy res renewabl	ources; e prima	PENRE	= Use of y resourc	f non-rei ces usec	newable I as raw	primary materia	energy exclud s; PENRT = To	ing non- otal use	renewable prin of non-renewa	nary ble

net fresh water

council australia

Asociación de Empresas

auildcoc

⁵ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	5,63E-06	1,54E-07	1,62E-06	0	0	0	0	0	0	0	0	6,74E-08	0	4,24E-08	0
Non-hazardous waste disposed	kg	2,68E-02	1,05E-02	4,47E-05	0	0	0	0	0	0	0	0	6,92E-06	0	5,00E-01	0
Radioactive waste disposed	kg	1,31E-05	4,31E-07	7,24E-06	0	0	0	0	0	0	0	0	1,78E-07	0	1,16E-07	0

Output flows

			Res	ults per fu	inctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	2,55E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group B – WITHOUT CO2 ABSORTION ABILITY

Group B1

Acronyms

These results are valid for the following product: GCS Interior

Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Res	sults per fu	nction	al unit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B 4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	1,89E-01	3,21E-02	4,55E-03	0	0	0	0	0	0	0	0	7,85E-04	0	5,38E-04	0
GWP-biogenic	kg CO ₂ eq.	5,80E-03	9,20E-06	1,16E-04	0	0	0	0	0	0	0	0	2,16E-07	0	3,10E-07	0
GWP- luluc	kg CO ₂ eq.	7,08E-04	3,95E-07	1,42E-05	0	0	0	0	0	0	0	0	1,01E-08	0	1,83E-08	0
GWP- total	kg CO ₂ eq.	1,96E-01	3,21E-02	4,68E-03	0	0	0	0	0	0	0	0	7,85E-04	0	5,39E-04	0
ODP	kg CFC 11 eq.	1,62E-08	7,08E-09	4,90E-10	0	0	0	0	0	0	0	0	1,78E-10	0	1,12E-10	0
AP	mol H⁺ eq.	1,76E-03	6,31E-04	4,83E-05	0	0	0	0	0	0	0	0	2,70E-06	0	5,54E-06	0
EP-freshwater	kg PO4 ³⁻ eq.	1,71E-05	5,28E-08	3,48E-07	0	0	0	0	0	0	0	0	5,60E-09	0	5,87E-09	0
EP-freshwater	kg P eq	5,58E-06	1,72E-08	1,13E-07	0	0	0	0	0	0	0	0	1,82E-09	0	1,91E-09	0
EP- marine	kg N eq.	1,67E-04	1,59E-04	6,68E-06	0	0	0	0	0	0	0	0	8,37E-07	0	2,41E-06	0
EP-terrestrial	mol N eq.	1,76E-03	1,77E-03	7,23E-05	0	0	0	0	0	0	0	0	9,21E-06	0	2,64E-05	0
POCP	kg NMVOC eq.	8,30E-04	4,52E-04	2,61E-05	0	0	0	0	0	0	0	0	2,51E-06	0	7,36E-06	0
ADP- minerals&metals*	kg Sb eq.	4,26E-07	8,39E-10	8,60E-09	0	0	0	0	0	0	0	0	6,42E-11	0	2,59E-11	0
ADP-fossil*	MJ	4,00E+00	4,31E-01	9,03E-02	0	0	0	0	0	0	0	0	1,09E-02	0	7,17E-03	0
WDP	m ³	1,66E-01	-7,49E-05	4,49E-03	0	0	0	0	0	0	0	0	4,27E-06	0	2,90E-06	0

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.







Potential environmental impact – additional mandatory and voluntary indicators

AENOR

					Results	s per	func	tiona	l uni	t							
	Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	В3	В4	В5	B6	B7	C1	C2	C3	C4	D
G	GWP-GHG ⁶	kg CO ₂ eq.	1,85E-01	3,19E-02	4,46E-03	0	0	0	0	0	0	0	0	7,79E-04	0	5,28E-04	0

Use of resources

					Resu	ilts pe	r funct	ional u	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	5,40E-01	6,16E-04	1,08E-02	0	0	0	0	0	0	0	0	1,40E-05	0	3,00E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	9,43E-01	5,37E-04	1,89E-02	0	0	0	0	0	0	0	0	1,40E-05	0	3,00E-05	0
PENRE	MJ	4,30E+00	4,57E-01	9,69E-02	0	0	0	0	0	0	0	0	1,15E-02	0	7,61E-03	0
PENRM	MJ.	4,40E-01	0	8,81E-03	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	4,74E+00	4,57E-01	1,06E-01	0	0	0	0	0	0	0	0	1,15E-02	0	7,61E-03	0
SM	kg	1,02E-02	0	2,05E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m³	4,00E-03	1,43E-06	1,08E-04	0	0	0	0	0	0	0	0	2,20E-07	0	1,53E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources	; PENRI ary ener	E = Use gy resou	of non-re irces use	enewabl ed as rav	e primary v materia	y energy exclud als; PENRT = T	ding non otal use	-renewable prin of non-renewa	nary ble

net fresh water

⁶ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B 1	B2	B 3	B 4	B5	B6	B7	C 1	C2	C3	C4	D
Hazardous waste disposed	kg	2,76E-06	6,91E-07	7,29E-08	0	0	0	0	0	0	0	0	2,88E-08	0	1,81E-08	0
Non-hazardous waste disposed	kg	5,13E-02	1,91E-05	5,29E-03	0	0	0	0	0	0	0	0	2,95E-06	0	2,13E-01	0
Radioactive waste disposed	kg	7,70E-06	3,09E-06	2,27E-07	0	0	0	0	0	0	0	0	7,59E-08	0	4,95E-08	0

Output flows

			Res	ults per fu	nctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	1,09E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group B2

These results are valid for the following products: GrafClean Premium, GrafClean Premium EggShell, GrafClean Premium Midshine and GCS Exterior

Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Res	sults per fu	nction	al unit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	2,34E-01	3,13E-02	5,41E-03	0	0	0	0	0	0	0	0	7,65E-04	0	5,25E-04	0
GWP-biogenic	kg CO ₂ eq.	6,13E-03	8,96E-06	1,23E-04	0	0	0	0	0	0	0	0	2,10E-07	0	3,02E-07	0
GWP- luluc	kg CO ₂ eq.	7,29E-04	3,85E-07	1,46E-05	0	0	0	0	0	0	0	0	9,83E-09	0	1,79E-08	0
GWP- total	kg CO ₂ eq.	2,41E-01	3,13E-02	5,55E-03	0	0	0	0	0	0	0	0	7,65E-04	0	5,25E-04	0
ODP	kg CFC 11 eq.	1,76E-08	6,90E-09	5,13E-10	0	0	0	0	0	0	0	0	1,74E-10	0	1,09E-10	0
AP	mol H⁺ eq.	2,00E-03	6,15E-04	5,28E-05	0	0	0	0	0	0	0	0	2,63E-06	0	5,40E-06	0
EP-freshwater	kg PO₄ ³⁻ eq.	2,10E-05	5,14E-08	4,24E-07	0	0	0	0	0	0	0	0	5,46E-09	0	5,72E-09	0
EP-freshwater	kg P eq	6,84E-06	1,68E-08	1,38E-07	0	0	0	0	0	0	0	0	1,78E-09	0	1,86E-09	0
EP- marine	kg N eq.	2,00E-04	1,55E-04	7,26E-06	0	0	0	0	0	0	0	0	8,16E-07	0	2,35E-06	0
EP-terrestrial	mol N eq.	2,15E-03	1,72E-03	7,91E-05	0	0	0	0	0	0	0	0	8,98E-06	0	2,58E-05	0
POCP	kg NMVOC eq.	1,04E-03	4,41E-04	3,01E-05	0	0	0	0	0	0	0	0	2,45E-06	0	7,17E-06	0
ADP- minerals&metals*	kg Sb eq.	7,48E-07	8,18E-10	1,50E-08	0	0	0	0	0	0	0	0	6,26E-11	0	2,53E-11	0
ADP-fossil*	MJ	5,17E+00	4,20E-01	1,13E-01	0	0	0	0	0	0	0	0	1,06E-02	0	6,99E-03	0
WDP	m ³	1,93E-01	-7,30E-05	4,70E-03	0	0	0	0	0	0	0	0	4,16E-06	0	2,82E-06	0

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.







Asociación de Empresas

Potential environmental impact – additional mandatory and voluntary indicators

AENOR

				Results	s per	func	tiona	l unit	t							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	В3	В4	В5	B6	B7	C1	C2	C3	C4	D
GWP-GHG ⁷	kg CO ₂ eq.	2,28E-01	3,11E-02	5,30E-03	0	0	0	0	0	0	0	0	7,59E-04	0	5,15E-04	0

Use of resources

					Resu	ults pe	r funct	ional ı	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
PERE	MJ	5,68E-01	6,01E-04	1,14E-02	0	0	0	0	0	0	0	0	1,37E-05	0	2,93E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	5,68E-01	6,01E-04	1,14E-02	0	0	0	0	0	0	0	0	1,37E-05	0	2,93E-05	0
PENRE	MJ	5,55E+00	4,46E-01	1,22E-01	0	0	0	0	0	0	0	0	1,12E-02	0	7,42E-03	0
PENRM	MJ.	4,29E-01	0	8,58E-03	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	5,97E+00	4,46E-01	1,30E-01	0	0	0	0	0	0	0	0	1,12E-02	0	7,42E-03	0
SM	kg	9,98E-03	0	2,00E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m³	4,71E-03	1,39E-06	1,15E-04	0	0	0	0	0	0	0	0	2,14E-07	0	1,49E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources ble prima	; PENRI	∃ = Use ∉ gy resou	of non-re rces use	enewable ed as raw	e primary materia	y energy exclud als; PENRT = T	ding non- otal use	-renewable prin of non-renewa	mary Ible

net fresh water

council australia

auildcox

⁷ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B 1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	3,21E-06	6,74E-07	8,15E-08	0	0	0	0	0	0	0	0	2,80E-08	0	1,76E-08	0
Non-hazardous waste disposed	kg	7,23E-02	1,86E-05	5,60E-03	0	0	0	0	0	0	0	0	2,88E-06	0	2,08E-01	0
Radioactive waste disposed	kg	8,75E-06	3,01E-06	2,46E-07	0	0	0	0	0	0	0	0	7,39E-08	0	4,82E-08	0

Output flows

			Res	ults per fu	nctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	1,06E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC



Group B3

These results are valid for the following product: GrafClean Front Premium

Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Res	sults per fu	nction	al unit			-				-		
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	3,04E-01	3,46E-02	6,89E-03	0	0	0	0	0	0	0	0	8,46E-04	0	5,80E-04	0
GWP-biogenic	kg CO ₂ eq.	7,25E-03	9,92E-06	1,45E-04	0	0	0	0	0	0	0	0	2,33E-07	0	3,34E-07	0
GWP- luluc	kg CO ₂ eq.	8,07E-04	4,26E-07	1,62E-05	0	0	0	0	0	0	0	0	1,09E-08	0	1,98E-08	0
GWP- total	kg CO ₂ eq.	3,12E-01	3,47E-02	7,05E-03	0	0	0	0	0	0	0	0	8,46E-04	0	5,81E-04	0
ODP	kg CFC 11 eq.	2,07E-08	7,63E-09	5,94E-10	0	0	0	0	0	0	0	0	1,92E-10	0	1,21E-10	0
AP	mol H⁺ eq.	2,43E-03	6,80E-04	6,27E-05	0	0	0	0	0	0	0	0	2,91E-06	0	5,98E-06	0
EP-freshwater	kg PO₄ ³⁻ eq.	2,53E-05	5,69E-08	5,10E-07	0	0	0	0	0	0	0	0	6,04E-09	0	6,33E-09	0
EP-freshwater	kg P eq	8,24E-06	1,85E-08	1,66E-07	0	0	0	0	0	0	0	0	1,97E-09	0	2,06E-09	0
EP- marine	kg N eq.	2,52E-04	1,71E-04	8,65E-06	0	0	0	0	0	0	0	0	9,02E-07	0	2,60E-06	0
EP-terrestrial	mol N eq.	2,72E-03	1,90E-03	9,43E-05	0	0	0	0	0	0	0	0	9,93E-06	0	2,85E-05	0
POCP	kg NMVOC eq.	1,45E-03	4,88E-04	3,92E-05	0	0	0	0	0	0	0	0	2,71E-06	0	7,94E-06	0
ADP- minerals&metals*	kg Sb eq.	7,42E-07	9,05E-10	1,49E-08	0	0	0	0	0	0	0	0	6,93E-11	0	2,80E-11	0
ADP-fossil*	MJ	7,42E+00	4,64E-01	1,59E-01	0	0	0	0	0	0	0	0	1,17E-02	0	7,73E-03	0
WDP	m ³	2,42E-01	-8,08E-05	5,65E-03	0	0	0	0	0	0	0	0	4,60E-06	0	3,12E-06	0

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





Potential environmental impact – additional mandatory and voluntary indicators

				Results	s per	func	tiona	l uni	t							
Indicator	ndicator Unit Tot.A1-A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D															
GWP-GHG ⁸	kg CO ₂ eq.	2,96E-01	3,44E-02	6,72E-03	0	0	0	0	0	0	0	0	8,40E-04	0	5,70E-04	0

Use of resources

					Resu	ults pe	r funct	ional u	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	6,55E-01	6,64E-04	1,31E-02	0	0	0	0	0	0	0	0	1,51E-05	0	3,24E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	6,55E-01	6,64E-04	1,31E-02	0	0	0	0	0	0	0	0	1,51E-05	0	3,24E-05	0
PENRE	MJ	7,96E+00	4,93E-01	1,71E-01	0	0	0	0	0	0	0	0	1,24E-02	0	8,21E-03	0
PENRM	MJ.	4,75E-01	0	8,58E-03	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	8,44E+00	4,93E-01	1,80E-01	0	0	0	0	0	0	0	0	1,24E-02	0	8,21E-03	0
SM	kg	1,10E-02	0	2,21E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m ³	5,97E-03	1,54E-06	1,39E-04	0	0	0	0	0	0	0	0	2,37E-07	0	1,65E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources ble prima	; PENRI ary ener	E = Use gy resou	of non-re	enewable ed as rav	e primar v materia	y energy exclud als; PENRT = T	ling non otal use	of non-renewa	mary Ible

net fresh water

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com



⁸ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	unc	tiona	l uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B 1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	3,64E-06	7,45E-07	9,20E-08	0	0	0	0	0	0	0	0	3,10E-08	0	1,95E-08	0
Non-hazardous waste disposed	kg	6,17E-02	2,05E-05	5,83E-03	0	0	0	0	0	0	0	0	3,18E-06	0	2,30E-01	0
Radioactive waste disposed	kg	1,06E-05	3,33E-06	2,89E-07	0	0	0	0	0	0	0	0	8,18E-08	0	5,34E-08	0

Output flows

			Res	ults per fu	inctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B 6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	1,17E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional u	nit	
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.



THE ORIGINAL AND AUTHENTIC

PAINTS FOR THE GENERA TION

Group B4

These results are valid for the following product: GrafClean Ag+ Premium

Potential environmental impact – mandatory indicators according to UNE-EN 15804

Estimated impact results are only relative statements that do not indicate impact category endpoints, exceeding threshold values, safety margins, or risks.

				Res	sults per fu	nction	al unit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	5,60E-01	3,81E-02	1,21E-02	0	0	0	0	0	0	0	0	9,31E-04	0	6,38E-04	0
GWP-biogenic	kg CO ₂ eq.	1,04E-02	1,09E-05	2,08E-04	0	0	0	0	0	0	0	0	2,56E-07	0	3,67E-07	0
GWP- luluc	kg CO ₂ eq.	1,34E-03	4,69E-07	2,68E-05	0	0	0	0	0	0	0	0	1,20E-08	0	2,17E-08	0
GWP- total	kg CO_2 eq.	5,71E-01	3,81E-02	1,23E-02	0	0	0	0	0	0	0	0	9,31E-04	0	6,39E-04	0
ODP	kg CFC 11 eq.	4,82E-08	8,40E-09	1,16E-09	0	0	0	0	0	0	0	0	2,11E-10	0	1,33E-10	0
AP	mol H⁺ eq.	6,15E-03	7,48E-04	1,39E-04	0	0	0	0	0	0	0	0	3,20E-06	0	6,57E-06	0
EP-freshwater	kg PO4 ³⁻ eq.	3,35E-04	6,26E-08	6,71E-06	0	0	0	0	0	0	0	0	6,64E-09	0	6,96E-09	0
EP-freshwater	kg P eq	1,09E-04	2,04E-08	2,19E-06	0	0	0	0	0	0	0	0	2,16E-09	0	2,27E-09	0
EP- marine	kg N eq.	1,33E-03	1,88E-04	3,06E-05	0	0	0	0	0	0	0	0	9,93E-07	0	2,86E-06	0
EP-terrestrial	mol N eq.	1,66E-02	2,09E-03	3,77E-04	0	0	0	0	0	0	0	0	1,09E-05	0	3,13E-05	0
POCP	kg NMVOC eq.	4,25E-03	5,36E-04	9,63E-05	0	0	0	0	0	0	0	0	2,98E-06	0	8,73E-06	0
ADP- minerals&metals*	kg Sb eq.	6,02E-04	9,95E-10	1,20E-05	0	0	0	0	0	0	0	0	7,62E-11	0	3,08E-11	0
ADP-fossil*	MJ	9,11E+00	5,11E-01	1,94E-01	0	0	0	0	0	0	0	0	1,29E-02	0	8,51E-03	0
WDP	m ³	2,91E-01	-8,88E-05	6,93E-03	0	0	0	0	0	0	0	0	5,06E-06	0	3,44E-06	0

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





Potential environmental impact – additional mandatory and voluntary indicators

				Results	s per	func	tiona	l uni	t							
Indicator	dicator Unit Tot.A1-A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D															
GWP-GHG ⁹	kg CO ₂ eq.	5,47E-01	3,79E-02	1,18E-02	0	0	0	0	0	0	0	0	9,24E-04	0	6,27E-04	0

Use of resources

					Resu	ults pe	r funct	ional u	unit							
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	1,03E+00	7,31E-04	2,06E-02	0	0	0	0	0	0	0	0	1,67E-05	0	3,56E-05	0
PERM	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERT	MJ	1,03E+00	7,31E-04	2,06E-02	0	0	0	0	0	0	0	0	1,67E-05	0	3,56E-05	0
PENRE	MJ	9,75E+00	5,42E-01	2,08E-01	0	0	0	0	0	0	0	0	1,37E-02	0	9,03E-03	0
PENRM	MJ.	5,22E-01	0	1,04E-02	0	0	0	0	0	0	0	0	0	0	0	0
PENRT	MJ	1,03E+01	5,42E-01	2,18E-01	0	0	0	0	0	0	0	0	1,37E-02	0	9,03E-03	0
SM	kg	1,21E-02	0	2,43E-04	0	0	0	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FW	m ³	7,91E-03	1,69E-06	1,85E-04	0	0	0	0	0	0	0	0	2,60E-07	0	1,82E-07	0
Acronyms	used as energy	Use of renewable raw materials; PE resources used a energy re-sources	RT = Total use s raw materials	of renewable p ; PENRM = Us	orimary e e of non	energy re -renewa	esources	; PENRI ary ener	∃ = Use gy resou	of non-re	enewable ed as rav	e primary v materia	y energy exclud als; PENRT = T	ding non- otal use	renewable prir of non-renewa	nary Ible

net fresh water

Graphenstone Headquarters / Pol. Ind Poliviso.C/ Carpinteros, 25. 41520. El Viso del Alcor, Seville. Spain / info@graphenstone.com / P.: (+34) 955 529 435 / www.graphenstone.com



⁹ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in UNE-EN 15804:2012+A1:2013.

PAINTS FOR THE GENERA TION

Waste production and output flows

Waste production

			Res	sults per f	funct	tiona	ıl uni	t								
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B 3	B 4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	1,30E-04	8,20E-07	2,62E-06	0	0	0	0	0	0	0	0	3,41E-08	0	2,14E-08	0
Non-hazardous waste disposed	kg	7,99E-02	2,26E-05	6,65E-03	0	0	0	0	0	0	0	0	3,50E-06	0	2,53E-01	0
Radioactive waste disposed	kg	2,76E-05	3,67E-06	6,39E-07	0	0	0	0	0	0	0	0	9,00E-08	0	5,87E-08	0

Output flows

			Res	ults per fu	nctio	nal u	nit									
Indicator	Unit	Tot.A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Material for recycling	kg	0	0	1,29E-02	0	0	0	0	0	0	0	0	0	0	0	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Exported energy, thermal	MJ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content

Results per functional unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging	kg C	0

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.







Results interpretation

This section shows the potential impacts of the life cycle stages of Group A1 and Group B1, the products groups with and without CO2 fixing capacity of lowest impact characterization values, respectively.




Figure 4. Potential impact of the life cycle stages - product group 1




Figure 5. Potential impact of the life cycle stages - product group 4

The distribution of impacts per life cycle stage is similar in both groups. As can be seen in figure 4 and 5, the product stage is the most impactful in all selected categories, ranging from around 60% of the total impact in stratosphere ozone depletion, acidification, and photochemical ozone formation to 97% in eutrophication and depletion of minerals and metals resources. The stage of distribution to clients is the second greatest contributor, which is responsible for between 15% (Climate change) to 44% (Photochemical ozone formation). The rest of life cycle stages such as construction/ installation,





The difference between the two figures is most significant regarding the negative impact of use stage. In relation to group A1, the proportion is -20% meanwhile it is non-existent in group B1. This is due to the fact that some references contain calcium hydroxide, the fixation agent of carbon dioxide in paints.

Information related to Sector EPD

This EPD® is individual.

Differences versus previous versions

Since there is no specific sub-PCR for paintings, the scope of the study has been modified from cradle to grave with options (modules A + B + C). This change affects only at the editorial level, since both options include all stages of the life cycle.

PCR 2019: 14 Construction products (UNE-EN 15804:A2)

In version 3, up to 7 paint references have been added and several aspects have been corrected in relation to version 2, such as the specific consumption (functional unit) for each paint, and the interpretation of the results in the use table of resources.

References

- General Programme Instructions of the International EPD[®] System. Version 4.0.
- ISO 14020: 2000 Environmental labels and declarations General principles.
- ISO 14025: 2010 Environmental labels and declarations Type III environmental declarations – Principles and procedures.
- ISO 14040: 2006 Environmental management Life cycle assessment Principles and framework.
- ISO 14044: 2006 Environmental management Life cycle assessment Requirements and guidelines.
- PCR 2019:14 Construction products (UNE-EN 15804: A2) version 1.1.
- CPC 3511 Paints and Varnishes and related products.
- UNE-EN 15804:2012 + A2:2019 Sustainability of construction works Environmental product declarations Core rules for the product category of construction products.
- Graphenstone (2022). Análisis del Ciclo de Vida de Pintura Ecosphere Premium. Version 2

















Annex Data Quality Estimation

Calculation of the data quality regarding three aspects: temporal, technological and geographical. Each material/ process element is assigned a quality according to this scale: 1-very bad, 2-bad, 3-media, 4-good and 5-very good.

The temporal y geographical both receive a value of 3,8 and technological a 4,1. Therefore, the overall quality is estimated to be *good*.



