

ENVIRONMENTAL PRODUCT DECLARATION

ECOLEAN® AIR ASEPTIC PACKAGES

ECOLEAN PRODUCTION SITE:
HELSINGBORG, SWEDEN



ecolean
a lighter approach to packaging

IN ACCORDANCE WITH ISO 14025

Date of validity 2028-06-02

Date of publication 2017-10-02

Registration number S-P-01054

Revision date 2023-07-07

Programme:
The International EPD® System
www.environdec.com
Programme operator:
EPD International AB

An EPD should provide current information, and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com.

 EPD®

ECOLEAN LIGHTWEIGHT PACKAGING HAS BECOME A HEAVYWEIGHT ARGUMENT

Ecolean was founded in 1996 in Helsingborg, Sweden, and innovation has always been fundamental for Ecolean. The Ecolean concept is to use a minimal amount of raw materials to produce a unique flexible lightweight package, and a filling system for liquid food products.

Ecolean is established on the market as a full system supplier producing both filling machines and lightweight packages. Ecolean presently employs more than 450 people. Ecolean has its headquarter in Helsingborg, Sweden and production sites in Sweden as well as China and

Pakistan. The production of filling machines and manufacturing of packaging material takes place in Helsingborg. The package forming plants in Sweden, China and Pakistan convert the packaging material film into a range of hermetically sealed ready-to-fill packages in a variety of different sizes.

Ecolean has commercial activities in 20 countries, the largest markets being China, Pakistan and Vietnam.



THE IMPORTANCE OF A LIFE-CYCLE APPROACH

By using the life cycle approach, Ecolean can identify the areas with the most environmental impact and work to reduce it. The fundamental premise behind the Ecolean production process is the minimisation and efficient use of raw materials and energy, from the very start.

Ecolean believes in using less raw material from the start. Reducing the amount of packaging material used, transported and disposed of, benefits the entire product life cycle.

The Environmental Product Declaration (EPD) is an independently verified and registered document, based on verified life-cycle assessment (LCA) data. By using EPDs in accordance with the international EPD system, Ecolean can communicate the environmental performance of its products in a transparent way.

This EPD follows the Product Category Rules (PCR) for Packaging UN CPC 36490 2019:13, version 1.1, as well as the principles and procedures of ISO 14025:2006. The EPD has been externally verified by an independent verifier approved by the technical committee of EPD International. The environmental impacts of different EPDs can be compared only taking into account all the technical information supporting the declared/functional unit definition as requested by the PCR.

This EPD covers the production of packages at the Swedish production site. The site serves many different markets and produces the full range of packaging sizes. This EPD covers the European, Chinese, Vietnamese, Indonesian and Mexican markets.



ECOLEAN® AIR ASEPTIC UNIQUE, EYE- CATCHING AND CONVENIENT TO USE



125 ml



200 ml



250 ml



500 ml



750 ml



1000 ml

Aseptic packaging brings healthy, flavourful and exciting food products to people all over the world – without the limitations of refrigerated distribution. These products can travel long distances, handle harsh environments and withstand long-term storage at ambient temperatures.

The Ecolean® Air Aseptic lightweight package is suitable, with its unique and eye-catching shape, for filling products such as; white milk, flavoured milk, drinking yoghurts, juice drinks, nectars, ice tea etc.

Ecolean® Air Aseptic packages are available in six different sizes: 125 ml, 200 ml, 250 ml, 500 ml, 750 ml and 1000 ml.

| Total weight | 125 ml | 200 ml | 250 ml | 500 ml | 750 ml | 1000 ml |
|--------------|--------|--------|--------|--------|--------|---------|
| gram/package | 5.0 | 6.0 | 6.5 | 9.8 | 12.0 | 14.3 |
| Height (mm) | 130 | 165 | 185 | 175 | 220 | 265 |
| Width (mm) | 103 | 103 | 103 | 155 | 155 | 155 |
| Depth (mm) | 0.544 | 0.544 | 0.544 | 0.544 | 0.544 | 0.56 |

PRODUCTION PLANT CERTIFICATES

Packaging material and packaging forming production, Sweden:
ISO 14001, BRC Packaging, ISO 22000, Halal, FDA/IMS

Ecolean® Air Aseptic

The package format is a stand-up pouch, with a multilayer structure with light and gas barriers that protects its content. The Ecolean® Air Aseptic package is produced in a three step process. First, a multilayer film is produced in a co-extrusion process, the film is then printed and in the final step folded and converted into a hermetically sealed, pre-sterilised ready-to-fill package on a reel. These reels can be inserted into an Ecolean filling machine at the customer site.

Sterilisation of aseptic packages

In order to ensure the highest possible food safety, Ecolean has chosen a non-chemical sterilisation alternative in order to insure that food contact surfaces are never exposed to any chemicals. The inside of the package is sterilised under secure and controlled conditions with the use of electron-beam technology at the Ecolean package converting site.

Materials

The packages are made of:

- Polyolefins (PE, PP)
- Dolomite
- Pigments for colour and light protection
- Barrier layer (EVOH) to protect the content from oxygen



All raw material used are of food grade quality. The packages are free from substances of very high concern (SVHC). The products contains no substances from the REACH Candidate list (of 17.01.2023). The packaging material does not contain any biodegradable materials. Ecolean production and products are in compliance with relevant legislation.

Certifications

The Certification to the Standard verifies technical performance, assists manufacturers' fulfilment of legal obligations, and helps provide protection to the consumer. The packaging material is also certified according BRC packaging and ISO 22000 standards. Ecolean production and products are in compliance with relevant legislation.

BRC packaging and ISO 22000 specifies requirements for a food safety management system where an organisation in the food chain needs to demonstrate its ability to control food safety hazards in order to ensure that food is safe at the time of human consumption.

MATERIAL COMPOSITION



ENVIRONMENTAL PRODUCT DECLARATION

This EPD's boundary is cradle to grave.

Upstream


The upstream processes include all production processes for raw materials used in the packaging production. The upstream process is identical for all markets analysed.

Core

The production of Ecolean packages is located in Helsingborg, Sweden. The core processes include transportation of raw materials to the Ecolean production site, manufacturing of the ready-to-fill packages, wound on reels. The reels are covered by plastic wrapping and placed on wooden pallets. The core process also include waste treatment for production waste and impacts due to the production of the electricity and fuels used in the production process.

Amounts of raw materials and energy consumption, as well as transport distances have been taken directly from the production site of Ecolean, Helsingborg, in 2021.

Other site specific data from the Ecolean site in Helsingborg, has been used for the converting process (biogas, chemicals and water) and refers to year 2021 and are valid for a global market. Since 2017, Ecolean has sourced renewable hydropower electricity for its production plants in Sweden, and renewable biogas for production heating processes at our Helsingborg plant through a Guarantee of Origin. Database data from the Sphera LCA for experts 2023.1 software has been used for the production of electricity Swedish electricity from hydropower 14.2g CO₂-eq/kWh) and production and combustion of biogas. Chemicals (ink, etc.) are used in minimal amounts. The core process is identical for all markets analysed.



Infographics showing the boundaries and stages in the described LCA process.

Downstream

The downstream processes include transport of the ready-to-fill packages to a customer, where the filling of the product takes place.

At the customer site (a dairy or beverage producer) the packages enter an Ecolean filling machine for ambient products. The packages are cut open, filled with the product and sealed in the machine. The impact from the production of the filled product, (e.g. milk, juice, etc.) is not part of the scope for this EPD.

Data for the filling process (the consumption of electricity, steam, chemicals and water) is based on direct measurements, provided by Ecolean (2020). For the production of the energy and chemicals used in the filling process, database data from the Sphera LCA for experts 2023.1 software has been applied.

The downstream processes also include transport from the filling site to a distribution centre and finally packaging end-of-life.

The end-of-life scenario for the flexible plastic packages depends on local conditions. The package should be sorted and recycled as plastic packaging when appropriate system is available, or sent for energy recovery depending on local systems. The last option would be landfill. The package can be recycled, used for injection moulding into some plastic details. In line with the PCR, only the transport to the recycling site is taken into consideration.

Downstream markets

The Swedish production plant serves several

markets with packages. The plant produces the full range of packaging sizes, for global distribution of packages from Sweden.

Estimations have been done to represent the transport distance from the Ecolean production plant to the filling site.

For the transport of the filled packages for distribution, an estimated distance of 150 km was used for all markets. The weight of the product (e.g. milk, juice, etc.) was not included.

The European market

For the transport of the packages to Ecolean's customers, 1,700 km by truck has been applied. This is an estimation which should represent an average for a customer in Europe. The European residual electricity mix is used for the filling process and corresponds to a GWP-factor of 442 g CO₂-eq/kWh.

The mix of incineration, material recycling and landfill for the primary packaging depends upon the market and is for the European market based on statistics (Plastics-the facts 2021- Plastics Europe). The assumptions made for the end of life are 32% incineration, 37% recycling and 31% landfill.

The Chinese market

For the transport of the packaging to Ecolean's customers, 21,446 km by ship and 1,200 km on truck has been applied as an estimation. The Chinese electricity mix is used for the filling process and corresponds to a GWP-factor of 804 g CO₂-eq/kWh.

The mix of incineration, material recycling and landfill for the primary packaging depends upon the market. Due to lack of available data, the mix for China has been based on global statistics (Ellen MacArthur Foundation). The assumptions made for the end of life are 14% incineration, 14% recycling and 72% landfill.

The Vietnamese market

For the transport of the packaging to Ecolean's customers, 18,150 km by ship and 85 km on truck has been applied as an estimation. The Vietnamese electricity mix (assumed equal to Thai electricity mix) is used for the filling process and corresponds to a GWP-factor of 583 g CO₂-eq/kWh.

The mix of incineration, material recycling and landfill for the primary packaging depends upon the market. Due to lack of available data, the mix for Vietnam has been based on global statistics (Ellen MacArthur Foundation). The assumptions made for the end of life are 14% incineration, 14% recycling and 72% landfill.

The Indonesian market

For the transport of the packaging to Ecolean's customers, 17,216 km by ship and 80 km on truck has been applied as an estimation. The Indonesian electricity mix is used for the filling process and corresponds to a GWP-factor of 906 g CO₂-eq/kWh.

The mix of incineration, material recycling and landfill for the primary packaging depends upon the market. Due to lack of available data, the mix for Indonesia has been based on global statistics (Ellen MacArthur Foundation). The

assumptions made for the end of life are 14% incineration, 14% recycling and 72% landfill.

The Mexican market

For the transport of the packaging to Ecolean's customers, 9,900 km by ship and 1,100 km on truck has been applied as an estimation. The Mexican electricity mix is used for the filling process and corresponds to a GWP-factor of 588 g CO₂-eq/kWh.

The mix of incineration, material recycling and landfill for the primary packaging depends upon the market. Due to lack of available data, the mix for Mexico has been based on global statistics (Ellen MacArthur Foundation). The assumptions made for the end of life are 14% incineration, 14% recycling and 72% landfill.

Geographic scope

The Upstream and Core processes in this EPD relates to the plants located in Helsingborg, Sweden. The Downstream process is calculated for five different markets: Europe, China, Vietnam, Indonesia and Mexico.

Functional unit

The functional unit for this PCR is 1 packaging product unit. The packages are used for liquid food and are filled in an Ecolean filling machine for ambient distribution.

Cut off criteria

All raw material inputs and outputs larger than 1% have been included.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE EUROPEAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|-------------------|----------|------------|----------|
| | | | Air Aseptic 125ml | | | | Air Aseptic 200ml | | | | Air Aseptic 250ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.03E-02 | 1.05E-03 | 5.75E-03 | 1.71E-02 | 1.23E-02 | 1.29E-03 | 6.76E-03 | 2.03E-02 | 1.33E-02 | 1.41E-03 | 7.26E-03 | 2.20E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.02E-02 | 9.52E-04 | 5.74E-03 | 1.69E-02 | 1.22E-02 | 1.16E-03 | 6.74E-03 | 2.01E-02 | 1.32E-02 | 1.28E-03 | 7.24E-03 | 2.17E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 2.57E-04 | 9.73E-05 | 7.96E-06 | 3.62E-04 | 3.07E-04 | 1.20E-04 | 9.34E-06 | 4.37E-04 | 3.32E-04 | 1.34E-04 | 1.00E-05 | 4.76E-04 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 5.41E-08 | 4.37E-06 | 7.78E-06 | 1.22E-05 | 6.44E-08 | 5.23E-06 | 9.24E-06 | 1.45E-05 | 6.80E-08 | 5.66E-06 | 9.96E-06 | 1.57E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 4.77E-13 | 5.17E-14 | 5.34E-15 | 5.34E-13 | 5.68E-13 | 6.41E-14 | 5.35E-15 | 6.37E-13 | 6.20E-13 | 7.13E-14 | 5.38E-15 | 6.97E-13 |
| Acidification | AP | mole H ⁺ eq | 6.76E-05 | 4.03E-06 | 2.47E-06 | 7.41E-05 | 8.01E-05 | 4.97E-06 | 2.77E-06 | 8.79E-05 | 8.71E-05 | 5.51E-06 | 2.92E-06 | 9.56E-05 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 3.85E-07 | 4.78E-08 | 1.60E-08 | 4.49E-07 | 4.58E-07 | 5.92E-08 | 1.91E-08 | 5.36E-07 | 4.98E-07 | 6.57E-08 | 2.06E-08 | 5.84E-07 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 8.09E-06 | 1.29E-06 | 7.16E-07 | 1.01E-05 | 9.63E-06 | 1.58E-06 | 8.01E-07 | 1.20E-05 | 1.04E-05 | 1.75E-06 | 8.44E-07 | 1.30E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 8.40E-05 | 9.26E-06 | 9.45E-06 | 1.03E-04 | 9.99E-05 | 1.14E-05 | 1.07E-05 | 1.22E-04 | 1.08E-04 | 1.25E-05 | 1.14E-05 | 1.32E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 3.89E-05 | 8.50E-06 | 1.88E-06 | 4.93E-05 | 4.63E-05 | 1.02E-05 | 2.09E-06 | 5.86E-05 | 4.97E-05 | 1.17E-05 | 2.20E-06 | 6.36E-05 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 2.46E-08 | 1.86E-09 | 9.92E-11 | 2.65E-08 | 2.91E-08 | 2.30E-09 | 1.13E-10 | 3.15E-08 | 3.18E-08 | 2.56E-09 | 1.19E-10 | 3.44E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 3.21E-02 | 5.53E-03 | 2.41E-02 | 6.17E-02 | 3.83E-02 | 6.64E-03 | 2.59E-02 | 7.09E-02 | 4.13E-02 | 7.20E-03 | 2.69E-02 | 7.55E-02 |
| Water scarcity | WDP | m ³ world eq | 9.81E-05 | 1.65E-04 | 6.14E-04 | 8.77E-04 | 1.16E-04 | 1.87E-04 | 6.95E-04 | 9.98E-04 | 1.17E-04 | 2.02E-04 | 7.35E-04 | 1.05E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 7.98E-03 | 2.10E-02 | 2.76E-03 | 3.18E-02 | 9.48E-03 | 2.45E-02 | 2.96E-03 | 3.70E-02 | 1.03E-02 | 2.67E-02 | 3.07E-03 | 4.00E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 7.98E-03 | 2.10E-02 | 2.76E-03 | 3.18E-02 | 9.48E-03 | 2.45E-02 | 2.96E-03 | 3.70E-02 | 1.03E-02 | 2.67E-02 | 3.07E-03 | 4.00E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 1.56E-01 | 1.59E-02 | 2.41E-02 | 1.96E-01 | 1.86E-01 | 1.95E-02 | 2.60E-02 | 2.32E-01 | 2.02E-01 | 2.15E-02 | 2.70E-02 | 2.50E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 1.72E-01 | 0.00E+00 | 0.00E+00 | 1.72E-01 | 2.05E-01 | 0.00E+00 | 0.00E+00 | 2.05E-01 | 2.22E-01 | 0.00E+00 | 0.00E+00 | 2.22E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 3.28E-01 | 1.66E-02 | 2.41E-02 | 3.69E-01 | 3.91E-01 | 2.03E-02 | 2.60E-02 | 4.38E-01 | 4.23E-01 | 2.25E-02 | 2.70E-02 | 4.73E-01 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 7.87E-05 | 4.22E-05 | 1.70E-05 | 1.38E-04 | 9.32E-05 | 4.84E-05 | 1.90E-05 | 1.61E-04 | 1.02E-04 | 5.23E-05 | 2.01E-05 | 1.74E-04 |
| Hazardous waste disposed | HWD | kg | 1.75E-12 | 3.19E-13 | 1.61E-12 | 3.68E-12 | 2.09E-12 | 3.82E-13 | 1.71E-12 | 4.18E-12 | 2.22E-12 | 4.13E-13 | 1.76E-12 | 4.39E-12 |
| Non-hazardous waste disposed | NHWD | kg | 1.80E-05 | 7.01E-06 | 7.88E-04 | 8.13E-04 | 2.14E-05 | 8.27E-06 | 9.45E-04 | 9.75E-04 | 2.18E-05 | 9.01E-06 | 1.02E-03 | 1.05E-03 |
| Radioactive waste disposed | RWD | kg | 1.59E-08 | 1.69E-08 | 1.79E-06 | 1.83E-06 | 1.89E-08 | 2.03E-08 | 1.79E-06 | 1.83E-06 | 1.93E-08 | 2.21E-08 | 1.79E-06 | 1.84E-06 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 4.96E-03 | 0.00E+00 | 4.96E-03 | 0.00E+00 | 5.24E-03 | 0.00E+00 | 5.24E-03 | 0.00E+00 | 5.40E-03 | 0.00E+00 | 5.40E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE EUROPEAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|--------------------|----------|------------|----------|
| | | | Air Aseptic 500ml | | | | Air Aseptic 750ml | | | | Air Aseptic 1000ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.98E-02 | 2.06E-03 | 1.11E-02 | 3.29E-02 | 2.42E-02 | 2.54E-03 | 1.33E-02 | 4.01E-02 | 2.89E-02 | 3.02E-03 | 1.56E-02 | 4.75E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.96E-02 | 1.86E-03 | 1.10E-02 | 3.25E-02 | 2.40E-02 | 2.29E-03 | 1.32E-02 | 3.95E-02 | 2.86E-02 | 2.72E-03 | 1.56E-02 | 4.69E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 4.94E-04 | 1.93E-04 | 1.52E-05 | 7.02E-04 | 6.05E-04 | 2.41E-04 | 1.81E-05 | 8.64E-04 | 7.25E-04 | 2.86E-04 | 2.15E-05 | 1.03E-03 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 1.01E-07 | 8.39E-06 | 1.49E-05 | 2.33E-05 | 1.14E-07 | 1.02E-05 | 1.79E-05 | 2.82E-05 | 1.40E-07 | 1.22E-05 | 2.15E-05 | 3.38E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 9.01E-13 | 1.03E-13 | 8.77E-15 | 1.01E-12 | 1.10E-12 | 1.28E-13 | 8.90E-15 | 1.24E-12 | 1.37E-12 | 1.53E-13 | 9.04E-15 | 1.53E-12 |
| Acidification | AP | mole H ⁺ eq | 1.29E-04 | 7.95E-06 | 4.52E-06 | 1.41E-04 | 1.58E-04 | 9.89E-06 | 5.18E-06 | 1.73E-04 | 1.88E-04 | 1.18E-05 | 5.91E-06 | 2.05E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 7.38E-07 | 9.47E-08 | 3.10E-08 | 8.64E-07 | 9.05E-07 | 1.18E-07 | 3.76E-08 | 1.06E-06 | 1.08E-06 | 1.41E-07 | 4.47E-08 | 1.26E-06 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 1.54E-05 | 2.54E-06 | 1.31E-06 | 1.93E-05 | 1.87E-05 | 3.15E-06 | 1.50E-06 | 2.33E-05 | 2.23E-05 | 3.76E-06 | 1.71E-06 | 2.78E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 1.60E-04 | 1.82E-05 | 1.75E-05 | 1.96E-04 | 1.93E-04 | 2.25E-05 | 2.03E-05 | 2.36E-04 | 2.32E-04 | 2.68E-05 | 2.34E-05 | 2.82E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 7.35E-05 | 1.67E-05 | 3.43E-06 | 9.37E-05 | 8.74E-05 | 2.14E-05 | 3.91E-06 | 1.13E-04 | 1.06E-04 | 2.50E-05 | 4.44E-06 | 1.35E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 4.68E-08 | 3.68E-09 | 1.83E-10 | 5.07E-08 | 5.75E-08 | 4.59E-09 | 2.12E-10 | 6.23E-08 | 6.83E-08 | 5.46E-09 | 2.45E-10 | 7.40E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 6.15E-02 | 1.06E-02 | 4.29E-02 | 1.15E-01 | 7.45E-02 | 1.29E-02 | 4.72E-02 | 1.35E-01 | 8.91E-02 | 1.55E-02 | 5.20E-02 | 1.57E-01 |
| Water scarcity | WDP | m ³ world eq | 1.69E-04 | 3.00E-04 | 1.03E-03 | 1.50E-03 | 1.61E-04 | 3.51E-04 | 1.21E-03 | 1.72E-03 | 2.13E-04 | 4.04E-04 | 1.40E-03 | 2.02E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 1.52E-02 | 3.93E-02 | 4.83E-03 | 5.93E-02 | 1.84E-02 | 4.69E-02 | 5.31E-03 | 7.06E-02 | 2.20E-02 | 5.46E-02 | 5.84E-03 | 8.25E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 1.52E-02 | 3.93E-02 | 4.83E-03 | 5.93E-02 | 1.84E-02 | 4.69E-02 | 5.31E-03 | 7.06E-02 | 2.20E-02 | 5.46E-02 | 5.84E-03 | 8.25E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 3.00E-01 | 3.11E-02 | 4.30E-02 | 3.74E-01 | 3.66E-01 | 3.86E-02 | 4.72E-02 | 4.52E-01 | 4.38E-01 | 4.60E-02 | 5.20E-02 | 5.36E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 3.31E-01 | 0.00E+00 | 0.00E+00 | 3.31E-01 | 4.05E-01 | 0.00E+00 | 0.00E+00 | 4.05E-01 | 4.82E-01 | 0.00E+00 | 0.00E+00 | 4.82E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 6.31E-01 | 3.25E-02 | 4.30E-02 | 7.06E-01 | 7.71E-01 | 4.03E-02 | 4.72E-02 | 8.59E-01 | 9.20E-01 | 4.81E-02 | 5.20E-02 | 1.02E+00 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 1.50E-04 | 7.75E-05 | 2.87E-05 | 2.56E-04 | 1.83E-04 | 9.15E-05 | 3.33E-05 | 3.08E-04 | 2.18E-04 | 1.06E-04 | 3.82E-05 | 3.62E-04 |
| Hazardous waste disposed | HWD | kg | 3.29E-12 | 6.12E-13 | 2.91E-12 | 6.81E-12 | 3.81E-12 | 7.43E-13 | 3.14E-12 | 7.69E-12 | 4.64E-12 | 8.89E-13 | 3.39E-12 | 8.92E-12 |
| Non-hazardous waste disposed | NHWD | kg | 3.18E-05 | 1.33E-05 | 1.54E-03 | 1.59E-03 | 3.17E-05 | 1.60E-05 | 1.89E-03 | 1.94E-03 | 4.13E-05 | 1.88E-05 | 2.25E-03 | 2.31E-03 |
| Radioactive waste disposed | RWD | kg | 2.82E-08 | 3.26E-08 | 2.93E-06 | 2.99E-06 | 2.83E-08 | 3.97E-08 | 2.95E-06 | 3.02E-06 | 3.66E-08 | 4.73E-08 | 2.97E-06 | 3.06E-06 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 6.09E-03 | 0.00E+00 | 6.09E-03 | 0.00E+00 | 6.66E-03 | 0.00E+00 | 6.66E-03 | 0.00E+00 | 7.20E-03 | 0.00E+00 | 7.20E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE CHINESE MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|-------------------|----------|------------|----------|
| | | | Air Aseptic 125ml | | | | Air Aseptic 200ml | | | | Air Aseptic 250ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.03E-02 | 1.05E-03 | 5.45E-03 | 1.68E-02 | 1.23E-02 | 1.29E-03 | 6.28E-03 | 1.98E-02 | 1.33E-02 | 1.41E-03 | 6.69E-03 | 2.14E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.02E-02 | 9.52E-04 | 5.44E-03 | 1.66E-02 | 1.22E-02 | 1.16E-03 | 6.26E-03 | 1.96E-02 | 1.32E-02 | 1.28E-03 | 6.67E-03 | 2.11E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 2.57E-04 | 9.73E-05 | 8.05E-06 | 3.63E-04 | 3.07E-04 | 1.20E-04 | 9.51E-06 | 4.37E-04 | 3.32E-04 | 1.34E-04 | 1.02E-05 | 4.76E-04 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 5.41E-08 | 4.37E-06 | 6.41E-06 | 1.08E-05 | 6.44E-08 | 5.23E-06 | 7.48E-06 | 1.28E-05 | 6.80E-08 | 5.66E-06 | 8.01E-06 | 1.37E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 4.77E-13 | 5.17E-14 | 5.91E-16 | 5.30E-13 | 5.68E-13 | 6.41E-14 | 6.86E-16 | 6.33E-13 | 6.20E-13 | 7.13E-14 | 7.34E-16 | 6.92E-13 |
| Acidification | AP | mole H+ eq | 6.76E-05 | 4.03E-06 | 8.22E-05 | 1.54E-04 | 8.01E-05 | 4.97E-06 | 9.67E-05 | 1.82E-04 | 8.71E-05 | 5.51E-06 | 1.04E-04 | 1.97E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 3.85E-07 | 4.78E-08 | 3.59E-08 | 4.69E-07 | 4.58E-07 | 5.92E-08 | 4.30E-08 | 5.60E-07 | 4.98E-07 | 6.57E-08 | 4.65E-08 | 6.10E-07 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 8.09E-06 | 1.29E-06 | 1.91E-05 | 2.85E-05 | 9.63E-06 | 1.58E-06 | 2.25E-05 | 3.37E-05 | 1.04E-05 | 1.75E-06 | 2.42E-05 | 3.63E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 8.40E-05 | 9.26E-06 | 2.10E-04 | 3.03E-04 | 9.99E-05 | 1.14E-05 | 2.47E-04 | 3.59E-04 | 1.08E-04 | 1.25E-05 | 2.66E-04 | 3.86E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 3.89E-05 | 8.50E-06 | 5.44E-05 | 1.02E-04 | 4.63E-05 | 1.02E-05 | 6.42E-05 | 1.21E-04 | 4.97E-05 | 1.17E-05 | 6.90E-05 | 1.30E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 2.46E-08 | 1.86E-09 | 1.26E-10 | 2.66E-08 | 2.91E-08 | 2.30E-09 | 1.40E-10 | 3.15E-08 | 3.18E-08 | 2.56E-09 | 1.47E-10 | 3.45E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 3.21E-02 | 5.53E-03 | 4.82E-02 | 8.59E-02 | 3.83E-02 | 6.64E-03 | 5.48E-02 | 9.97E-02 | 4.13E-02 | 7.20E-03 | 5.81E-02 | 1.07E-01 |
| Water scarcity | WDP | m ³ world eq | 9.81E-05 | 1.65E-04 | 6.30E-04 | 8.94E-04 | 1.16E-04 | 1.87E-04 | 6.55E-04 | 9.58E-04 | 1.17E-04 | 2.02E-04 | 6.69E-04 | 9.88E-04 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 7.98E-03 | 2.10E-02 | 2.96E-03 | 3.20E-02 | 9.48E-03 | 2.45E-02 | 3.15E-03 | 3.71E-02 | 1.03E-02 | 2.67E-02 | 3.25E-03 | 4.02E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 7.98E-03 | 2.10E-02 | 2.96E-03 | 3.20E-02 | 9.48E-03 | 2.45E-02 | 3.15E-03 | 3.71E-02 | 1.03E-02 | 2.67E-02 | 3.25E-03 | 4.02E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 1.56E-01 | 1.59E-02 | 4.83E-02 | 2.21E-01 | 1.86E-01 | 1.95E-02 | 5.49E-02 | 2.61E-01 | 2.02E-01 | 2.15E-02 | 5.82E-02 | 2.81E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 1.72E-01 | 0.00E+00 | 0.00E+00 | 1.72E-01 | 2.05E-01 | 0.00E+00 | 0.00E+00 | 2.05E-01 | 2.22E-01 | 0.00E+00 | 0.00E+00 | 2.22E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 3.28E-01 | 1.66E-02 | 4.83E-02 | 3.93E-01 | 3.91E-01 | 2.03E-02 | 5.49E-02 | 4.66E-01 | 4.23E-01 | 2.25E-02 | 5.82E-02 | 5.04E-01 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 7.87E-05 | 4.22E-05 | 1.71E-05 | 1.38E-04 | 9.32E-05 | 4.84E-05 | 1.79E-05 | 1.59E-04 | 1.02E-04 | 5.23E-05 | 1.83E-05 | 1.72E-04 |
| Hazardous waste disposed | HWD | kg | 1.75E-12 | 3.19E-13 | 9.54E-12 | 1.16E-11 | 2.09E-12 | 3.82E-13 | 9.58E-12 | 1.20E-11 | 2.22E-12 | 4.13E-13 | 9.64E-12 | 1.23E-11 |
| Non-hazardous waste disposed | NHWD | kg | 1.80E-05 | 7.01E-06 | 2.37E-03 | 2.39E-03 | 2.14E-05 | 8.27E-06 | 2.84E-03 | 2.87E-03 | 2.18E-05 | 9.01E-06 | 3.08E-03 | 3.11E-03 |
| Radioactive waste disposed | RWD | kg | 1.59E-08 | 1.69E-08 | 2.46E-07 | 2.78E-07 | 1.89E-08 | 2.03E-08 | 2.60E-07 | 2.99E-07 | 1.93E-08 | 2.21E-08 | 2.67E-07 | 3.09E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 2.82E-03 | 0.00E+00 | 2.82E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.26E-03 | 0.00E+00 | 3.26E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE CHINESE MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|--------------------|----------|------------|----------|
| | | | Air Aseptic 500ml | | | | Air Aseptic 750ml | | | | Air Aseptic 1000ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.98E-02 | 2.06E-03 | 1.02E-02 | 3.21E-02 | 2.42E-02 | 2.54E-03 | 1.20E-02 | 3.88E-02 | 2.89E-02 | 3.02E-03 | 1.40E-02 | 4.58E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.96E-02 | 1.86E-03 | 1.02E-02 | 3.17E-02 | 2.40E-02 | 2.29E-03 | 1.20E-02 | 3.82E-02 | 2.86E-02 | 2.72E-03 | 1.39E-02 | 4.52E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 4.94E-04 | 1.93E-04 | 1.54E-05 | 7.02E-04 | 6.05E-04 | 2.41E-04 | 1.85E-05 | 8.64E-04 | 7.25E-04 | 2.86E-04 | 2.20E-05 | 1.03E-03 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 1.01E-07 | 8.39E-06 | 1.21E-05 | 2.05E-05 | 1.14E-07 | 1.02E-05 | 1.43E-05 | 2.46E-05 | 1.40E-07 | 1.22E-05 | 1.69E-05 | 2.93E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 9.01E-13 | 1.03E-13 | 1.15E-15 | 1.00E-12 | 1.10E-12 | 1.28E-13 | 1.36E-15 | 1.23E-12 | 1.37E-12 | 1.53E-13 | 1.58E-15 | 1.52E-12 |
| Acidification | AP | mole H ⁺ eq | 1.29E-04 | 7.95E-06 | 1.56E-04 | 2.92E-04 | 1.58E-04 | 9.89E-06 | 1.86E-04 | 3.54E-04 | 1.88E-04 | 1.18E-05 | 2.22E-04 | 4.21E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 7.38E-07 | 9.47E-08 | 7.01E-08 | 9.03E-07 | 9.05E-07 | 1.18E-07 | 8.56E-08 | 1.11E-06 | 1.08E-06 | 1.41E-07 | 1.02E-07 | 1.32E-06 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 1.54E-05 | 2.54E-06 | 3.62E-05 | 5.41E-05 | 1.87E-05 | 3.15E-06 | 4.34E-05 | 6.52E-05 | 2.23E-05 | 3.76E-06 | 5.17E-05 | 7.78E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 1.60E-04 | 1.82E-05 | 3.98E-04 | 5.76E-04 | 1.93E-04 | 2.25E-05 | 4.77E-04 | 6.93E-04 | 2.32E-04 | 2.68E-05 | 5.69E-04 | 8.28E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 7.35E-05 | 1.67E-05 | 1.03E-04 | 1.93E-04 | 8.74E-05 | 2.14E-05 | 1.24E-04 | 2.32E-04 | 1.06E-04 | 2.50E-05 | 1.47E-04 | 2.78E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 4.68E-08 | 3.68E-09 | 2.27E-10 | 5.07E-08 | 5.75E-08 | 4.59E-09 | 2.57E-10 | 6.24E-08 | 6.83E-08 | 5.46E-09 | 2.91E-10 | 7.41E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 6.15E-02 | 1.06E-02 | 8.93E-02 | 1.61E-01 | 7.45E-02 | 1.29E-02 | 1.04E-01 | 1.91E-01 | 8.91E-02 | 1.55E-02 | 1.20E-01 | 2.24E-01 |
| Water scarcity | WDP | m ³ world eq | 1.69E-04 | 3.00E-04 | 9.68E-04 | 1.44E-03 | 1.61E-04 | 3.51E-04 | 1.03E-03 | 1.54E-03 | 2.13E-04 | 4.04E-04 | 1.09E-03 | 1.71E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 1.52E-02 | 3.93E-02 | 5.14E-03 | 5.96E-02 | 1.84E-02 | 4.69E-02 | 5.58E-03 | 7.09E-02 | 2.20E-02 | 5.46E-02 | 6.08E-03 | 8.27E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 1.52E-02 | 3.93E-02 | 5.14E-03 | 5.96E-02 | 1.84E-02 | 4.69E-02 | 5.58E-03 | 7.09E-02 | 2.20E-02 | 5.46E-02 | 6.08E-03 | 8.27E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 3.00E-01 | 3.11E-02 | 8.95E-02 | 4.20E-01 | 3.66E-01 | 3.86E-02 | 1.04E-01 | 5.08E-01 | 4.38E-01 | 4.60E-02 | 1.20E-01 | 6.04E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 3.31E-01 | 0.00E+00 | 0.00E+00 | 3.31E-01 | 4.05E-01 | 0.00E+00 | 0.00E+00 | 4.05E-01 | 4.82E-01 | 0.00E+00 | 0.00E+00 | 4.82E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 6.31E-01 | 3.25E-02 | 8.95E-02 | 7.53E-01 | 7.71E-01 | 4.03E-02 | 1.04E-01 | 9.15E-01 | 9.20E-01 | 4.81E-02 | 1.20E-01 | 1.09E+00 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 1.50E-04 | 7.75E-05 | 2.68E-05 | 2.54E-04 | 1.83E-04 | 9.15E-05 | 2.86E-05 | 3.03E-04 | 2.18E-04 | 1.06E-04 | 3.05E-05 | 3.54E-04 |
| Hazardous waste disposed | HWD | kg | 3.29E-12 | 6.12E-13 | 1.58E-11 | 1.97E-11 | 3.81E-12 | 7.43E-13 | 1.60E-11 | 2.06E-11 | 4.64E-12 | 8.89E-13 | 1.63E-11 | 2.18E-11 |
| Non-hazardous waste disposed | NHWD | kg | 3.18E-05 | 1.33E-05 | 4.64E-03 | 4.69E-03 | 3.17E-05 | 1.60E-05 | 5.68E-03 | 5.73E-03 | 4.13E-05 | 1.88E-05 | 6.77E-03 | 6.83E-03 |
| Radioactive waste disposed | RWD | kg | 2.82E-08 | 3.26E-08 | 4.28E-07 | 4.89E-07 | 2.83E-08 | 3.97E-08 | 4.62E-07 | 5.30E-07 | 3.66E-08 | 4.73E-08 | 4.99E-07 | 5.83E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 3.95E-03 | 0.00E+00 | 3.95E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 5.06E-03 | 0.00E+00 | 5.06E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE VIETNAMESE MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|-------------------|----------|------------|----------|
| | | | Air Aseptic 125ml | | | | Air Aseptic 200ml | | | | Air Aseptic 250ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.03E-02 | 1.05E-03 | 4.42E-03 | 1.58E-02 | 1.23E-02 | 1.29E-03 | 5.10E-03 | 1.86E-02 | 1.33E-02 | 1.41E-03 | 5.44E-03 | 2.01E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.02E-02 | 9.52E-04 | 4.41E-03 | 1.56E-02 | 1.22E-02 | 1.16E-03 | 5.09E-03 | 1.84E-02 | 1.32E-02 | 1.28E-03 | 5.43E-03 | 1.99E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 2.57E-04 | 9.73E-05 | 5.38E-06 | 3.60E-04 | 3.07E-04 | 1.20E-04 | 5.94E-06 | 4.33E-04 | 3.32E-04 | 1.34E-04 | 6.23E-06 | 4.72E-04 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 5.41E-08 | 4.37E-06 | 4.29E-06 | 8.72E-06 | 6.44E-08 | 5.23E-06 | 4.48E-06 | 9.78E-06 | 6.80E-08 | 5.66E-06 | 4.59E-06 | 1.03E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 4.77E-13 | 5.17E-14 | 3.47E-15 | 5.33E-13 | 5.68E-13 | 6.41E-14 | 3.53E-15 | 6.36E-13 | 6.20E-13 | 7.13E-14 | 3.58E-15 | 6.95E-13 |
| Acidification | AP | mole H ⁺ eq | 6.76E-05 | 4.03E-06 | 7.19E-05 | 1.44E-04 | 8.01E-05 | 4.97E-06 | 8.41E-05 | 1.69E-04 | 8.71E-05 | 5.51E-06 | 9.01E-05 | 1.83E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 3.85E-07 | 4.78E-08 | 3.54E-08 | 4.69E-07 | 4.58E-07 | 5.92E-08 | 4.19E-08 | 5.59E-07 | 4.98E-07 | 6.57E-08 | 4.51E-08 | 6.09E-07 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 8.09E-06 | 1.29E-06 | 1.63E-05 | 2.57E-05 | 9.63E-06 | 1.58E-06 | 1.92E-05 | 3.04E-05 | 1.04E-05 | 1.75E-06 | 2.06E-05 | 3.28E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 8.40E-05 | 9.26E-06 | 1.80E-04 | 2.73E-04 | 9.99E-05 | 1.14E-05 | 2.11E-04 | 3.22E-04 | 1.08E-04 | 1.25E-05 | 2.27E-04 | 3.47E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 3.89E-05 | 8.50E-06 | 4.66E-05 | 9.40E-05 | 4.63E-05 | 1.02E-05 | 5.48E-05 | 1.11E-04 | 4.97E-05 | 1.17E-05 | 5.88E-05 | 1.20E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 2.46E-08 | 1.86E-09 | 1.28E-10 | 2.66E-08 | 2.91E-08 | 2.30E-09 | 1.33E-10 | 3.15E-08 | 3.18E-08 | 2.56E-09 | 1.36E-10 | 3.45E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 3.21E-02 | 5.53E-03 | 3.74E-02 | 7.51E-02 | 3.83E-02 | 6.64E-03 | 4.22E-02 | 8.71E-02 | 4.13E-02 | 7.20E-03 | 4.47E-02 | 9.32E-02 |
| Water scarcity | WDP | m ³ world eq | 9.81E-05 | 1.65E-04 | 3.17E-04 | 5.81E-04 | 1.16E-04 | 1.87E-04 | 3.44E-04 | 6.47E-04 | 1.17E-04 | 2.02E-04 | 3.58E-04 | 6.76E-04 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 7.98E-03 | 2.10E-02 | 3.76E-03 | 3.28E-02 | 9.48E-03 | 2.45E-02 | 3.83E-03 | 3.78E-02 | 1.03E-02 | 2.67E-02 | 3.88E-03 | 4.08E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 7.98E-03 | 2.10E-02 | 3.76E-03 | 3.28E-02 | 9.48E-03 | 2.45E-02 | 3.83E-03 | 3.78E-02 | 1.03E-02 | 2.67E-02 | 3.88E-03 | 4.08E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 1.56E-01 | 1.59E-02 | 3.75E-02 | 2.10E-01 | 1.86E-01 | 1.95E-02 | 4.23E-02 | 2.48E-01 | 2.02E-01 | 2.15E-02 | 4.48E-02 | 2.68E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 1.72E-01 | 0.00E+00 | 0.00E+00 | 1.72E-01 | 2.05E-01 | 0.00E+00 | 0.00E+00 | 2.05E-01 | 2.22E-01 | 0.00E+00 | 0.00E+00 | 2.22E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 3.28E-01 | 1.66E-02 | 3.75E-02 | 3.82E-01 | 3.91E-01 | 2.03E-02 | 4.23E-02 | 4.54E-01 | 4.23E-01 | 2.25E-02 | 4.48E-02 | 4.90E-01 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 7.87E-05 | 4.22E-05 | 9.76E-06 | 1.31E-04 | 9.32E-05 | 4.84E-05 | 1.04E-05 | 1.52E-04 | 1.02E-04 | 5.23E-05 | 1.08E-05 | 1.65E-04 |
| Hazardous waste disposed | HWD | kg | 1.75E-12 | 3.19E-13 | 6.90E-12 | 8.97E-12 | 2.09E-12 | 3.82E-13 | 6.91E-12 | 9.37E-12 | 2.22E-12 | 4.13E-13 | 6.94E-12 | 9.57E-12 |
| Non-hazardous waste disposed | NHWD | kg | 1.80E-05 | 7.01E-06 | 2.37E-03 | 2.39E-03 | 2.14E-05 | 8.27E-06 | 2.84E-03 | 2.87E-03 | 2.18E-05 | 9.01E-06 | 3.08E-03 | 3.11E-03 |
| Radioactive waste disposed | RWD | kg | 1.59E-08 | 1.69E-08 | 8.73E-08 | 1.20E-07 | 1.89E-08 | 2.03E-08 | 1.00E-07 | 1.39E-07 | 1.93E-08 | 2.21E-08 | 1.07E-07 | 1.48E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 2.82E-03 | 0.00E+00 | 2.82E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.26E-03 | 0.00E+00 | 3.26E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE VIETNAMESE MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|--------------------|----------|------------|----------|
| | | | Air Aseptic 500ml | | | | Air Aseptic 750ml | | | | Air Aseptic 1000ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.98E-02 | 2.06E-03 | 8.32E-03 | 3.02E-02 | 2.42E-02 | 2.54E-03 | 9.80E-03 | 3.66E-02 | 2.89E-02 | 3.02E-03 | 1.14E-02 | 4.33E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.96E-02 | 1.86E-03 | 8.31E-03 | 2.98E-02 | 2.40E-02 | 2.29E-03 | 9.78E-03 | 3.60E-02 | 2.86E-02 | 2.72E-03 | 1.14E-02 | 4.27E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 4.94E-04 | 1.93E-04 | 9.72E-06 | 6.97E-04 | 6.05E-04 | 2.41E-04 | 1.10E-05 | 8.57E-04 | 7.25E-04 | 2.86E-04 | 1.24E-05 | 1.02E-03 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 1.01E-07 | 8.39E-06 | 7.29E-06 | 1.58E-05 | 1.14E-07 | 1.02E-05 | 7.79E-06 | 1.81E-05 | 1.40E-07 | 1.22E-05 | 8.32E-06 | 2.06E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 9.01E-13 | 1.03E-13 | 5.80E-15 | 1.01E-12 | 1.10E-12 | 1.28E-13 | 6.00E-15 | 1.24E-12 | 1.37E-12 | 1.53E-13 | 6.21E-15 | 1.53E-12 |
| Acidification | AP | mole H ⁺ eq | 1.29E-04 | 7.95E-06 | 1.35E-04 | 2.72E-04 | 1.58E-04 | 9.89E-06 | 1.61E-04 | 3.29E-04 | 1.88E-04 | 1.18E-05 | 1.91E-04 | 3.90E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 7.38E-07 | 9.47E-08 | 6.84E-08 | 9.02E-07 | 9.05E-07 | 1.18E-07 | 8.26E-08 | 1.11E-06 | 1.08E-06 | 1.41E-07 | 9.76E-08 | 1.32E-06 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 1.54E-05 | 2.54E-06 | 3.09E-05 | 4.89E-05 | 1.87E-05 | 3.15E-06 | 3.70E-05 | 5.88E-05 | 2.23E-05 | 3.76E-06 | 4.40E-05 | 7.01E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 1.60E-04 | 1.82E-05 | 3.40E-04 | 5.18E-04 | 1.93E-04 | 2.25E-05 | 4.06E-04 | 6.22E-04 | 2.32E-04 | 2.68E-05 | 4.83E-04 | 7.41E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 7.35E-05 | 1.67E-05 | 8.81E-05 | 1.78E-04 | 8.74E-05 | 2.14E-05 | 1.05E-04 | 2.14E-04 | 1.06E-04 | 2.50E-05 | 1.25E-04 | 2.56E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 4.68E-08 | 3.68E-09 | 2.17E-10 | 5.07E-08 | 5.75E-08 | 4.59E-09 | 2.30E-10 | 6.24E-08 | 6.83E-08 | 5.46E-09 | 2.44E-10 | 7.40E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 6.15E-02 | 1.06E-02 | 6.91E-02 | 1.41E-01 | 7.45E-02 | 1.29E-02 | 7.96E-02 | 1.67E-01 | 8.91E-02 | 1.55E-02 | 9.16E-02 | 1.96E-01 |
| Water scarcity | WDP | m ³ world eq | 1.69E-04 | 3.00E-04 | 4.60E-04 | 9.29E-04 | 1.61E-04 | 3.51E-04 | 5.19E-04 | 1.03E-03 | 2.13E-04 | 4.04E-04 | 5.81E-04 | 1.20E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 1.52E-02 | 3.93E-02 | 6.27E-03 | 6.07E-02 | 1.84E-02 | 4.69E-02 | 6.47E-03 | 7.18E-02 | 2.20E-02 | 5.46E-02 | 6.70E-03 | 8.33E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 1.52E-02 | 3.93E-02 | 6.27E-03 | 6.07E-02 | 1.84E-02 | 4.69E-02 | 6.47E-03 | 7.18E-02 | 2.20E-02 | 5.46E-02 | 6.70E-03 | 8.33E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 3.00E-01 | 3.11E-02 | 6.92E-02 | 4.00E-01 | 3.66E-01 | 3.86E-02 | 7.97E-02 | 4.84E-01 | 4.38E-01 | 4.60E-02 | 9.18E-02 | 5.76E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 3.31E-01 | 0.00E+00 | 0.00E+00 | 3.31E-01 | 4.05E-01 | 0.00E+00 | 0.00E+00 | 4.05E-01 | 4.82E-01 | 0.00E+00 | 0.00E+00 | 4.82E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 6.31E-01 | 3.25E-02 | 6.92E-02 | 7.33E-01 | 7.71E-01 | 4.03E-02 | 7.97E-02 | 8.91E-01 | 9.20E-01 | 4.81E-02 | 9.18E-02 | 1.06E+00 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 1.50E-04 | 7.75E-05 | 1.46E-05 | 2.42E-04 | 1.83E-04 | 9.15E-05 | 1.61E-05 | 2.91E-04 | 2.18E-04 | 1.06E-04 | 1.77E-05 | 3.41E-04 |
| Hazardous waste disposed | HWD | kg | 3.29E-12 | 6.12E-13 | 1.14E-11 | 1.53E-11 | 3.81E-12 | 7.43E-13 | 1.16E-11 | 1.61E-11 | 4.64E-12 | 8.89E-13 | 1.17E-11 | 1.72E-11 |
| Non-hazardous waste disposed | NHWD | kg | 3.18E-05 | 1.33E-05 | 4.64E-03 | 4.69E-03 | 3.17E-05 | 1.60E-05 | 5.68E-03 | 5.73E-03 | 4.13E-05 | 1.88E-05 | 6.77E-03 | 6.83E-03 |
| Radioactive waste disposed | RWD | kg | 2.82E-08 | 3.26E-08 | 1.69E-07 | 2.29E-07 | 2.83E-08 | 3.97E-08 | 1.97E-07 | 2.65E-07 | 3.66E-08 | 4.73E-08 | 2.28E-07 | 3.12E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 3.95E-03 | 0.00E+00 | 3.95E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 5.06E-03 | 0.00E+00 | 5.06E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE INDONESIAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|-------------------|----------|------------|----------|
| | | | Air Aseptic 125ml | | | | Air Aseptic 200ml | | | | Air Aseptic 250ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.03E-02 | 1.05E-03 | 4.72E-03 | 1.61E-02 | 1.23E-02 | 1.29E-03 | 5.38E-03 | 1.89E-02 | 1.33E-02 | 1.41E-03 | 5.71E-03 | 2.04E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.02E-02 | 9.52E-04 | 4.72E-03 | 1.59E-02 | 1.22E-02 | 1.16E-03 | 5.37E-03 | 1.87E-02 | 1.32E-02 | 1.28E-03 | 5.71E-03 | 2.02E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 2.57E-04 | 9.73E-05 | 3.52E-06 | 3.58E-04 | 3.07E-04 | 1.20E-04 | 4.07E-06 | 4.32E-04 | 3.32E-04 | 1.34E-04 | 4.35E-06 | 4.70E-04 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 5.41E-08 | 4.37E-06 | 2.89E-06 | 7.32E-06 | 6.44E-08 | 5.23E-06 | 3.09E-06 | 8.39E-06 | 6.80E-08 | 5.66E-06 | 3.21E-06 | 8.94E-06 |
| Ozone depletion | ODP | kg CFC-11 eq | 4.77E-13 | 5.17E-14 | 6.03E-16 | 5.30E-13 | 5.68E-13 | 6.41E-14 | 6.93E-16 | 6.33E-13 | 6.20E-13 | 7.13E-14 | 7.38E-16 | 6.92E-13 |
| Acidification | AP | mole H ⁺ eq | 6.76E-05 | 4.03E-06 | 6.89E-05 | 1.41E-04 | 8.01E-05 | 4.97E-06 | 8.05E-05 | 1.66E-04 | 8.71E-05 | 5.51E-06 | 8.62E-05 | 1.79E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 3.85E-07 | 4.78E-08 | 3.40E-08 | 4.67E-07 | 4.58E-07 | 5.92E-08 | 4.05E-08 | 5.58E-07 | 4.98E-07 | 6.57E-08 | 4.37E-08 | 6.07E-07 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 8.09E-06 | 1.29E-06 | 1.63E-05 | 2.56E-05 | 9.63E-06 | 1.58E-06 | 1.90E-05 | 3.02E-05 | 1.04E-05 | 1.75E-06 | 2.03E-05 | 3.25E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 8.40E-05 | 9.26E-06 | 1.79E-04 | 2.72E-04 | 9.99E-05 | 1.14E-05 | 2.08E-04 | 3.20E-04 | 1.08E-04 | 1.25E-05 | 2.23E-04 | 3.44E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 3.89E-05 | 8.50E-06 | 4.62E-05 | 9.36E-05 | 4.63E-05 | 1.02E-05 | 5.39E-05 | 1.10E-04 | 4.97E-05 | 1.17E-05 | 5.77E-05 | 1.19E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 2.46E-08 | 1.86E-09 | 7.62E-11 | 2.65E-08 | 2.91E-08 | 2.30E-09 | 8.15E-11 | 3.15E-08 | 3.18E-08 | 2.56E-09 | 8.43E-11 | 3.44E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 3.21E-02 | 5.53E-03 | 3.94E-02 | 7.71E-02 | 3.83E-02 | 6.64E-03 | 4.40E-02 | 8.89E-02 | 4.13E-02 | 7.20E-03 | 4.63E-02 | 9.49E-02 |
| Water scarcity | WDP | m ³ world eq | 9.81E-05 | 1.65E-04 | 4.03E-04 | 6.66E-04 | 1.16E-04 | 1.87E-04 | 4.29E-04 | 7.32E-04 | 1.17E-04 | 2.02E-04 | 4.42E-04 | 7.61E-04 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 7.98E-03 | 2.10E-02 | 4.37E-03 | 3.34E-02 | 9.48E-03 | 2.45E-02 | 4.43E-03 | 3.84E-02 | 1.03E-02 | 2.67E-02 | 4.48E-03 | 4.14E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 7.98E-03 | 2.10E-02 | 4.37E-03 | 3.34E-02 | 9.48E-03 | 2.45E-02 | 4.43E-03 | 3.84E-02 | 1.03E-02 | 2.67E-02 | 4.48E-03 | 4.14E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 1.56E-01 | 1.59E-02 | 3.95E-02 | 2.12E-01 | 1.86E-01 | 1.95E-02 | 4.41E-02 | 2.50E-01 | 2.02E-01 | 2.15E-02 | 4.64E-02 | 2.69E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 1.72E-01 | 0.00E+00 | 0.00E+00 | 1.72E-01 | 2.05E-01 | 0.00E+00 | 0.00E+00 | 2.05E-01 | 2.22E-01 | 0.00E+00 | 0.00E+00 | 2.22E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 3.28E-01 | 1.66E-02 | 3.95E-02 | 3.84E-01 | 3.91E-01 | 2.03E-02 | 4.41E-02 | 4.56E-01 | 4.23E-01 | 2.25E-02 | 4.64E-02 | 4.92E-01 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 7.87E-05 | 4.22E-05 | 1.11E-05 | 1.32E-04 | 9.32E-05 | 4.84E-05 | 1.17E-05 | 1.53E-04 | 1.02E-04 | 5.23E-05 | 1.21E-05 | 1.66E-04 |
| Hazardous waste disposed | HWD | kg | 1.75E-12 | 3.19E-13 | 3.85E-12 | 5.92E-12 | 2.09E-12 | 3.82E-13 | 3.88E-12 | 6.35E-12 | 2.22E-12 | 4.13E-13 | 3.91E-12 | 6.55E-12 |
| Non-hazardous waste disposed | NHWD | kg | 1.80E-05 | 7.01E-06 | 2.37E-03 | 2.39E-03 | 2.14E-05 | 8.27E-06 | 2.84E-03 | 2.87E-03 | 2.18E-05 | 9.01E-06 | 3.08E-03 | 3.11E-03 |
| Radioactive waste disposed | RWD | kg | 1.59E-08 | 1.69E-08 | 8.49E-08 | 1.18E-07 | 1.89E-08 | 2.03E-08 | 9.76E-08 | 1.37E-07 | 1.93E-08 | 2.21E-08 | 1.04E-07 | 1.45E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 2.82E-03 | 0.00E+00 | 2.82E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.26E-03 | 0.00E+00 | 3.26E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE INDONESIAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|--------------------|----------|------------|----------|
| | | | Air Aseptic 500ml | | | | Air Aseptic 750ml | | | | Air Aseptic 1000ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.98E-02 | 2.06E-03 | 8.78E-03 | 3.06E-02 | 2.42E-02 | 2.54E-03 | 1.02E-02 | 3.70E-02 | 2.89E-02 | 3.02E-03 | 1.18E-02 | 4.37E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.96E-02 | 1.86E-03 | 8.77E-03 | 3.03E-02 | 2.40E-02 | 2.29E-03 | 1.02E-02 | 3.65E-02 | 2.86E-02 | 2.72E-03 | 1.18E-02 | 4.31E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 4.94E-04 | 1.93E-04 | 6.68E-06 | 6.94E-04 | 6.05E-04 | 2.41E-04 | 7.87E-06 | 8.54E-04 | 7.25E-04 | 2.86E-04 | 9.22E-06 | 1.02E-03 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 1.01E-07 | 8.39E-06 | 5.03E-06 | 1.35E-05 | 1.14E-07 | 1.02E-05 | 5.52E-06 | 1.58E-05 | 1.40E-07 | 1.22E-05 | 6.04E-06 | 1.84E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 9.01E-13 | 1.03E-13 | 1.16E-15 | 1.00E-12 | 1.10E-12 | 1.28E-13 | 1.36E-15 | 1.23E-12 | 1.37E-12 | 1.53E-13 | 1.57E-15 | 1.52E-12 |
| Acidification | AP | mole H ⁺ eq | 1.29E-04 | 7.95E-06 | 1.30E-04 | 2.66E-04 | 1.58E-04 | 9.89E-06 | 1.54E-04 | 3.21E-04 | 1.88E-04 | 1.18E-05 | 1.82E-04 | 3.82E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 7.38E-07 | 9.47E-08 | 6.61E-08 | 8.99E-07 | 9.05E-07 | 1.18E-07 | 8.03E-08 | 1.10E-06 | 1.08E-06 | 1.41E-07 | 9.52E-08 | 1.31E-06 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 1.54E-05 | 2.54E-06 | 3.05E-05 | 4.85E-05 | 1.87E-05 | 3.15E-06 | 3.63E-05 | 5.81E-05 | 2.23E-05 | 3.76E-06 | 4.29E-05 | 6.90E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 1.60E-04 | 1.82E-05 | 3.36E-04 | 5.14E-04 | 1.93E-04 | 2.25E-05 | 3.99E-04 | 6.15E-04 | 2.32E-04 | 2.68E-05 | 4.72E-04 | 7.30E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 7.35E-05 | 1.67E-05 | 8.68E-05 | 1.77E-04 | 8.74E-05 | 2.14E-05 | 1.03E-04 | 2.12E-04 | 1.06E-04 | 2.50E-05 | 1.22E-04 | 2.53E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 4.68E-08 | 3.68E-09 | 1.33E-10 | 5.07E-08 | 5.75E-08 | 4.59E-09 | 1.45E-10 | 6.23E-08 | 6.83E-08 | 5.46E-09 | 1.59E-10 | 7.40E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 6.15E-02 | 1.06E-02 | 7.20E-02 | 1.44E-01 | 7.45E-02 | 1.29E-02 | 8.20E-02 | 1.69E-01 | 8.91E-02 | 1.55E-02 | 9.35E-02 | 1.98E-01 |
| Water scarcity | WDP | m ³ world eq | 1.69E-04 | 3.00E-04 | 5.98E-04 | 1.07E-03 | 1.61E-04 | 3.51E-04 | 6.57E-04 | 1.17E-03 | 2.13E-04 | 4.04E-04 | 7.19E-04 | 1.34E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 1.52E-02 | 3.93E-02 | 7.25E-03 | 6.17E-02 | 1.84E-02 | 4.69E-02 | 7.45E-03 | 7.28E-02 | 2.20E-02 | 5.46E-02 | 7.67E-03 | 8.43E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 1.52E-02 | 3.93E-02 | 7.25E-03 | 6.17E-02 | 1.84E-02 | 4.69E-02 | 7.45E-03 | 7.28E-02 | 2.20E-02 | 5.46E-02 | 7.67E-03 | 8.43E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 3.00E-01 | 3.11E-02 | 7.21E-02 | 4.03E-01 | 3.66E-01 | 3.86E-02 | 8.22E-02 | 4.87E-01 | 4.38E-01 | 4.60E-02 | 9.37E-02 | 5.77E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 3.31E-01 | 0.00E+00 | 0.00E+00 | 3.31E-01 | 4.05E-01 | 0.00E+00 | 0.00E+00 | 4.05E-01 | 4.82E-01 | 0.00E+00 | 0.00E+00 | 4.82E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 6.31E-01 | 3.25E-02 | 7.21E-02 | 7.36E-01 | 7.71E-01 | 4.03E-02 | 8.22E-02 | 8.94E-01 | 9.20E-01 | 4.81E-02 | 9.37E-02 | 1.06E+00 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 1.50E-04 | 7.75E-05 | 1.68E-05 | 2.44E-04 | 1.83E-04 | 9.15E-05 | 1.83E-05 | 2.93E-04 | 2.18E-04 | 1.06E-04 | 1.98E-05 | 3.43E-04 |
| Hazardous waste disposed | HWD | kg | 3.29E-12 | 6.12E-13 | 6.47E-12 | 1.04E-11 | 3.81E-12 | 7.43E-13 | 6.62E-12 | 1.12E-11 | 4.64E-12 | 8.89E-13 | 6.77E-12 | 1.23E-11 |
| Non-hazardous waste disposed | NHWD | kg | 3.18E-05 | 1.33E-05 | 4.64E-03 | 4.69E-03 | 3.17E-05 | 1.60E-05 | 5.68E-03 | 5.73E-03 | 4.13E-05 | 1.88E-05 | 6.77E-03 | 6.83E-03 |
| Radioactive waste disposed | RWD | kg | 2.82E-08 | 3.26E-08 | 1.65E-07 | 2.25E-07 | 2.83E-08 | 3.97E-08 | 1.92E-07 | 2.60E-07 | 3.66E-08 | 4.73E-08 | 2.23E-07 | 3.07E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 3.95E-03 | 0.00E+00 | 3.95E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 5.06E-03 | 0.00E+00 | 5.06E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE MEXICAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|-------------------|----------|------------|----------|
| | | | Air Aseptic 125ml | | | | Air Aseptic 200ml | | | | Air Aseptic 250ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.03E-02 | 1.05E-03 | 3.97E-03 | 1.53E-02 | 1.23E-02 | 1.29E-03 | 4.57E-03 | 1.81E-02 | 1.33E-02 | 1.41E-03 | 4.86E-03 | 1.96E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.02E-02 | 9.52E-04 | 3.96E-03 | 1.52E-02 | 1.22E-02 | 1.16E-03 | 4.55E-03 | 1.79E-02 | 1.32E-02 | 1.28E-03 | 4.85E-03 | 1.93E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 2.57E-04 | 9.73E-05 | 6.77E-06 | 3.61E-04 | 3.07E-04 | 1.20E-04 | 7.90E-06 | 4.35E-04 | 3.32E-04 | 1.34E-04 | 8.46E-06 | 4.74E-04 |
| Climate Change - land use and land use change | GWPP-luluc | kg CO ₂ eq | 5.41E-08 | 4.37E-06 | 5.33E-06 | 9.76E-06 | 6.44E-08 | 5.23E-06 | 6.32E-06 | 1.16E-05 | 6.80E-08 | 5.66E-06 | 6.81E-06 | 1.25E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 4.77E-13 | 5.17E-14 | 1.14E-15 | 5.30E-13 | 5.68E-13 | 6.41E-14 | 1.21E-15 | 6.33E-13 | 6.20E-13 | 7.13E-14 | 1.25E-15 | 6.93E-13 |
| Acidification | AP | mole H+ eq | 6.76E-05 | 4.03E-06 | 4.26E-05 | 1.14E-04 | 8.01E-05 | 4.97E-06 | 4.94E-05 | 1.35E-04 | 8.71E-05 | 5.51E-06 | 5.28E-05 | 1.45E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 3.85E-07 | 4.78E-08 | 3.53E-08 | 4.68E-07 | 4.58E-07 | 5.92E-08 | 4.23E-08 | 5.60E-07 | 4.98E-07 | 6.57E-08 | 4.57E-08 | 6.09E-07 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 8.09E-06 | 1.29E-06 | 9.31E-06 | 1.87E-05 | 9.63E-06 | 1.58E-06 | 1.09E-05 | 2.21E-05 | 1.04E-05 | 1.75E-06 | 1.17E-05 | 2.39E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 8.40E-05 | 9.26E-06 | 1.03E-04 | 1.96E-04 | 9.99E-05 | 1.14E-05 | 1.21E-04 | 2.32E-04 | 1.08E-04 | 1.25E-05 | 1.29E-04 | 2.50E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 3.89E-05 | 8.50E-06 | 2.67E-05 | 7.41E-05 | 4.63E-05 | 1.02E-05 | 3.13E-05 | 8.78E-05 | 4.97E-05 | 1.17E-05 | 3.35E-05 | 9.50E-05 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 2.46E-08 | 1.86E-09 | 1.64E-10 | 2.66E-08 | 2.91E-08 | 2.30E-09 | 1.74E-10 | 3.15E-08 | 3.18E-08 | 2.56E-09 | 1.80E-10 | 3.45E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 3.21E-02 | 5.53E-03 | 3.33E-02 | 7.09E-02 | 3.83E-02 | 6.64E-03 | 3.71E-02 | 8.20E-02 | 4.13E-02 | 7.20E-03 | 3.91E-02 | 8.76E-02 |
| Water scarcity | WDP | m ³ world eq | 9.81E-05 | 1.65E-04 | 4.82E-04 | 7.45E-04 | 1.16E-04 | 1.87E-04 | 5.08E-04 | 8.11E-04 | 1.17E-04 | 2.02E-04 | 5.22E-04 | 8.40E-04 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 7.98E-03 | 2.10E-02 | 2.65E-03 | 3.17E-02 | 9.48E-03 | 2.45E-02 | 2.82E-03 | 3.68E-02 | 1.03E-02 | 2.67E-02 | 2.91E-03 | 3.98E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 7.98E-03 | 2.10E-02 | 2.65E-03 | 3.17E-02 | 9.48E-03 | 2.45E-02 | 2.82E-03 | 3.68E-02 | 1.03E-02 | 2.67E-02 | 2.91E-03 | 3.98E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 1.56E-01 | 1.59E-02 | 3.33E-02 | 2.06E-01 | 1.86E-01 | 1.95E-02 | 3.72E-02 | 2.43E-01 | 2.02E-01 | 2.15E-02 | 3.91E-02 | 2.62E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 1.72E-01 | 0.00E+00 | 0.00E+00 | 1.72E-01 | 2.05E-01 | 0.00E+00 | 0.00E+00 | 2.05E-01 | 2.22E-01 | 0.00E+00 | 0.00E+00 | 2.22E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 3.28E-01 | 1.66E-02 | 3.33E-02 | 3.78E-01 | 3.91E-01 | 2.03E-02 | 3.72E-02 | 4.49E-01 | 4.23E-01 | 2.25E-02 | 3.91E-02 | 4.85E-01 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 7.87E-05 | 4.22E-05 | 1.32E-05 | 1.34E-04 | 9.32E-05 | 4.84E-05 | 1.39E-05 | 1.55E-04 | 1.02E-04 | 5.23E-05 | 1.43E-05 | 1.68E-04 |
| Hazardous waste disposed | HWD | kg | 1.75E-12 | 3.19E-13 | 1.62E-12 | 3.69E-12 | 2.09E-12 | 3.82E-13 | 1.72E-12 | 4.19E-12 | 2.22E-12 | 4.13E-13 | 1.77E-12 | 4.41E-12 |
| Non-hazardous waste disposed | NHWD | kg | 1.80E-05 | 7.01E-06 | 2.37E-03 | 2.39E-03 | 2.14E-05 | 8.27E-06 | 2.84E-03 | 2.87E-03 | 2.18E-05 | 9.01E-06 | 3.08E-03 | 3.11E-03 |
| Radioactive waste disposed | RWD | kg | 1.59E-08 | 1.69E-08 | 2.89E-07 | 3.22E-07 | 1.89E-08 | 2.03E-08 | 2.99E-07 | 3.39E-07 | 1.93E-08 | 2.21E-08 | 3.06E-07 | 3.47E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 2.82E-03 | 0.00E+00 | 2.82E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.09E-03 | 0.00E+00 | 3.26E-03 | 0.00E+00 | 3.26E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

ENVIRONMENTAL PERFORMANCE – ECOLEAN® AIR ASEPTIC THE MEXICAN MARKET

| INDICATORS | Acronyms | Unit per functional unit (1 package) | Ecolean® Air Aseptic | | | | | | | | | | | |
|---|-----------------------|--------------------------------------|----------------------|----------|------------|----------|-------------------|----------|------------|----------|--------------------|----------|------------|----------|
| | | | Air Aseptic 500ml | | | | Air Aseptic 750ml | | | | Air Aseptic 1000ml | | | |
| | | | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total | Upstream | Core | Downstream | Total |
| Climate Change - total | GWP-total | kg CO ₂ eq | 1.98E-02 | 2.06E-03 | 7.46E-03 | 2.93E-02 | 2.42E-02 | 2.54E-03 | 8.76E-03 | 3.55E-02 | 2.89E-02 | 3.02E-03 | 1.02E-02 | 4.21E-02 |
| Climate Change - fossil | GWP-fossil | kg CO ₂ eq | 1.96E-02 | 1.86E-03 | 7.44E-03 | 2.89E-02 | 2.40E-02 | 2.29E-03 | 8.74E-03 | 3.50E-02 | 2.86E-02 | 2.72E-03 | 1.02E-02 | 4.14E-02 |
| Climate Change - biogenic | GWP-biogenic | kg CO ₂ eq | 4.94E-04 | 1.93E-04 | 1.28E-05 | 7.00E-04 | 6.05E-04 | 2.41E-04 | 1.52E-05 | 8.61E-04 | 7.25E-04 | 2.86E-04 | 1.80E-05 | 1.03E-03 |
| Climate Change - land use and land use change | GWP-luluc | kg CO ₂ eq | 1.01E-07 | 8.39E-06 | 1.02E-05 | 1.87E-05 | 1.14E-07 | 1.02E-05 | 1.23E-05 | 2.26E-05 | 1.40E-07 | 1.22E-05 | 1.47E-05 | 2.70E-05 |
| Ozone depletion | ODP | kg CFC-11 eq | 9.01E-13 | 1.03E-13 | 2.01E-15 | 1.01E-12 | 1.10E-12 | 1.28E-13 | 2.19E-15 | 1.24E-12 | 1.37E-12 | 1.53E-13 | 2.38E-15 | 1.52E-12 |
| Acidification | AP | mole H ⁺ eq | 1.29E-04 | 7.95E-06 | 7.96E-05 | 2.16E-04 | 1.58E-04 | 9.89E-06 | 9.40E-05 | 2.61E-04 | 1.88E-04 | 1.18E-05 | 1.11E-04 | 3.10E-04 |
| Eutrophication aquatic freshwater | EP-freshwater | kg P eq | 7.38E-07 | 9.47E-08 | 6.89E-08 | 9.02E-07 | 9.05E-07 | 1.18E-07 | 8.42E-08 | 1.11E-06 | 1.08E-06 | 1.41E-07 | 1.00E-07 | 1.32E-06 |
| Eutrophication aquatic marine | EP-marine | kg N eq | 1.54E-05 | 2.54E-06 | 1.76E-05 | 3.56E-05 | 1.87E-05 | 3.15E-06 | 2.10E-05 | 4.28E-05 | 2.23E-05 | 3.76E-06 | 2.49E-05 | 5.10E-05 |
| Eutrophication terrestrial | EP-terrestrial | mole N eq | 1.60E-04 | 1.82E-05 | 1.94E-04 | 3.73E-04 | 1.93E-04 | 2.25E-05 | 2.32E-04 | 4.48E-04 | 2.32E-04 | 2.68E-05 | 2.75E-04 | 5.34E-04 |
| Photochemical ozone formation | POCP | kg NMVOC eq | 7.35E-05 | 1.67E-05 | 5.04E-05 | 1.41E-04 | 8.74E-05 | 2.14E-05 | 6.00E-05 | 1.69E-04 | 1.06E-04 | 2.50E-05 | 7.12E-05 | 2.02E-04 |
| Depletion of abiotic resources - minerals and metals | ADP-minerals & metals | kg Sb eq | 4.68E-08 | 3.68E-09 | 2.83E-10 | 5.08E-08 | 5.75E-08 | 4.59E-09 | 3.08E-10 | 6.24E-08 | 6.83E-08 | 5.46E-09 | 3.35E-10 | 7.41E-08 |
| Depletion of abiotic resources - fossil fuels | ADP-fossil | MJ | 6.15E-02 | 1.06E-02 | 6.09E-02 | 1.33E-01 | 7.45E-02 | 1.29E-02 | 6.93E-02 | 1.57E-01 | 8.91E-02 | 1.55E-02 | 7.89E-02 | 1.83E-01 |
| Water scarcity | WDP | m ³ world eq | 1.69E-04 | 3.00E-04 | 7.27E-04 | 1.20E-03 | 1.61E-04 | 3.51E-04 | 7.87E-04 | 1.30E-03 | 2.13E-04 | 4.04E-04 | 8.51E-04 | 1.47E-03 |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials | PERE | MJ | 1.52E-02 | 3.93E-02 | 4.61E-03 | 5.91E-02 | 1.84E-02 | 4.69E-02 | 5.00E-03 | 7.03E-02 | 2.20E-02 | 5.46E-02 | 5.44E-03 | 8.21E-02 |
| Use of renewable primary energy resources used as raw materials | PERM | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PERT | MJ | 1.52E-02 | 3.93E-02 | 4.61E-03 | 5.91E-02 | 1.84E-02 | 4.69E-02 | 5.00E-03 | 7.03E-02 | 2.20E-02 | 5.46E-02 | 5.44E-03 | 8.21E-02 |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE | MJ | 3.00E-01 | 3.11E-02 | 6.10E-02 | 3.92E-01 | 3.66E-01 | 3.86E-02 | 6.94E-02 | 4.74E-01 | 4.38E-01 | 4.60E-02 | 7.90E-02 | 5.63E-01 |
| Use of non-renewable primary energy resources used as raw materials | PENRM | MJ | 3.31E-01 | 0.00E+00 | 0.00E+00 | 3.31E-01 | 4.05E-01 | 0.00E+00 | 0.00E+00 | 4.05E-01 | 4.82E-01 | 0.00E+00 | 0.00E+00 | 4.82E-01 |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT | MJ | 6.31E-01 | 3.25E-02 | 6.10E-02 | 7.24E-01 | 7.71E-01 | 4.03E-02 | 6.94E-02 | 8.81E-01 | 9.20E-01 | 4.81E-02 | 7.90E-02 | 1.05E+00 |
| Use of secondary material | SM | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of renewable secondary fuels | RSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Use of non renewable secondary fuels | NRSF | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Net use of fresh water | FW | m ³ | 1.50E-04 | 7.75E-05 | 2.04E-05 | 2.48E-04 | 1.83E-04 | 9.15E-05 | 2.21E-05 | 2.97E-04 | 2.18E-04 | 1.06E-04 | 2.40E-05 | 3.48E-04 |
| Hazardous waste disposed | HWD | kg | 3.29E-12 | 6.12E-13 | 2.93E-12 | 6.83E-12 | 3.81E-12 | 7.43E-13 | 3.17E-12 | 7.72E-12 | 4.64E-12 | 8.89E-13 | 3.43E-12 | 8.96E-12 |
| Non-hazardous waste disposed | NHWD | kg | 3.18E-05 | 1.33E-05 | 4.64E-03 | 4.68E-03 | 3.17E-05 | 1.60E-05 | 5.68E-03 | 5.73E-03 | 4.13E-05 | 1.88E-05 | 6.77E-03 | 6.83E-03 |
| Radioactive waste disposed | RWD | kg | 2.82E-08 | 3.26E-08 | 4.94E-07 | 5.55E-07 | 2.83E-08 | 3.97E-08 | 5.21E-07 | 5.89E-07 | 3.66E-08 | 4.73E-08 | 5.49E-07 | 6.33E-07 |
| Components for re-use | CRU | kg | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Materials for recycling | MFR | kg | 0.00E+00 | 3.95E-03 | 0.00E+00 | 3.95E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 4.51E-03 | 0.00E+00 | 5.06E-03 | 0.00E+00 | 5.06E-03 |
| Material for energy recovery | MER | kg | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 | 0.00E+00 | 5.84E-05 |
| Exported electrical energy | EEE | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| Exported thermal energy | EET | MJ | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |

All results in the EPD are written in logarithmic base of ten. Reading example: 5.2E-03 = 5.2*10⁻³ = 0.0052.

PROGRAMME-RELATED INFORMATION AND VERIFICATION

Product Category Rules (PCR):

PCR 2019:13 Packaging (1.1), UN CPC 36490.

Product group classification:

UN CPC 36490

Reference year for data:

2021

Geographic scope:

Europe, China, Vietnam, Indonesia and Mexico

The PCR review was conducted by:

The Technical committee of the International EPD® System.

Contact via info@environdec.com

Independent verification of the declaration and data, according to ISO 14025:2006:

EPD Process Certification (internal) EPD Verification (external)

Third party verifier:



David Althoff Palm

Dalemarken AB

david@dalemarken.se

Approved by the International EPD® System

Procedure for follow-up of data during EPD validity involves third party verifier:

Yes No

EPDs within the same product category but from different programmes may not be comparable.

The environmental impacts of different EPDs can be compared only taking into account all the technical information supporting the declared/functional unit definition as requested by the PCR.

The intended use for this EPD is for business to business communication.

Version history S-P-01054 Ecolean Air Aseptic Packages for ambient distribution

- 2017-10-02: First publication, based on PCR 2017:05 Closable flexible plastic packaging, version 1.11 of 2018-11-14, UN CPC 36490
- 2021-07-15: Updated due to ended validity
- 2023-06-08: Updated to new PCR.
- 2023-07-07: Correction of calculation error for Air Aseptic 500 and 750.

CONTACT INFORMATION

EPD owner:

Ecolean AB, PO Box 812, SE-251 08 Helsingborg, Sweden

www.ecolean.com

Contact: Anna Palminger, Chief Sustainability Officer, anna.palminger@ecolean.se

The EPD owner has the sole ownership, liability and responsibility of the EPD.

LCA practitioner:

Ecolean AB, PO Box 812, SE-251 08 Helsingborg, Sweden

www.ecolean.com

Contact: Anna Palminger, Chief Sustainability Officer, anna.palminger@ecolean.se



Programme operator:

The International EPD® System

EPD International AB, Box 210 60, SE-100 31 Stockholm, Sweden

www.environdec.com



References:

General Programme Instructions of the International EPD® System.

Version 3.01, dated 2019-09-18.

Packaging UN CPC 36490 2019:13,
version 1.1 of 2020-12-17.

Reach: EU REACH Regulation (EC) No 1907/2006

LCA report: LCA Report Ecolean Packaging EPD 2023-05-30.

ecolean

Ecolean AB , Box 812, 251 08 Helsingborg, Sweden. Visiting Address: Landskronavägen 23, Phone: +46(0)10 459 40 00, info@ecolean.se, ecolean.com